

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	Exp.	-		-	
(Z)-8-Dodecen-1-yl acetate + (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-ol	Disrupt OFM	-	-	0.01	-	0.01	Exp.	-		-	
Abamectin	Agrimec Gold	0.02	21	0.02	21	0.02	0.09 Stone fruit	-		0.03 (Peaches - Including Nectarines and Apricots)	Iran 0.01
Acetamiprid +	Cormoran 180 EC	0.2	28	0.2	28	0.8	1.5 Fruit, stone, group 12-12	-		-	India - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Taiwan 0.01 Thailand -
Novaluron		0.5				2.0	1.9 Stone fruit; Subgroup 12-12C	-		7.0 (Stone fruits)	
Ascorbic Acid + Bioflavonoids	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
						0.01					
Azinphos-methyl	Azinfos Methyl 350 WP  Azinphos 350 WP Azinphos 200 SC	2.0	28	0.05	56 Max. 4 applications	0.05 (Unpublished Sante 12092/2019, proposed new MRL 0.01)	-	2.0 Stone type fruit		-	India - Indonesia - Iran - Malaysia (0.01) Oman prohibited use Taiwan - Thailand -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Azoxystrobin</b>	Ortiva Obstructo 250 SC	2.0	1	2.0	1	2.0	2.0 Stone fruit	2.0 Stone type fruit		2.0 (Stone fruits)	Taiwan 1.0
<b>Bacillus Thuringiensis</b>	DiPel DF	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
<b>Beauveria bassiana</b>	Broadband Eco-Bb	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
<b>Benomyl</b>	Benomyl 500 WP Benomyl Farmag Benomyl 500 WP	3.0	Do not use after flowering	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as Carbendazim)	Oman prohibited use Taiwan 0.01
<b>Bollworm Nucleopolyhedrovirus</b>	Bolldex Graboll Helicovir	-	0	-	0	No MRL required	Exp.	-		-	
<b>Botanical extracts (Garlic extract; Canola oil)</b>	Kannar Kangar 931	Exp.	0	0.01	0	Garlic extract - No MRL required (Annex IV) Canola oil - No MRL required	-	-		-	
<b>Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)</b>	Kannar KangroShield 100 Kannar Pygar 932	0.05	2 1	0.01	2 1	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil - No MRL required	Pyrethrin Exp. Garlic extract - Canola oil -	-		-	
<b>Botanical extracts (Natural pyrethrin)</b>	Xterminator	1.0	0	1.0	0	1.0	Exp.	-		-	Canada 0.1 Hong Kong - Indonesia - Iran - Malaysia 0.01 Mauritius - Taiwan 0.3 Thailand -
<b>Cadusafos</b>	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤0.01	0	0.01	-	-		-	Oman restricted use

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Captab/Captan</b>	Captab WP Thor 500 WP	15.0	14	6.0	35	6.0	10.0	25.0 Stone type fruit		-	Indonesia - Malaysia (0.01) Oman prohibited use Canada 5.0 Switzerland 4.0 Thailand -
<b>Chlorantraniliprole + Lambda-cyhalothrin</b>	Ampligo	1.0 0.5	14	1.0 0.15	Contact relevant Ag-Chem Company to confirm	1.0 0.15	2.5 Stone fruit 0.5 Stone fruit	1.0 Stone fruit 0.03* Stonefruit	Contact relevant Ag-Chem Company to confirm	1.0 (Stone fruit) 0.5	Oman restricted use Taiwan -
<b>Chlorpyrifos</b> <b>Note:</b> <b>EU authorisation amendment/ possible related MRL implications pending.</b>	Lirifos 480 EC Dursban 480 EC Chlorban EC Pyrinex 250 CS Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos Chlorpyrifos 480 EC Dursban 750 WG	0.05	Dormant application only      30	0.01	Dormant application only	0.01	-	0.5 Fruits (stone type)		-	Oman restricted use
<b>Codling moth and Oriental fruit moth granulosus virus</b>	Madex Twin Madex Dual GraTham	-	-	-	-	-	-	-		-	
<b>Copper (Cu) Oxychloride and other Cu salts</b>	Copper Oxychloride 850 WP Cuprofix Dispers Coprox WP Coprox Super Copro Flow S Demildex Farmag Copper Oxychloride Farmag Cu Super Copflo Super	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Taiwan Exp. Thailand -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Cyanamide</b>	Dormex Deurbraak Bloomer Dorcy Cymex Cyan Alert 520 SL Liberate	0.05	Dormant application only	0.01	Dormant application only	0.01	-	-		-	Oman Prohibited use
<b>Cyprodinil</b>	Chorus	0.5	Contact relevant Ag-Chem Company to confirm	0.5	Contact relevant Ag-Chem Company to confirm	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruits)	
<b>Dichlorvos</b>	Devipan 100 EC	0.1	7	0.01	14	0.01	-	0.05 Stonefruit		-	Oman prohibited use
<b>Didecyldimethylammonium chloride</b>	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Taiwan - Thailand -
<b>False Codling moth granulosis virus</b>	Cryptex	-	-	-	-	-	-	-		-	
<b>Fenazaquin</b>	Vanity 200 SC Superior 200 SC	0.5	42	0.3	Contact relevant Agchem company to confirm	0.3	2.0 Stone fruit	-		-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Switzerland 0.2 Taiwan 0.01 Thailand -

# HORTGRO

Growing Fruit IQ



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Fenbuconazole</b>	Indar 50 EW	1.0	1	0.6	5 Max. 4 applications	0.6	1.0 Stone fruit	0.5 Apricots	10 Max. 2 applications	0.5	Canada 0.3 Hong Kong 0.5 [India 0.5 ] [Indonesia 0.5] [Iran 0.5] [Malaysia 0.5] [Mauritius 0.5] [Oman 0.5] Saudi Arabia 0.5 [Singapore 0.5] Taiwan 0.5 [Thailand 0.5]
<b>Fenpyroximate</b>	Lesson 50 EC	0.3	21	0.3	21 Contact relevant Agchem company to confirm	0.3	2.0 Stone fruit	-		0.4 Stone fruit	Hong Kong - Taiwan 0.01
<b>Fludioxonil</b>	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0 Stone fruit	5.0 Stone type fruit		5.0 Stone fruit	
<b>Flupyradifurone</b>	Sivanto® Prime	0.05	35	0.01	35	0.01	1.5	-		1.5	
<b>Furfural</b>	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
<b>Gamma-cyhalothrin</b>	Vantex 60 CS	0.5	14	0.15	Contact relevant Agchem company to confirm	0.15 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F)	0.5 Stone fruit	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag-Chem Company to confirm	0.5 as Cyhalothrin	Oman restricted use
<b>Iprodione</b>	Rovral Aquaflor (Only) Roflo Pickle 500 SC IproFlo Roflo	5.0	3	0.01	Do not use (if exporting to EU) Contact relevant Ag-Chem Company to confirm	0.01	20.0	10.0 Stone type fruit		-	
	Prodione		5								



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Lambda-cyhalothrin</b>	Karate EC Karate Zeon Cylam 50 EC Judo 50 EC Lamdex 5 EC Lambda 50 EC Lambda EC Karate Zeon 10 SC Karis 5 CS	0.5	14	0.15	Contact relevant Ag-Chem Company to confirm	0.15	0.5 Stone fruit	0.03* Stonefruit	Not after flowering	0,5	Oman restricted use
<b>Mancozeb</b> Note: EU authorisation amendment/ possible related MRL implications pending.	Dithane 750 WG Neotec Newzeb 800 WP Villa Unizeb 800 WP Mancozeb 800 WP Tridex Penncozeb WG Mancozeb 800 WP (L9169) Vondozeb Pennfluid 420 SC Ventum 800 WP Crater 455 SC Mancozeb (L7352) Mancozeb (L3517) Tsumebe Farmag Mancozeb 800 WP Cozeb 800 WP Tozeb WP Tozeb Flo Dithane M-45 800 WP NT Dithane M-45 800 WP	3.0	28                  35 14	2.0	42	2.0	-	- 7.0 Dithiocarb.		7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2 Oman prohibited use
<b>Maneb</b>	Mangle® SC Vandal®	3.0	14	2.0	42	2.0	-	- 7.0 Dithiocarb.		7.0 (stone) (Dithiocarb.)	Canada (0.1) Oman prohibited use Iran 0.2

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mefenoxam (Metalaxyl)</b>	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag-Chem Company to confirm	-	
<b>Mercaptothion/Malathion</b>	Datathion EC Mercaptothion 500 EC Avi-Merkaptotoks WP Mercaptothion DP Avi Guard Fyfanon 440 EW Harrier 500 EC Insecto 500 EC	4.0	10	0.02	28 Bait application ONLY  <b>A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare</b>	0.02	8,0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Mauritius - Singapore - Taiwan 0.01 Thailand -
<b>Methidathion</b>	Suprathion 420 EC Methidathion 420 EC	0.2	EC- Dormant application only WP-42	0.02	EC- Dormant application only WP- up to 90% petal drop	0.02	-	0.2 Fruit stone type		-	India - Indonesia - Iran Banned Malaysia (0.01) Oman prohibited use  Saudi Arabia - Taiwan -
<b>Methoxyfenocide</b>	Marksman 240 SC	2.0	7	2.0	7	2.0	3.0	-		2.0	Canada 0.7
<b>Metiram</b>		3.0	14	2.0	42	2.0	-	7.0 Dithiocarb.	Contact relevant Ag-Chem Company to confirm	7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Iran 0.2

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mineral Oil</b>	Budbreak Ampron CROPCHEM 86% Winter oil	-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
<b>Pirimicarb</b>	Aphox Piritek	3.0	21	3.0	21	3.0	-	5.0 Fruit stone type	Contact relevant Ag-Chem Company to confirm	3.0 (Stone fruit)	Canada (0.1) Switzerland 1.0
<b>Prochloraz</b>	Octave WP Chronos 450 SC	-	FST	≤ 0.01	Blossom application only	0.03	-	-		-	Indonesia - Iran -
<b>Propiconazole</b> Application only during blossom	Tilt Propiconazole 250 EC Pripazole 250 EC Propimax Propicon 250 EC Propicon 500 EC Bumper 250 EC Principle 250 EC	0.2	Do not use after flowering	0.15	Not to be used after blossom	0.15 (Unpublished Sante 10482/2020 proposed new MRL 0.01)	4.0 Stone fruit	-		-	India - Indonesia - Iran Banned pesticide Malaysia (0.01) Mauritius - Singapore -



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Prothiofos</b>	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Only dormant application	0.01	-	-		-	
<b>Pymetrozine</b>	Chess Trivia 500 WDG	0.05	28	0.03	28	0.03 (Unpublished Sante 10482/2020 proposed new MRL 0.02)	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Taiwan 0.01 Thailand -
<b>Pyrimethanil</b>	Pyrimet 400 SC Source 400 SC Support 400 SC Botrynil	5,0	3	5,0	3	10.0	10.0 Stone fruit	3.0 Apricot		3,0	Hong Kong 3.0 [India 3.0] Indonesia 3.0 [Iran 3.0] [Malaysia 3.0] [Mauritius 3.0] [Oman 3.0] Saudi Arabia 3.0 [Singapore 3.0] Taiwan 3.0 [Thailand 3.0]
	Protector 400 SC		1		1				Only one application		
<b>Pyrimethanil +</b>	Tutor 500 SC	5,0	1	5,0	1	10.0	10.0 Stone fruit	3.0 Apricot	Only one application	3,0	Hong Kong 3.0 [India 3.0] Indonesia 3.0 [Iran 3.0] [Malaysia 3.0] [Mauritius 3.0] [Oman 3.0] Saudi Arabia 3.0 [Singapore 3.0] Taiwan 3.0 [Thailand 3.0]
<b>Fludioxonil</b>						5.0	5.0 Stone fruit	5.0 Stone type fruit		5.0 (Stone fruit)	Taiwan -
<b>Soybean oil</b>	MProve oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Spinetoram</b>	Delegate 250 WG	0.1	7	0.1	7	0.2	0.3 Stone fruit	-		-	Hong Kong - India - Indonesia - Iran - Malaysia 0.01 Mauritius - Singapore - Thailand -
<b>Spinosad</b>	GF 120 NF	0.01	0	0.01	0 Multiple bait applications	0.6	0.2 Stone fruit	0.2 Fruit stone type		0.2 (Stone fruit)	
<b>Spinosad + Methyl eugenol</b>	STATIC Spinosad ME	0.01	1	0.01	1	0.6	0.2 Stone fruit	0.2 Fruit stone type		0.2 (Stone fruit)	
<b>Spirotetramat</b>	Movento	-		-		No MRL required	Exp.	-		-	
<b>Sulphur</b>	Kumulus WG Thiovit Jet Flowable Sulphur Lime Sulphur Liquid Concentrate Cosavet Striker Ciplapol S 320 Striker SC Sulfostar Dusting sulphur Sulfomaxx SulfoPlus Microthiol Special Sulgrain 800 WDG Tosul WG	3.0	14	3.0	14	3.0	4.5 Stone fruit	3.0 Fruit stone type		3.0 Stone fruit	
<b>Sulphur</b>	Kumulus WG Thiovit Jet Flowable Sulphur Lime Sulphur Liquid Concentrate Cosavet Striker Ciplapol S 320 Striker SC Sulfostar Dusting sulphur Sulfomaxx SulfoPlus Microthiol Special Sulgrain 800 WDG Tosul WG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Mauritius - Taiwan Exp. Canada (0.1) India - Singapore - Thailand -
<b>Thiram</b>	Thiram 750 WP Thiram 75 WP	3.0	35	2.0	Not later than flowering	2.0 (as CS <sub>2</sub> ) and 3.0 (as thiram)	-	3.0 Fruit stone type	Not after 90% petal fall	7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Iran 0.2  Oman restricted use
	Ag-Thiram 800 WP		14		14						



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

## APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	