

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	Exp.	-		-	
(Z)-8-Dodecen-1-yl acetate + (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-ol	Disrupt OFM	-	-	0.01	-	0.01	Exp.	-		-	
Abamectin	Agrimec Gold Zoro 36 EC	0.02 (Peach)	21	0.01	21	0.02	0.09 Stone fruit	-		0.03 (Peaches - Including Nectarines and Apricots)	
	Epicure	0.01 (Stone fruit except peach, apricots)	5		5						
Acetamiprid	Doublestar 25 SL Maintain 200 SP	0.2	28	0.2	28	0.2	1.5 Fruit, stone, group 12- 12	-		0.7	
Acetamiprid + Novaluron	Cormoran 180 EC	0.2	28	0.2	Not later than 2 weeks after 90% petal fall	0.2	1.5 Fruit, stone, group 12- 12	-		0.7	
		0.5									
Alpha-cypermethrin	Concord Avalanche Sentry EC (Peaches only) Alpha-thrin 100 SC Fastac SC Polytrin Super	0.2	14 (Fresh peaches)	0.2	14 (Fresh peaches)	2.0 (cypermethrin/ isomers)	-	0.1 Stone type fruits	Contact relevant Ag-Chem Company to confirm	2.0 (Stone fruit, as cypermethrin)	Iran - Oman restricted use Taiwan - Indonesia -
	Fastac SC Alpha-thrin 100 SC		3 (Canning peaches)		3 (Canning peaches)						
Ascorbic Acid + Bioflavonoids	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
						0.01					

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

PEACHES & NECTARINES											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Aviglycine HCL (Aminoethoxyvinylglycine Hydrochloride)	ReTain	0.2	7	≤ 0.01	14	0.01	0.17 Stone fruit	-		-	
Azinphos-methyl		2.0	28	0.05	56 Max. 4 applications	0.05 (Unpublished Sante 12092/2019, proposed new MRL 0.01)	-	2.0 Stone type fruits		-	Oman prohibited use India - Iran - Malaysia (0.01) Taiwan - Thailand - Taiwan 1.0
Azoxystrobin	Ortiva Obstructo 250 SC	2.0	1	2.0	1	2.0	2.0 Stone fruit	2.0 Stone type fruits		2.0 (Stone fruit)	
Bacillus Thuringiensis	DiPel DF	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
Benomyl	Benomyl 500 WP Benomyl Demeter (peaches only) Farmag Benomyl 500 WP (Peaches only)	3.0	7	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as carbendazim)	Oman prohibited use Taiwan 0.01
Beta-cypermethrin	Akito (Peaches only)	0.2	14	0.2	14	2.0 (cypermethrin/ isomers)	- 1.0 (stone, Cypermethrin)	0.1* Stonefruit	28	2.0 (stone fruit, as cypermethrin)	Oman restricted use
Bollworm Nucleopolyhedrovirus	Boldex Graboll Helicovir	-	0	-	0	No MRL required	Exp.	-		-	
Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)	Kannar KangroShield 100 Kannar Pygar 932	0.05	2 1	0.01	2 1	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil - No MRL required	Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp. Garlic extract - Canola oil -	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp.	-		-	Hong Kong Nectarine - Indonesia - Iran - Malaysia 0.01 Mauritius - Taiwan 0.3 Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Bupirimate	Nimrod 250 EC Veto EW Nobel 250 EC	0.5	14	0.3	28	0.3	-	-	Contact relevant Ag-Chem Company to confirm	-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Switzerland 0.2 Thailand -
Cadusafos	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤ 0.01	0	0.01	-	-		-	Oman restricted use
Captab/ Captan	Captab WP (Peaches only) Thor 500 WP (peaches only) Captan 800 WG Sharda Captan 800 WG (peaches only) MERPAN® 80 WDG	15.0	14	6.0	35	6.0	15.0 (Peach) 25.0 (Nectarine)	20.0 (Peach) 3.0 (Nectarine)	Regarding nectarines - Contact relevant Ag-Chem Company to confirm	20.0 (Peach) 3.0 (Nectarine)	Canada 5.0 Hong Kong Nect. 3.0 Indonesia Nect. 3.0 [Malaysia Nect. 3.0] [Mauritius Nect. 3.0] Oman prohibited use Saudi Arabia Nect. 3.0 Switzerland 4.0 Taiwan Nect. 3.0
Chlorantraniliprole	Altacor Coragen	1.0	14	1.0	14	1.0	2.5 Stone fruit	1.0 Stonefruit		1.0 (Stone fruit)	
Chlorantraniliprole + Lambda-cyhalothrin	Ampligo	1.0	14	1.0	Contact relevant Ag-Chem Company to confirm	1.0	2.5 Stone fruit	1.0 Stonefruit	Contact relevant Ag-Chem Company to confirm	1.0 (Stone fruit)	
		0.5		0.15		0.15	0.5 Stone fruit	0.03* Stonefruit		0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	Oman restricted use
Chlorfenapyr (Nectarines only)	Hunter 24 SC Savage SC Saber 360 SC Savage 360 SC Plumett Sergeant	0.5	30	0.01	Before flowering only	0.01	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Chlorpyrifos	Lirifos 480 EC Dursban 480 EC Pyrinex 250 CS Chlorpyrifos 480 EC Chlorban EC Agropyrifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos Dursban 750 WG	0.05	Dormant application only	0.01	Dormant application only	0.01	0.05	0,2 Peaches & Nectarines		0,5 (Peach) - (Nectarine)	Oman restricted use
Codling moth and Oriental fruit moth granulosis virus	Madex Twin Madex Dual GraTham	-	-	-	-	-	-	-		-	
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	CungFu Kocide 2000 Fungi Flow Copper Oxychloride 850 WP Cuprofix Disperss Nordox 86 WG Coprox WP (peaches only) Coprox Super (peaches only) Copper-Flow-Plus (peaches only) Demildex Copro Flow S (peaches only) Copper Count-N Liquicop Farmag Cu Super Farmag Copper Oxychloride (Peaches only) Coptio Super (peaches only) Copstar 120 SC Royal Blue Copmaxx (peaches only) Cupra Super (peaches only)	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Malaysia Exp. Thailand - Taiwan Exp.
Cyantranilprole	Exirel 100 SE	1.0	7	1.0	7	1.5	1.5	-		1.5 Peaches - Nectarine	Hong Kong -
Cyhexatin	Acarstin Flo	2.0	7	0.01	Before flowering only	0.01	-	-		-	Iran Banned Oman prohibited use Taiwan Prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cypermethrin	Cyperin Avi-Sipermetrin EC Kemprin 200 EC (peaches only) Knox-Worm (peaches only) Cypermethrin 200 EC Polythrin 200 EC Farmag Cypermethrin (Peaches only)	0.2	14	0.2	14	2.0	- 1.0 Stone fruit	0.1* Stonefruit	28	2.0 (Stone fruit)	Oman restricted use
Cyprodinil	Chorus	0.5	Contact relevant Ag-Chem Company to confirm	0.5	Contact relevant Ag-Chem Company to confirm	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruit)	
Deltamethrin	Decis Forte Delta-Thrin 25 EC Ag-Deltamethrin 25 EC Servus 25 EC	0.1	21	0.1	21	0.15	- (0.05 - All food/feed items)	0.2 Stone type fruits		0,05	Hong Kong 0.05 [India 0.05] Indonesia 0.05 [Malaysia 0.05] [Oman 0.05] Saudi Arabia 0.05 Singapore 0.05 [Thailand 0.05]
Dichlorvos	Devipan 100 EC	0.1	7	0.01	14	0.01	-	0.05 Stonefruit		-	Oman prohibited use
Didecyldimethylammonium chloride	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - Taiwan -
Emamectin benzoate	Warlock 19.2 EC	0.03	14	0.03	21	0.03 (Unpublished Sante 11822/2019, proposed new MRL 0.15)	-	-		0.03	
False codling moth granulovirus	Cryptogran Cryptex	-	-	-	-	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenamiphos	Nemacur 400 EC Fenamiphos 400 EC Bonfire 400 EC Atador	0.05	100	0.02	100	0.02	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Oman restricted use Saudi Arabia - Singapore - Switzerland - Thailand - Taiwan 0.01
Fenbuconazole	Indar 50 EW	1.0	1	0.6	5 Max. 4 applications	0.6	1.0 Stone fruit	0.5 (Peach) - (Nectarine)		0.5 (Peach) - (Nectarine)	Canada 0.5 Hong Kong Peach 0.5 Nect. - [India Peach 0.5 Nect. -] Indonesia Peach 0.5 Nect. -] [Iran Peach 0.5 Nect. -] [Malaysia Peach 0.5 Nect. -] [Mauritius Peach 0.5 Nect. -] [Oman Peach 0.5 Nect. -] Saudi Arabia Peach 0.5 Nect. - [Singapore Peach 0.5 Nect. -] Switzerland 0.5 Taiwan 0.5 [Thailand Peach 0.5 Nect. -]
Fenbutatin Oxide	Fenbutatin Oxide 550 Mitrus (peaches only) Crystal 550 SC (Peaches only) Roper 550 SC (Peaches only) Mitador	2.0	21	0.01	Not to be used after blossom	0.01	10.0 (Peach) Nectarine -	7.0 (Peach) - (Nectarine)		7.0 (Peach) - (Nectarine)	
Fenazaquin	Vanity 200 SC Superior 200 SC	0.5	42	0.5	42	0.5	-	-		-	Canada 0.1 Hong Kong - India - Indonesia - Iran - Oman - Malaysia - Mauritius - Saudi Arabia - Singapore - Thailand -
Fenpyroximate	Lesson 50 EC	0.3	21	0.3	21 Contact relevant Ag-chem company to confirm	0.3	2.0 Stone fruit	-		0.4 Stone fruit	Hong Kong - Taiwan 0.01

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fludioxonil	Scholar Teacher 230 SC	5.0	1	5.0	1	10.0	5.0 Stone fruit	5.0 Stone type fruit	Contact relevant Ag-chem company to confirm	5.0 (Stone fruit)	Hong Kong Nectarine -
Flupyradifurone	Sivanto® Prime	0.05	35	0.01	35	0.01	1.5	-		1,5	
Formetanate	Dicarzol (nectarines only)	0.02	100	0.01	Before flowering only	0.01	0.4 (Revocation 31/12/16)	-		-	
Furfural	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
Gamma-cyhalothrin	Vantex 60 CS	0.5	14	0.15	Contact relevant Agchem company to confirm	0.15 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F)	0.5 Stone fruit	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag-Chem Company to confirm	0.5 as Cyhalothrin	Oman restricted use
Indoxacarb Note: EU authorisation amendment/ possible related MRL implications pending.	Steward Steward 150 EC Doxstar flo Addition 150 SC Advance 150 SC Margin 300 WDG (Nectarines only) Session 300 WDG (Nectarines only) Indo 300 WDG (Nectarines only) InCide 300 WG Imperio 150 EC	0.2	28	0.2	28 (Max. 2 applications)	1.0	0.9 Stone fruit	-		1.0 (Stone fruit)	Canada (0.1)

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)	
Iprodione	Rovral Flo (Nectarines and canning peaches only) Iprone 500 SC Iprodione 255 Iproflo Roflo Rovral Aquaflo (Nectarines only) Pickle 500 SC Taurus 500 SC (Nectarines & fresh peaches only) Iprodione 500 SC (Nectarines & fresh peaches only)	5.0	3	0.01	Do not use (if exporting to EU) Contact relevant Ag-Chem Company to confirm	0.01	20.0	10.0		10.0 (Peach) - (Nectarine)		
	Prodione	12.0	5									
Lambda-cyhalothrin	Karate EC Karate Zeon Cylam Judo 50 EC Lambda 50 EC Lamdex 5 EC Lambda EC Karate Zeon 10 CS Karis 5 CS	0.5	14	0.15	Contact relevant Ag-Chem Company to confirm	0.15	0,5 Stone fruit	0.03* Stone fruit	Not after flowering	0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	Oman restricted use	
Mancozeb Note: EU authorisation amendment/ possible related MRL implications pending.	Dithane 750 WG Neotec Newzeb 800 WP Unizeb 800 WP Mancozeb 800 WP (peaches only) Tridex Penncozeb Mancozeb 800 WP (L9169) (peaches only) Vondozeb Pennfluid 420 SC Ventum 800 WP Villa Unizeb 800 WP Tsumeb Farmag Mancozeb 800 WP (Peaches only)	3.0	28	2.0	Peach - 63 Nectarines - 42	2.0	-	-	-	7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Oman prohibited use	
	Tozeb Flo											35
	Dithane M-45 800 WP NT Dithane M-45 800 WP Tozeb WP Cozeb 800 WP											14

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Maneb	Mangle SC (peaches only) Vandal (peaches only)	3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	- 7.0 Stone type fruits (Dithiocarb.)		7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Oman prohibited use
Mefenoxam (Metalaxyl)	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag-Chem Company to confirm	-	
Mercaptothion/Malathion	Datathion Mercaptothion 500 EC Avi-Merkaptotoks WP Avi Guard Fyfanon 440 EW Harrier 500 EC Insecto 500 EC	4.0	10	0.02	28 Bait application ONLY A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare	0.02	8.0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Mauritius Nect. - Singapore Nect. - Taiwan 0.01 Thailand -
Methamidophos	Metamidofos SL Metfos Methamidophos 585 SL Bitrad Methamidophos Tamron 585 SL Metamidofos (Peaches only)	1.0	28	0.01	Before 30% blossom and the release of bees	0.01	-	-		-	Iran Banned Oman prohibited use
Methodathion	Methodathion 420 EC Suprathion 420 EC	0.2	EC- Dormant application only WP- 28	0.02	EC - Dormant application only WP - Up to 90% petal fall	0.02	-	0.2 Stone type fruits		0.2 (Nectarine) - (Peach)	[India peach -] Iran Banned [Malaysia peach -] Oman prohibited use Saudi Arabia peach - Taiwan - [Thailand peach -]

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Methomyl	Kuik 900 SP Methomate 200 SL Methomyl 200 SL Methomyl 90 SP Masta 900 SP (Peaches only) Methomex 90 SP Masta 200 SL Methomyl 900 SP KUIK 900 SP Farmag Methomyl 90 SP (Peaches only) Methomex 200 SL Spitfire 900 SP Kuik 900 SP Lunge (Peaches only)	0.2	16	0.01	28	0.01	5.0	0.2 Stone type fruits		0.2	Oman restricted use
Methoxyfenocide	Marksman 240 SC	2.0	7	2.0	7	2.0	3.0	-		2.0 Stone fruit	
Metiram		3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	- 7.0 Stone type fruits (Dithiocarb.)	Contact relevant Ag-chem company to confirm	7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1)
Mineral oil		-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
Oxamyl	Vydate SL	0.01	Early fruit set stage	≤0.01	Early fruit set stage	0.01	-	-		-	Oman restricted use
Paclobutrazol	Avocet Cultar	0.05	Post harvest, pre leaf drop	0.05	Post harvest, pre leaf drop	0.15	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - Taiwan 0.01
Pirimicarb	Aphox Apex 500 WDG (Peaches only) Piritek Unipex 500 WDG	3.0	21	1.5	21	1.5	-	5.0 Stone type fruits		3.0 (Stone fruit)	Mauritius 0.5 Singapore 0.5 Switzerland 1.3

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Prochloraz	Octave Chronos 450 SC	-	FST	≤ 0.01	Do not apply after blossom	0.03	-	-		-	Indonesia -
Propargite	Omite 30 WSB* (Yellow cling peaches only)*	2.0	21	0.01	Do not apply after 100% petal drop	0.01	Peach - Nectarine 4.0	4.0 Stone type fruits		4.0 (Stone fruit)	Oman prohibited use
Propiconazole	Tilt Propizole 250 EC Propiconazole 250 EC Bumper 250 EC Propimax Admiral 250 EC (Peaches only) Propicon 250 EC Principle 250 EC	0.2	10	0.2	10	5.0 (Unpublished Sante 10482/2020 proposed new MRL 0.01)	4.0	-		5.0 (Peach) - (Nectarine)	Iran Banned India Nect - Indonesia Nect. - Malaysia Nect. (0.01) Mauritius Nect. - Singapore Nect. - Thailand Nect. -
Prothiofos	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Dormant application only	0.01	-	-		-	
Pyrimethanil	Pyrimet 400 SC Source 400 SC Support 400 SC Botrynil Protector 400 SC	5.0	3 1	5.0	3 1	10.0	10.0 Stone fruit	4.0 Stone type fruits		4.0	Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] [Thailand 4.0] Taiwan 4.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pyrimethanil +	Tutor 500 SC	5.0	1	5.0	1	10.0	10.0 Stone fruit	4.0 Stone type fruits		4.0	Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] [Thailand 4.0] Taiwan 4.0
Fludioxonil		5.0		5.0		10.0	5.0 Stone fruit	5.0 Stone type fruits		5.0 (Stone fruit)	Hong Kong Nectarine -
Pymetrozine	Chess Trivia 500 WDG	0.05	28	0.03	28	0.03 (Unpublished Sante 10482/2020 proposed new MRL 0.02)	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - Taiwan 0.01
Soyabean oil	MProve Oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7	0.3	0.3 Stone fruit	-		0,3	Hong Kong -
Spinosad	Tracer 480 SC Entrust Naturalyte 800 WP	0.5 (Nectarines) 0.05 (Peach)	7 (Nectarines) 21 (Peaches)	0.5 (Nectarines) 0.05 (Peaches)	7 (Nectarines) 21 (Peaches) Max. 4 applications	0.6	0.2 Stone fruit	0.2 Stone type fruits	21	0.2 (Stone fruit)	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect. 0.2] [Malaysia Nect.0.2] [Mauritius Nect.0.2] [Oman Nect. 0.2] Saudi Arabia Nect. 0.2 [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. -
	GF - 120 NF		0		0 Multiple bait applications						

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Spinosad +	STATIC Spinosad ME	0.5 (Nectarines) 0.05 (Peach)	1	0.5 (Nectarines) 0.05 (Peaches)	1	0.6	0.2 Stone fruit	0.2 Stone type fruits		0.2 Stone fruit	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect. 0.2] [Malaysia Nect.0.2] [Mauritius Nect.0.2] [Oman Nect. 0.2] Saudi Arabia Nect. 0.2 [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. -
Methyl eugenol		-		-		No MRL required	Exp.	-		-	
Spirotetramat	Movento	3.0	14	3.0	14	3.0	4.5 Stone fruit	3.0 Stone type fruit		3.0 Stone fruit	
Sulfoxaflor	Closer 240 SC	0.04	14	0.04	14	0.5	3.0 Stone fruit	-		0.4 (Peaches - Including Nectarines and Apricots)	Hong Kong - Taiwan Nect -
Sulphur	Kumulus 800 WG Thiovit Jet Flowable Sulphur Dusting Sulphur Cosavet Striker Striker SC Ciplapol S 320 (peaches only) Sulfostar (peaches only) Microthiol Special SulfoPlus Sulfomaxx Sulgrain 800 WDG Tosul WG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Mauritius - Singapore - Thailand - Taiwan Exp.

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2020 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Taufluvinate	Klartan 240 EW	0.02	60	0.02	60	0.3	-	0.01 Stonefruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Saudi Arabia - Thailand - Taiwan -
Thiacloprid Note: EU authorisation amendment/ possible related MRL implications pending.	Calypso 480 SC Consult 480 SC Compare 480 SC Topstar	0.1	60	0.1	60 (Max. 3 sprays)	0.5	Peach 0.5 Nectarine -	0.5 Fruit stone type		0.5 Stone fruit	
Thiram	Thiram 750 WP Ag-Thiram 800 WP (peaches only) Thiram 75 WP (Peaches only)	3.0	14	2.0	Not later than flowering	2.0 (as CS ₂) and 3.0 (as thiram)	Peach 7.0 Nectarine -	3.0 Fruit stone type		7.0 (Stone fruit) (Dithiocarb.)	Oman restricted use
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	
Zeta-cypermethrin (peaches only)	Fury 10 EW Fury	0.2	14	0.2	14	2.0 (cypermethrin/ isomers)	1.0 Stone fruit	0.1* Stonefruit	28	2.0 (Stone fruit, as cypermethrin, including Zeta- cypermethrin)	Oman restricted use