

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|--|--|--|---|--------------------------|--|---|---|-------------------------------------|---------------------------|--|---|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate | Checkmate FCM-F Isomate FCM RB Splat FCM | - | - | 0.01 | - | 0.01 | - | Exp. | - | | - | |
| (Z)-8-Dodecen-1-yl acetate + (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-ol | Disrupt OFM CIDETRAK OFM L | - | - | 0.01 | - | 0.01 | - | Exp. | - | | - | |
| Abamectin | Agrimec Gold Zoro 36 EC | 0.02 (Peach) | 21 | 0.01 | 21 | 0.02 | 0.02 | 0.09 Stone fruit | - | | 0.03 (Peaches - Including Nectarines and Apricots) | |
| | Epicure | 0.01 (Stone fruit except peach, apricots) | 5 | | 5 | | | | | | | |
| Acetamiprid | Doublestar 25 SL Maintain 200 SP | 0.2 | 28 | 0.2 | 28 | 0.2 | 0.2 | 1.5 Fruit, stone, group 12-12 | - | | 0.7 | |
| Acetamiprid + Novaluron | Cormoran 180 EC | 0.2 | 28 One application not later than 2 weeks after 90 % petal fall | 0.01 | Not later than 90% petal fall | 0.2 | 0.2 | 1.5 Fruit, stone, group 12-12 | - | | 0.7 | |
| | | 0.5 | | | | 0.01 | 2.0 | 1.9 Subgroup 12-12C | | | | |
| Alpha-cypermethrin | Concord Avalanche | 0.2 | 14 (Fresh peaches) | 0.2 | 14 (Fresh peaches) | 2.0 (cypermethrin/ isomers) | 2.0 (cypermethrin/ isomers) | - | - | Contact relevant Ag-Chem Company to confirm | 2.0 Stone fruit as cypermethrin,inc luding alpha and zeta cypermethrin | Iran - Oman restricted use Taiwan - Indonesia - |
| | Sentry EC (Peaches only) Alpha-thrin 100 SC Fastac SC Polytrin Super Fastac SC Alpha-thrin 100 SC | | 3 (Canning peaches) | | 3 (Canning peaches) | | | | | | | |
| Ascorbic Acid + Bioflavonoids | Bestcure | - | - | - | - | No MRL required (as L-Ascorbic acid) | No MRL required (as L-Ascorbic acid) | Exp. | - | | - | |
| | | | | | | 0.01 | - | | | | | |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|---|---|-------------------------|---------------------------------|--------------------------|--|---|--|--|---------------------------|--|--|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Aviglycine HCL (Aminoethoxyvinylglycine Hydrochloride) | ReTain | 0.2 | 7 | ≤ 0.01 | 14 | 0.01 | - | 0.17 Stone fruit | - | | - | |
| Azoxystrobin | Ortiva Obstructo 250 SC | 2.0 | 1 | 2.0 | 1 | 2.0 | 2.0 | 2.0 Stone fruit | 2.0 Stone type fruits | | 2.0 (Stone fruit) | Taiwan 1.0 Peach Taiwan 1.5 Nect. |
| Bacillus Thuringiensis | DiPel DF | - | - | - | - | 0.01 | 0.01 | Exp. | RNR (Exp.) | | - | |
| Beauveria bassiana | Broadband Eco-Bb Mycoveria WP | - | - | - | - | 0.01 | No MRL required | Exp. | RNR (Exp.) | | - | |
| Benomyl | Benomyl 500 WP Benomyl Demeter (peaches only) Farmag Benomyl 500 WP (Peaches only) | 3.0 | 7 | 0.2 | Do not use after flowering | 0.2 (Unpublished PLAN/2022/2853 D089819/02 proposed new MRL 0.01) | 0.2 | - | 0.075 Stonefruit | Not after flowering | 2.0 (as carbendazim) | Oman prohibited use Taiwan 0.01 |
| Beta-cypermethrin | Akito | 0.2 | 14 | 0.2 | 14 | 2.0 (cypermethrin/ isomers) | 2.0 (cypermethrin/ isomers) | - | 2.0 Stonefruit | | 2.0 (stone fruit, as cypermethrin) | Oman restricted use |
| Bollworm Nucleopolyhedrovirus | Boldex Graboll Helicovir | - | 0 | - | 0 | No MRL required | No MRL required | Exp. | - | | - | |
| Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil) | Kannar KangroShield 100 Kannar Pygar 932 | 0.05 | 2 1 | 0.01 | 2 1 | Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil - No MRL required | Pyrethrin 1.0 Garlic extract - [No MRL required] Canola oil - | Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp. Garlic ex tract - Canola oil - | - | | - | |
| Botanical extracts (Natural pyrethrin) | Xterminator | 1.0 | 0 | 1.0 | 0 | 1.0 | 1.0 | Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp. | - | | - | Hong Kong Nectarine - India - Indonesia - Iran - Malaysia 0.01 Mauritius - Taiwan 0.3 Thailand - |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|---|--|-------------------------|---------------------------------|--------------------------|---|--------------------------|------------------------|--|--|--|---|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Bupirimate | Nimrod 250 EC Veto EW Nobel 250 EC | 0.5 | 14 | 0.3 | 28 | 0.3 | 0.3 | - | - | Contact relevant Ag-Chem Company to confirm | - | Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - |
| Cadusafos | Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW | ≤ 0.01 | 0 | ≤ 0.01 | 0 | 0.01 | 0.01 | - | - | | - | Oman restricted use |
| Captab/ Captan | Captab WP (Peaches only) Thor 500 WP (peaches only) Captan 800 WG Sharda Captan 800 WG (peaches only) MERPAN® 80 WDG | 15.0 | 14 | 6.0 | 35 | 6.0 | 6.0 | 15.0 (Peach) 25.0 (Nectarine) | 25.0 Fruits, stone type | | 20.0 (Peach) 3.0 (Nectarine) | Canada 5.0 Hong Kong Nect. 3.0 Indonesia Nect. 3.0 [Malaysia Nect. 3.0] [Mauritius Nect. 3.0] Oman prohibited use Saudi Arabia Nect. 3.0 Taiwan Nect. 3.0 |
| Chlorantraniliprole | Altacor Coragen | 1.0 | 14 | 1.0 | 14 | 1.0 | 1.0 | 2.5 Stone fruit | 1.0 Stonefruit | | 1.0 (Stone fruit) | |
| Chlorantraniliprole + Lambda-cyhalothrin | Ampligo | 1.0 0.5 | 14 | 0.15 | Contact relevant Ag-Chem Company to confirm | 1.0 0.15 | 1.0 0.15 | 2.5 Stone fruit 0.5 Stone fruit | 1.0 Stonefruit 0.03* Stonefruit | Contact relevant Ag-Chem Company to confirm | 1.0 (Stone fruit) 0.5 (as Cyhalothrin, including Lambda-cyhalothrin) | Oman restricted use |
| Chlorfenapyr (Nectarines only) | Hunter 24 SC Savage SC Saber 360 SC Savage 360 SC Plumett Sergeant | 0.5 | 30 | 0.01 | Before flowering only | 0.01 | 0.01 | 0.01 | - | | - | |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|---|---|-------------------------|---------------------------------|--------------------------|--|--------------------------|------------------------|---------------|---------------------------|--|------------------------------|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Chlorpyrifos | Lirifos 480 EC Pyrinex 250 CS Chlorpyrifos 480 EC Chlorban EC Agropyrifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos | 0.05 | Dormant application only | 0.01 | Dormant application only | 0.01 | 0.01 | - | 0.2 Peaches & Nectarines | | 0.5 (Peach) - (Nectarine) | Oman restricted use |
| Codling moth and Oriental fruit moth granulosus virus | Madex Twin Madex Dual GraTham | - | - | - | - | - | - | - | - | | - | |
| Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide | CungFu Kocide 2000 Fungi Flow Copper Oxychloride 850 WP Cuprofix Dispers Nordox 86 WG Coprox WP (peaches only) Coprox Super (peaches only) Copper-Flow-Plus (peaches only) Demildex Copro Flow S (peaches only) Copper Count-N Liquicop Farmag Cu Super Farmag Copper Oxychloride (Peaches only) Copflo Super (peaches only) Copstar 120 SC Royal Blue Coptmaxx (peaches only) Cupra Super (peaches only) Copper Kill SC CUPROZIN 35WP FUNGURAN OH Copperman (peaches only) | 20.0 | 14 | 5.0 | Not later than bud swell | 5.0 | 5.0 | Exp. | 5.0 Stonefruit | | - | Hong Kong - Indonesia - Malaysia Exp. Thailand - Taiwan Exp. |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|----------------------|---|-------------------------|---|--------------------------|---|--------------------------|------------------------|--------------------------------|---------------------------|--|-------------------------|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Cyraniliprole | Exirel 100 SE | 1.0 | 7 | 1.0 | 7 | 1.5 | 1.5 | 1.5 | - | | 1.5 Peaches - Nectarine | Hong Kong - [India Nect. -] [Indonesia Nect. -] [Iran Nect. -] [Malaysia Nect. -] [Mauritius Nect. -] [Oman Nect. -] [Saudi Arabia Nect. -] [Singapore Nect. -] Taiwan Nect - [Thailand Nect. -] |
| Cyhexatin | Acarstin Flo | 2.0 | 7 | 0.01 | Before flowering only | 0.01 | 0.01 | - | - | | - | Iran Banned Oman prohibited use Taiwan Prohibited use |
| Cypermethrin | Cyperin Avi-Sipermetrin EC Kemprin 200 EC (peaches only) Knox-Worm (peaches only) Polythrin 200 EC Farmag Cypermethrin (Peaches only) .ADAMA Cypermethrin (peaches only) ADAMA Cypermethrin (peaches only) | 0.2 | 14 3 (Canning peaches) | 0.2 | 14 3 (Canning peaches) | 2.0 | 2.0 | - | 2.0 Stonefruit | | 2.0 (Stone fruit) | Oman restricted use |
| Cyprodinil | Chorus Journey 500 WG | 0.5 | Contact relevant Ag-Chem Company to confirm | 0.5 | Contact relevant Ag-Chem Company to confirm | 2.0 | 2.0 | 2.0 Stone fruit | 2.0 Stone fruit | | 2.0 (Stone fruit) | |
| Deltamethrin | Decis Forte Delta-Thrin 25 EC Ag-Deltamethrin 25 EC Servus 25 EC | 0.1 | 21 | 0.1 | 21 | 0.15 | 0.15 | - (0.05 - All food/feed items) | 0.2 Stone type fruits | | 0.05 | Hong Kong 0.05 [India 0.05] Indonesia 0.05 [Malaysia 0.05] [Oman 0.05] Saudi Arabia 0.05 Singapore 0.05 [Thailand 0.05] |
| Dichlorvos | Devipan 100 EC | 0.1 | 7 | 0.01 | 14 | 0.01 | 0.01 | - | 0.05 Stonefruit | | - | Oman prohibited use |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|----------------------------------|---|----------------------------|--|-----------------------------|---|-----------------------------|------------------------|------------------------------------|------------------------------|--|--------------------|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Didecyldimethylammonium chloride | Sporekill | 0.1 | 82 Do not apply after first fruit set | 0.05 | 82 Do not apply after first fruit set | 0.05 | 0.1 | - | - | | - | Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - Taiwan - |
| Dithianon | Detect 400 SC Inspect 400 SC NUGGET 660 WDG SENSE 660 WDG | 2.0 | 21 | 0.5 | 42 | 0.5 | 0.5 | - | 5.0 | | 2.0 | Canada (0.1) Hong Kong - |
| Dodine | Dodine 544 SC | 0.1 | 49 | 0.1 | 49 | 0.1 | 0.1 | 5.0 Fruit, stone, crop group 12 | 5.0 | | 5.0 | |
| Enamectin benzoate | Warlock 19.2 EC | 0.03 | 7 | 0.03 | 21 | 0.15 | 0.03 | - | - | | 0.03 | |
| False codling moth granulovirus | Cryptogran Cryptex | - | - | - | - | - | - | - | - | | - | |
| Fenamiphos | Atador FarmAg Fenamiphos 400 EC Nemacur 400 EC Fenamiphos 400 EC | 0.05 | 100 | 0.01 | 100 | 0.01 | 0.02 | - | - | | - | Contact relevant Ag-Chem company to confirm |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|----------------------|---|-------------------------|---------------------------------|--------------------------|---|--------------------------|------------------------|--------------------------------|------------------------------------|--|------------------------------------|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Fenbuconazole | Indar 50 EW | 0.5 | 1 | 0.5 | 1 Max. 4 applications | 0.6 | 0.6 | 1.0 Stone fruit | 0.5 (Peach) - (Nectarine) | | 0.5 (Peach) - (Nectarine) | Canada 0.5 Hong Kong Peach 0.5 Nect. - [India Peach 0.5 Nect. -] Indonesia Peach 0.5 Nect. -] [Iran Peach 0.5 Nect. -] [Malaysia Peach 0.5 Nect. -] [Mauritius Peach 0.5 Nect. -] [Oman Peach 0.5 Nect. -] Saudi Arabia Peach 0.5 Nect. - [Singapore Peach 0.5 Nect. -] Taiwan 0.5 [Thailand Peach 0.5 Nect. -] |
| Fenbutatin Oxide | Fenbutatin 550 SC Crystal 550 SC (Peaches only) Roper 550 SC (Peaches only) Mitador FarmAg Fenbutatin Oxide 550 SC (Peaches only) | 2.0 | 21 | 0.01 | Not to be used after blossom | 0.01 | 0.01 | 10.0 (Peach) Nectarine - | 7.0 (Peach) - (Nectarine) | | 7.0 (Peach) - (Nectarine) | |
| Fenazaquin | Vanity 200 SC Superior 200 SC Abraxus 200 SC | 0.5 | 42 | 0.01 | Contact relevant Ag-chem company to confirm | 0.01 | 0.5 | 2.0 Stone fruit group 12-12 | - | | - | |
| Fenpyroximate | Lesson 50 EC | 0.3 | 21 | 0.3 | 21 Contact relevant Ag-chem company to confirm | 0.3 | 0.3 | 2.0 Stone fruit | - | | 0.4 Stone fruit | Hong Kong - Taiwan 0.01 |
| Fludioxonil | Scholar Teacher 230 SC Target 200 WDG | 5.0 | 1 | 5.0 | 1 | 10.0 | 10.0 | 5.0 Stone fruit | 5.0 Stone type fruit | Contact relevant Ag-chem company to confirm | 5.0 (Stone fruit) | Hong Kong Nectarine - |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | | |
|--|---|-------------------------|---------------------------------|--------------------------|--|--|--|---------------------------|---------------------------|--|--------------------|---|--------------|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) | |
| Flupyradifurone | Sivanto® Prime | 0.05 | 35 | 0.01 | Contact relevant Agchem company to confirm | 0.01 (Unpublished PLAN/2023/2305 D093664/01 proposed new MRL 1.5) | 0.01 | 1.5 | - | | 1.5 | Peaches including apricots and nectarine (subgroup) | |
| Formetanate | Dicarzol (nectarines only) | 0.02 | 100 | 0.01 | Before flowering only | 0.01 | 0.01 | 0.4 (Revocation 31/12/16) | - | | - | | |
| Furfural | Crop Guard | - | 0 | ≤0.01 | 0 | 1.0 | 1.0 | - | - | | - | | |
| Gamma-cyhalothrin | Vantex 60 CS | 0.5 | 14 | 0.15 | Contact relevant Agchem company to confirm | 0.15 (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F) | 0.15 (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F) | 0.5 Stone fruit | - | Contact relevant Ag-Chem Company to confirm | 0.5 as Cyhalothrin | Oman restricted use | |
| Indoxacarb Note: EU authorisation amendment/ possible related MRL implications pending. | Steward Steward 150 EC Doxstar flo Addition 150 SC Advance 150 SC Margin 300 WDG (Nectarines only) Session 300 WDG (Nectarines only) Indo 300 WDG (Nectarines only) Swat 150 SC | 0.2 | 28 | 0.2 | Not to be used on export fruit as per instruction by the registration holder/s | 1.0 (Unpublished Sante PLAN/2023/242 D087938/02 proposed new MRL 0.01) | 1.0 (Proposed withdrawal) | 0.9 Stone fruit | - | | | 1.0 (Stone fruit) | Canada (0.1) |
| | Consult relevant exporter/informed advisor for the relevant tolerance | | | | | | | | | | | | |
| | InCide 300 WG | | | | | | | | | | | | |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|--|---|-------------------------|--|--------------------------|--|--------------------------|------------------------|--------------------|---------------------------|--|---|-------------------------------------|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Iprodione | Rovral Flo (Nectarines and canning peaches only) Iprone 500 SC Iprodione 255 Iproflo Rovral Aquaflo (Nectarines only) Pickle 500 SC Taurus 500 SC (Nectarines & fresh peaches only) Iprodione 500 SC (Nectarines & fresh peaches only) | 5.0 | 3 | 0.01 | Do not use (if exporting to EU) Contact relevant Ag-Chem Company to confirm | 0.01 | 0.01 | 20.0 | 10.0 | | 10.0 (Peach) - (Nectarine) | |
| | Prodione | 12.0 | 5 Peaches (Both canning and fresh) 3 Nect. | | | | | | | | | |
| Lambda-cyhalothrin | Karate EC Karate Zeon Cylam Judo 50 EC Lambda 50 EC Lamdex 5 EC Lambda EC Karate Zeon 10 CS Karis 5 CS Lamdex 5 CS | 0.5 | 14 | 0.15 | Contact relevant Ag-Chem Company to confirm | 0.15 | 0.15 | 0.5 Stone fruit | 0.03* Stone fruit | Not after flowering | 0.5 (as Cyhalothrin, including Lambda-cyhalothrin) | Oman restricted use |
| Mancozeb Note: EU authorisation amendment/ possible related MRL implications pending. | Dithane 750 WG Neotec Newzeb 800 WP Unizeb 800 WP Mancozeb 800 WP (peaches only) Tridex Penncozeb Vondozeb Pennfluid 420 SC Ventum 800 WP Villa Unizeb 800 WP Tsumeb Farmag Mancozeb 800 WP (Peaches only) | 3.0 | 28 | 2.0 | Peach - 63 Nectarines - 42 | 2.0 | 2.0 | - | - | 7.0 Stone type fruits (Dithiocarb.) | 7.0 (Stone fruit) (Dithiocarb.) | Canada (0.1) Oman prohibited use |
| | Dithane M-45 800 WP NT Dithane M-45 800 WP Tozeb WP Mancozeb 800 WP (L9169) (peaches only) Cozeb 800 WP Zenith 750 WG | | 14 | | | | | | | | | |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|--|---|-------------------------|-------------------------------------|--------------------------|--|-------------------------------------|------------------------|------------------------------------|--|--|---------------------------------------|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Maneb | Mangle SC (peaches only) Vandal (peaches only) | 3.0 | 14 | 2.0 | Peach - 63 Nectarines - 42 | 2.0 | 2.0 | - | - 7.0 Stone type fruits (Dithiocarb.) | | 7.0 (Stone fruit) (Dithiocarb.) | Canada (0.1) Oman prohibited use |
| Mefenoxam (Metalaxyl) | Ridomil Gold 280 SL | 1.0 | 30 Use on non-bearing trees only | 0.01 | Use on non-bearing trees only | 0.01 (Stone fruit, as Metalaxyl) | 0.01 | 1.0 (Stone fruit, as Metalaxyl) | - | Contact relevant Ag-Chem Company to confirm | - | |
| Mercaptothion/Malathion | Datathion Mercaptothion 500 EC Avi-Merkaptotoks WP Avi Guard Fyfanon 440 EW Harrier 500 EC Insecto 500 EC | 4.0 | 10 | 0.02 | 28 Bait application ONLY A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare | 0.02 | 0.02 | 8.0 | 0.5 Stonefruit | | - | Indonesia - Malaysia (0.01) Mauritius Nect. - Singapore Nect. - Taiwan 0.01 Thailand - |
| Metarhizium anisopliae ICIPE 69 | Real Metarhizium Metacide | - | 0 | - | 0 | - | - | Exp. | - | | - | |
| Methamidophos | Metamidofos SL Metfos Methamidophos 585 SL Bitrad Methamidophos Tamron 585 SL Metamidofos (Peaches only) | 1.0 | 28 | 0.01 | Before 30% blossom and the release of bees | 0.01 | 0.01 | - | - | | - | Iran Banned Oman prohibited use |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|------------------------|--|-------------------------|---------------------------------|--------------------------|--|---|------------------------|---------------|---------------------------|--|--------------------|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Methidathion | Methidathion 420 EC Suprathion 420 EC Arythion 420 EC | 0.2 | EC- Dormant application only | 0.02 | EC - Dormant application only WP - Up to 90% petal fall | 0.02 | 0.02 | - | 0.2 Stone type fruits | | - | India - Indonesia Peach - Iran Banned Malaysia - (0.01) Oman prohibited use Saudi Arabia Peach - Taiwan - Thailand - |
| Methomyl | Kuik 900 SP Methomate 200 SL Methomyl 200 SL Methomyl 90 SP Masta 900 SP (Peaches only) Methomex 90 SP Masta 200 SL Methomyl 900 SP KUIK 900 SP Farmag Methomyl 90 SP (Peaches only) Methomex 200 SL Spitfire 900 SP Kuik 900 SP Lunge (Peaches only) | 0.2 | 16 | 0.01 | 28 | 0.01 | 0.01 | 5.0 | 0.2 Stone type fruits | | 0.2 | Oman restricted use |
| Methoxyfenozide | Marksman 240 SC | 2.0 | 7 | 0.01 | Not after flowering | 0.01 | 2.0 | 3.0 | - | | 2.0 Stone fruit | |
| Mineral oil | | - | Dormant application only | ≤ 0.01 | Dormant application only | - | - | - | - | | - | |
| Myclobutanil | MyCide 200EW | 3.0 | 1 | 3.0 | 7 | 3.0 Unpublished Sante PLAN/2023/194 D087773/02 proposed MRL 3.0 is maintained based on Codex - CXLs) | 0.5 | 2.0 | 2.0 stone type fruits | | 3.0 | Canada 1.0 GB/UK 0.3 Hong Kong 2.0 Saudi Arabia 2.0 Taiwan 1.0 |
| Oxamyl | Vydate SL | 0.01 | 28 Early fruit set stage | ≤ 0.01 | Early fruit set stage | 0.01 Unpublished Sante PLAN/2023/947 proposed MRL 0.001 | 0.01 | - | - | | - | Oman restricted use |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|-----------------------|---|-------------------------|---------------------------------|--------------------------|--|--------------------------|---|--------------------------|---------------------------|--|--|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Paclobutrazol | Avocet Cultar | 0.05 | Post harvest, pre leaf drop | 0.05 | Post harvest, pre leaf drop | 0.15 | Paclobutrazol (sum of constituent isomers) 0.15 | - | - | | - | Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore Nect - Thailand - Taiwan 0.01 |
| Pirimicarb | Aphox Apex 500 WDG (Peaches only) Piritek Unipex 500 WDG | 3.0 | 21 | 1.5 | 21 | 1.5 | 1.5 | - | 5.0 Stone type fruits | | 3.0 (Stone fruit) | Mauritius 0.5 Singapore 0.5 |
| Potassium Bicarbonate | Agri-Cure SP | - | 0 | - | 0 | No MRL required | No MRL required | Exp. | Exp. | | - | |
| Prochloraz | Octave Chronos 450 SC | - | FST | ≤ 0.01 | Do not apply after blossom | 0.03 | 0.03 | - | - | | - | Indonesia - |
| Propargite | Omite 30 WSB* (Yellow cling peaches only)* | 2.0 | 21 | 0.01 | Do not apply after 100% petal drop | 0.01 | 0.01 | Peach - Nectarine 4.0 | 4.0 Stone type fruits | | 4.0 (Stone fruit) | Oman prohibited use |
| Propiconazole | Tilt Propizole 250 EC Propiconazole 250 EC Bumper 250 EC Principle 250 EC Admiral 250 EC (Peaches only) Propicon 250 EC | 0.2 | 10 | 0.01 | Blossom application only | 0.01 | 0.01 | 4.0 | - | | 4.0 Peaches (including apricots and nectarine) (subgroup) | Iran Banned |
| Prothiofos | Tokuthion® 960 EC | 0.05 | FST | ≤ 0.01 | Dormant application only | 0.01 | - | - | - | | - | |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|----------------------|---|-------------------------|---------------------------------|--|--|--------------------------|------------------------|---------------------|---------------------------|--|----------------------|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Pyrimethanil | Source 400 SC Support 400 SC Botrynil | 5.0 | 3 | 5.0 | 3 | 10.0 | 10.0 | 10.0 Stone fruit | - | | 4.0 | Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] [Thailand 4.0] Taiwan 4.0 |
| | Protector 400 SC | | 1 | | 1 | | | | | | | |
| Pyrimethanil + | Tutor 500 SC | 5.0 | 1 | 5.0 | 1 | 10.0 | 10.0 | 10.0 Stone fruit | - | | 4.0 | Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] [Thailand 4.0] Taiwan 4.0 |
| Fludioxonil | | | | | | | | 5.0 Stone fruit | 5.0 Stone type fruits | | 5.0 (Stone fruit) | Hong Kong Nectarine - |
| Pymetrozine | Trivia 500 WDG ENCOUNTER 500 WG | 0.05 | 28 | 0.02 | 28 | 0.02 | 0.02 | - | - | | - | Hong Kong - India - Indonesia - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand - Taiwan 0.01 |
| | Chess | | | Contact relevant Ag-Chem Company to confirm | | | | | | | | |
| Soyabean oil | MProve Oil Evapoguard | - | Dormant application only | - | Dormant application only | 0.01 | - | Exp. | - | | - | |
| Spinetoram | Delegate 250 WG | 0.1 | 7 | 0.1 | 7 | 0.3 | 0.3 | 0.3 Stone fruit | - | | 0.3 | Hong Kong - |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|----------------------|--|--|--------------------------------------|--|--|--------------------------|------------------------|--------------------|---------------------------|--|---|---|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Spinosad | Tracer 480 SC Entrust Naturalyte 800 WP | 0.5 (Nectarines) 0.05 (Peach) | 7 (Nectarines) 21 (Peaches) | 0.5 (Nectarines) 0.05 (Peaches) | 7 (Nectarines) 21 (Peaches) Max. 4 applications | 0.6 | 0.6 | 0.2 Stone fruit | 0.2 Stone type fruits | 21 | 0.2 (Stone fruit) | Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect . 0.2] [Malaysia Nect.0.2] [Mauritius Nect.0.2] [Oman Nect. 0.2] Saudi Arabia Nect. 0.2 [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. - |
| | SPINOSIN 480 SC (only Peaches) | | 21 (Peaches) | | 21 (Peaches) Max. 4 applications | | | | | | | |
| | GF - 120 NF | | 0 | | 0 Multiple bait applications | | | | | | | |
| | Cura Fly Fruit Fly Bait | | 1 | | 1 | | | | | | | |
| Spinosad + | STATIC Spinosad ME | 0.5 (Nectarines) 0.05 (Peach) | 1 | 0.5 (Nectarines) 0.05 (Peaches) | 1 | 0.6 | 0.6 | 0.2 Stone fruit | 0.2 Stone type fruits | | 0.2 Stone fruit | Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect . 0.2] [Malaysia Nect.0.2] [Mauritius Nect.0.2] [Oman Nect. 0.2] Saudi Arabia Nect. 0.2 [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. - |
| Methyl eugenol | | - | | - | | No MRL required | - | Exp. | - | | - | |
| Spirotetramat | Movento Spiromat 240 SC | 3.0 | 14 | 3.0 | 14 | 3.0 | 3.0 | 4.5 Stone fruit | 3.0 Stone type fruit | | 3.0 Stone fruit | |
| Sulfoxaflor | Closer 240 SC | 0.04 | 14 | 0.04 | 14 | 0.5 | 0.5 | 3.0 Stone fruit | - | | 0.4 (Peaches - Including Nectarines and Apricots) | Hong Kong - Taiwan Nect - |

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

| PEACHES & NECTARINES | | | | | | | | | | | | |
|---|---|-------------------------|---------------------------------|--------------------------|--|---|---|--------------------------|---------------------------|--|---|--|
| Chemical | Trade Names | Local SA Reg. MRL (PPM) | Local Withholding period (Days) | Export Default MRL (PPM) | Export Default Withholding period (Days) | EU MRL Status 2023 (PPM) | GB/ UK MRL Status 2023 | USA MRL (PPM) | Russian Default MRL (PPM) | Russian MRL Export Default Withholding Period (MOU terms) (Days) | Codex MRL (PPM) | MRL Notes (PPM) |
| Sulphur | Kumulus 800 WG Thiovit Jet Flowable Sulphur Dusting Sulphur Cosavet Striker Striker SC Ciplapol S 320 (peaches only) Sulfostar (peaches only) Microthiol Special SulfoPlus Sulfomaxx Tosul WG Sulphur 800 WDG Sunflo 800 SC (peaches only) Sulphur 800 WG Sulfoman (peaches only) Ensign | 50.0 | 0 | 50.0 | 0 | No MRL required | No MRL Required | Exp. | RNR (Exp.) | | - | Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Mauritius - Singapore - Thailand - Taiwan Exp. |
| Tau-fluvalinate | Klartan 240 EW | 0.02 | 60 | 0.02 | 60 | 0.3 | 0.3 | - | 0.01 Stonefruit | | - | Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Saudi Arabia - Thailand - Taiwan - |
| Thiacloprid Note: EU authorisation amendment/ possible related MRL implications pending. | Calypto 480 SC Consult 480 SC Compare 480 SC Topstar | 0.1 | 60 | 0.1 | 60 (Max. 3 sprays) | 0.5 Unpublished PLAN/2023/961 D089880/01 proposed new MRL 0.01 | 0.5 | Peach 0.5 Nectarine - | 0.5 Fruit stone type | | 0.5 Stone fruit | |
| Thiram | Thiram 750 WP Ag-Thiram 800 WP (peaches only) Ram 75 WP | 3.0 | 14 | 0.05 (as thiram) | No later than 90% petal fall | 2.0 (as CS ₂) and 0.05 (as thiram) | 2.0 (as CS ₂) and 3.0 (as thiram) (GB MRL Decision Number: GB MRL 2023/011 - MRL 0.05, date of adoption 14/06/2023, entry into force from 14/12/2023) - As Thiram | Peach 7.0 Nectarine - | 3.0 Fruit stone type | | 7.0 (Stone fruit) (Dithiocarb.) | Oman restricted use |