

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

Cherries												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM	-	-	0.01	-	0.01	-	Exp.	-		-	
(Z)-8-Dodecen-1-yl acetate + (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-ol	Disrupt OFM	-	-	0.01	-	0.01	-	Exp.	-		-	
Abamectin	Agrimec Gold	0.01	21	0.01	21	0.01	0.01	0.09 Stone fruit	-		0.07	
Acetamiprid	Maintain 200 SP	0.5	84	0.5	84	1.5	1.5	1.5 Fruit, stone, group 12-12	-		1.5	
Acetamiprid + Novaluron	Cormoran 180 EC	0.2	28 One application not later than 2 weeks after 90 % petal fall	0.2	One application not later than 2 weeks after 90% petal fall	1.5	1.5	1.5 Fruit, stone, group 12-12	-		1.5	
						7.0 (Unpublished Sante 10108/2022 proposed new MRL 0.01)	7.0	8.0 Cherry; subgroup 12-12A	-		7.0 (Stone fruit)	
Azoxystrobin	Ortiva	2.0	1	2.0	1	2.0	2.0	2.0 Stone fruit	2.0 Stone type fruit		2.0 (Stone fruit)	
Ascorbic Acid + Bioflavonoids	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
						0.01	-					
Bacillus Thuringiensis	Dipel DF	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	
Bollworm Nucleopolyhedrovirus	Boldex Graboll Helicovir	-	0	-	0	No MRL required	-	Exp.	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
Cherries

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)	Kannar KangroShield 100	0.05	2	0.01	2	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil - No MRL required	Pyrethrin 1.0 Garlic extract -MRL required Canola oil -	Applied to growing crops Exp./ Postharvest 1.0	-		-	
	Kannar Pygar 932		1		1							
Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)	Kanguard 940	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - No MRL required	Plant acids - Citric acids - Lactic acids - No MRL required Asorbic acid - No MRL required	Plant acids - Citric acids - Lactic acids - Exp. Asorbic acid -	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	-	0	0.01	0	1.0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	
Chlorantraniliprole + Lambda-cyhalothrin	Ampligo	1.0	14	1.0	14	1.0	1.0	2.5 Fruit, stone, group 12-2	1.0 Stone fruit	Contact relevant Ag-Chem company to confirm	1.0 (Stone fruit)	
		0.5		0.3		0.3	0.3	0.5 Stone fruit	0.03* Stone fruit		0.3 (as cyhalothrin, including lambda-cyhalothrin)	Oman restricted use
Chlorpyrifos	Lirifos 480 EC	0.05	Dormant application only	0.01	Dormant application only	0.01	0.01	-	0.5 Stone type fruit		-	Oman restricted use
Codling moth and Oriental fruit moth granulosis virus	Madex Twin Madex Dual GraTham	-	-	-	-	-	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

Cherries												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	Copper Oxychloride WP Nordox 86%WG Coprox WP Coprox Super Farmag Copper Oxychloride Farmag Cu Super	20	14	5.0	Not later than bud swell	5.0	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Malaysia Exp. Mauritius - Thailand -
Cyanamide	Dormex Bloomer Cymex Cyan	-	Dormant application only	≤ 0.01	Dormant application only	0.01	0.01	-	-		-	Oman prohibited use
Cyantraniliprole	Exirel 100 SE	1.0	7	1.0	7	6.0	6.0	6.0	-		6.0	Hong Kong -
Cyprodinil	Chorus Journey 500 WG	0.5	Contact relevant Ag-	0.5	Contact relevant Ag-Chem	2.0	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruit)	
Dichlorvos	Dichlorvos EC Desta 100 EC Devipan 100 EC Dichlorvos 1000 EC	0.1	2	0.01	21	0.01	0.01	-	0.05 Stonefruit		-	Oman prohibited use
Didecyldimethylammonium chloride	Sporekill	0.1	82 Not apply after first fruit set	0.1	82 Not apply after first fruit set	0.1 (Unpublished Sante 10090/2022, proposed new MRL 0.05)	0.1	-	-		-	Hong Kong - Iran - Malaysia 0.01 Mauritius - Saudi Arabia - Singapore - Thailand -
Emamectin benzoate	Warlock 19.2 EC	0.03	7	0.03	21	0.04	0.01	0.09 Cherry subgroup 12-12A	-		-	GB/UK 0.01 Hong Kong - Iran - Malaysia - Mauritius - Singapore - Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

Cherries												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Ethephon	Ethapon Ethephon 480 SL	3.0	Contact relevant Ag-Chem company to confirm	3.0	Contact relevant Ag-Chem company to confirm	5.0	5.0	10.0	10.0 Stone fruit	Contact relevant Ag-Chem company to confirm	5.0	Canada 2.0 (Tart Cherries)
False codling moth granulovirus	Cryptex	-	-	-	-	-	-	-	-		-	
Fenazaquin	Vanity 200 SC Superior 200 SC	0.5	42	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.3	2.0 Stone fruit	-		2.0	Canada (0.1) Hong Kong - Switzerland 0.2
Fenpyroximate	Lesson 50 EC	0.3	21	0.3	21	2.0	2.0	2.0 Stone fruit	-		2.0	Hong Kong -
Fludioxonil	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0	5.0 Stone fruit	5.0 Stone type fruit		5.0 (Stone fruit)	
Furfural	Crop Guard	0.01	0	≤0.01	0	1.0	1.0	-	-		-	
Lambda-cyhalothrin	Lamdex 5 EC	0.5	14	0.3	Contact relevant Ag-Chem Company to confirm	0.3	0.3	0.5 Stone fruit	0.03 Stonefruit	Contact relevant Ag-Chem Company to confirm	0.3 (as cyhalothrin, including lambda- cyhalothrin)	Oman restricted use
Mefenoxam (Metalaxyl)	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	0.01	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag-Chem Company to confirm	-	
Metarhizium anisopliae ICIPE 69	Real Metarhizium	-	0	-	0	-	-	Exp.	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

Cherries												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Methidathion	Suprathion 420 EC	0.2	EC- Dormant application only	0.02	28 EC- Dormant application only	0.02	0.02	-	0.2 Fruit stone type		-	Iran Banned Malaysia - Oman prohibited use Thailand -
Methoxyfenozide	Marksman 240 SC	2.0	7	2.0	7	2.0	2.0	3.0	-		2.0 (Stone fruit)	
Pirimicarb	Aphox Piritek	5.0	21	5.0	21	5.0	5.0	-	5.0 Stone fruit type		3.0 (Stone fruit)	Canada (0.1) Hong Kong 3.0 Iran 3.0 [Malaysia 3.0] [Mauritius 3.0] [Oman 3.0] Saudi Arabia 3.0 [Singapore 3.0] [Thailand 3.0]
Prochloraz	Chronos 450 SC	0.1	Do not apply after blossom	0.03	Contact relevant Ag-Chem Company to confirm	0.03	0.03	-	-	Contact relevant Ag-Chem Company to confirm	-	Hong Kong - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

Cherries												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2022 (PPM)	GB/ UK MRL Status 2022	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Propiconazole	Bumper 250 EC (Application only during blossom) Principle 250 EC	0.2	14	0.01	Not later than 7 days after petal fall	0.01	0.01	4.0 Stone fruit	-		3.0	Iran Banned
Pymetrozine	Chess Trivia 500 WDG	0.02	28	0.02	28	0.02	0.02	-	-		-	Hong Kong - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand -
Soybean oil	MProve Oil	-	Dormant application only	-	Dormant application only	0.01	-	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7 (Note: For 12gr/100L only)	2.0	2.0	0.3 Stone fruit	-		0.09	Hong Kong - [Iran 0.09] [Malaysia 0.09] [Mauritius 0.09] [Oman 0.09] [Saudi Arabia 0.09] [Singapore 0.09] [Thailand 0.09]
Spinosad	GF 120 NF	0.01 (Provisional)	0	0.01 (Provisional)	0	0.2	0.2	0.2 Stone fruit	0.2 (Stone fruit)		0.2 (Stone fruit)	
	Tracer 480 SC	0.3	14	0.3	14							
	Cura Fly Fruit Fly Bait	0.01	1	0.01	1							
Spinosad + Methyl eugenol	STATIC Spinosad ME	0.01 (Provisional)	1	0.01 (Provisional)	1	0.2	0.2	0.2 Stone fruit	0.2 (Stone fruit)		0.2 (Stone fruit)	
		-		-		No MRL required	-	-	-		-	