

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	0.01	Exp.	-		-	
Abamectin	Biomectin 18 EC Unimectin 18 EC	0.01	14	0.01	14	0.01	0.01	0.05 Berry, low growing, subgroup 13-07G	0.01		0.03	
Acetamiprid	Sharda Acetamiprid 200 SP Tamprid Devalan 20 SP MULAN ® 20 SP Mosprid 20 SP Maintain 200 SP	1.0	45	0.5	No later than 2mm berry diameter	0.5	0.5	0.35 Fruit, small, vine climbing, sub-group 13-07F	-		0.5	Hong Kong - Israel 0.05 Canada 0.35 Switzerland 0.2
	Mospilan 20 SG				Not after beginning of flowering							
Acetamiprid + Pyriproxyfen	Trivor	1.0	45	0.05	No later than 2mm berry diameter	0.5	0.5	0.35 Fruit, small, vine climbing, sub-group 13-07F	-		-	Hong Kong - Israel 0.05 Canada 0.35 Switzerland 0.2
		0.05	42			0.05		2.5				China - India - Indonesia - Israel - Iran - Malaysia 0.01 Mauritius - Singapore - Thailand 0.01 Vietnam -
Alpha-cypermethrin	Alpha-Thrin 100 SC Avalanche Ag-Alpha Cyper 100 SC Sentry EC Fastac SC	0.05	28	0.05	28	0.5 (Cypermethrin/ isomers)	0.5	2.0 (cypermethrin)	-		0.2 (as cypermethrin including alpha- and zeta-cypermeth)	Oman restricted use



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Ametoctradin +	Orvego®	5.0	21	5.0	21	6.0	6.0	4.0	5.0		6.0	China 2.0 Hong Kong - Canada 4.0 Switzerland -
Dimethomorph				3.0		3.0	3.0	3.0	3.0		3.0	Hong Kong 2.0 India 0.05 Indonesia 2.0 Israel 0.1 Saudi Arabia 2.0 Taiwan 1.0 Vietnam 2.0
Amisulbrom	Leimay 200SC	0.05	28	0.05	28	0.5	0.5	0.4	-		-	China - Hong Kong - India - Iran - Indonesia - Malaysia (0.01) Mauritius - Singapore - Taiwan - Thailand - Vietnam -
Ascorbic Acid +	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
Bioflavonoids						0.01	-					
Azoxystrobin	Quadris 50 WG Mirador 250 SC Essence 500 WDG Monarch 500 WDG Obstructo 250 SC Nanok Aroxy 250SC Farmag Azoxystrobin 250 SC	1.0	14	1.0	14	3.0	3.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grape		2.0	Israel 0.6
Bacillus amyloliquefaciens	Amylo-X DoubleNickel55	-	-	-	-	No MRL required	No MRL required	-	RNR (Exp.)		-	
Bacillus subtilis	SERENADE® ASO	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus Thuringiensis	DiPel DF	-	-	-	-	0.01	-	-	RNR (Exp.)		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Beauveria bassiana	Eco-Bb	-	-	-	-	-	No MRL required	Exp.	RNR (Exp.)		-	
Benomyl	Benomyl 500 WP Benomyl Farmag Benomyl 500 WP	1.0	Not after small pea berry size 4-6 weeks	0.3	Do not use after flowering	0.3	0.3	-	0.015 Grapes	Do not use after flowering	3.0 (as carbendazim)	Oman prohibited use
Benthiavalicarb *also refer to Mancozeb	Valbon WG*	0.2	28 (Table grapes: not later than 5mm berry size)	0.2	28 (Table grapes: not later than 5mm berry size)	0.3	0.3	0.25 (grape import)	-		-	China - Hong Kong - India - Iran - Indonesia - Malaysia (0.01) Mauritius - Singapore - Taiwan - Vietnam -
Beta-cypermethrin	Akito	0.05	28	0.05	28	0.5	0.5	2.0 (as cypermethrin)	0.5 Grapes		0.2 (as cypermethrin including alpha- and zeta-cypermeth)	Oman restricted use
Bollworm Nucleopolyhedrovirus	Bolldex Graboll Helicovir	-	0	-	0	No MRL required	No MRL required	Exp.	-		-	
Boscalid	Cantus Collis (+ Kresoxim-methyl) Revolver 500 WG	5.0	28	5.0	28	5.0	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0
Boscalid +	Collis	5.0	28	5.0	28	5.0	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0
Kresoxim-methyl		0.5	28	0.5	28	1.5	1.5	1.0	1.0 Grape		1.5	
Botanical Extract/ Plant Acid (Ascorbic acid; Citrus extract)	Bestcure	0.01	0	0.01	0	0.01	No MRL required (as L-Ascorbic acid)	Exp.	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	China - India - Indonesia - Iran - Israel - Malaysia (0,01) Mauritius - Taiwan 0.3 Thailand - Vietnam -
Bromopropylate	Capacity 500 EC Ripple 500 EC Flair	1.0	21	0.01	Not later than 80% flowering	0.01	0.01	-	2.0 Grape		2.0	
Cadusafos	Rugby 10 ME Rugby 10 G Rugby	≤ 0.01	0	≤ 0.01	0	0.01	0.01	-	-		-	Oman restricted use
Captab/Captan	Captab WP Thor 500 WP Sharda Captan 800 WG MERPAN® 80 WDG Captan 800 WG	15.0	DP-14 WP-** 6 Weeks, 4-6 mm berry size 4-6 weeks	0.03	Not after flowering	0.03	0.03	25.0	25.0 Grapes		25.0	Oman prohibited use (Banned chemical - Vietnam IARD - Circular 3/2016/TT-BNNPTNT) 25.0 (In accordance with Codex Standards)
Carbaryl	Carbaryl 850 WP Carbadust 50 DP Sevin XLR Plus 480 SC Avi Carbo DP	2.5	DP-14 WP-**	0.01	Do not apply after full bloom	0.01	0.01	10.0	-		-	Oman prohibited use
Carbendazim	Ag-Carbendazim 500 SC Zimbo	1.0	4-6 weeks before harvest and commencement of flowering	0.3	Do not apply after commencement of flowering	0.3	0.3	-	3.0 Grape		3.0	Oman prohibited use
Chlorantraniliprole	Altacor Coragen	1.0	3	1.0	3	1.0	1.0	2.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	1.0 Grapes		1.0 Berries and other small fruits	Israel 0.4

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Chlorfenapyr	Saber 360 SC Savage 360 SC Sergeant Hunter 24 SC	0.5	80	0.01	96 Before flowering	0.01	0.01	0.01	-		-	
	Plumett				Before beginning of flowering							
Chlorpyrifos *dormant application	Lirifos 480 EC Chlorban EC Agropyrifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Pyrinex 250 CS Chlorifos Chlorpyrifos 480 EC Chlorpyrifos 480 EC (L6272) Chlorpyrifos 480 EC (L4888)	0.5	Dormant application and also stem treatment for WG formulation	≤ 0.01	Dormant application and stem treatment for Dursban 75 WG only	0.01	0.01	- (US FR indicates regional registration at 0.01)	0.5 Grapes		0.5	Oman restricted use
Clothianidin Note: EU authorisation amendment/ possible related MRL implications pending.	Samurai 20SC	0.01	90 Apply not later than 80% bud burst	0.01	90 Apply not later than 80% bud burst	0.7	0.7	0.6	0.07 Berries and other small fruits		0.7	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)	
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	CungFu	20.0	DP-3 WP**	20.0	DP-3 WP- Not after pea berry size	50.0	50.0	Exp.	5.0 Grapes	DP - 14 WP - 5mm berry diameter	-	China - Hong Kong - Indonesia - Israel - Malaysia Exp Switzerland 15.0 Taiwan Exp. Vietnam -	
	Fungi Flow												
	Copper Oxychloride WP												
	Nordox 86% WG												
	Cuprofix Disperss												
	Demildex												
	Cuprofix 30 Disperss												
	Cuprofix Ultra												
	Liquicop												
	Kocide 2000												
	Copsul Dust												
	Copper Count-N												
	Coppasulfa												
	Coprox WP												28-42 days
	Coprox Super												
	Nanogreen SC												
	Copper-Flow-Plus												4-6 weeks
	Farmag Cu Super												
	Farmag Copper Oxychloride												
	Copro Flow S												
	Copflo Super												
	Copstar 120 SC												
	Copper Clear												
Farmag Hydroxy													
Copmaxx													
Copper Oxychloride Super													
Royal Blue													
Tozeb Flo													
Tozeb WP													
Cupra Super													
Copper Kill SC													

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cyanamide	Dormex Deurbraak Bloomer Dorcy Cymex Cyan ALERT 520 SC Cymet Liberate	0.05	Dormant application only	0.01	Dormant application only	0.01	0.01	-	-		-	Oman prohibited use
Cyantraniliprole	Exirel 100 SE	1.0	10 Fruit fly bait application only	1.0	10 Fruit fly bait application only	1.5	1.5	-	-		-	Hong Kong - India 0.01 Indonesia - Israel - Iran - Malaysia 0.01 Mauritius - Oman 0.01 Saudi Arabia - Singapore - Switzerland 0.01 Taiwan - Thailand - Vietnam -
Cymoxanil	Curzate 600 WG	0.1	28 Do not apply after pea size	0.1	28 Do not apply after pea size	0.3 (Unpublished Sante 12078/2020 proposed new MRL 0.05)	0.3	0.1	0.1		-	Indonesian - Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
	Cymox		4 – 6 weeks (Do not apply after pea size)		4 – 6 weeks (Do not apply after pea size)							
	Vidac Flo		21		21							

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cymoxanil +	Controller Cymax M WP Cymoxazeb WP Fungarrest Micexanil Zetanil M	0.1	4 – 6 weeks (Do not apply after pea size)	0.1	4 – 6 weeks (Do not apply after pea size)	0.3 (Unpublished Sante 12078/2020 proposed new MRL 0.05)	0.3	0.1	0.1		-	Indonesia - Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Mancozeb		3.0				5.0 (as CS2)	5.0	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman prohibited use
Cymoxanil +	Equation Pro	0.1	28	0.1	28	0.3 (Unpublished Sante 12078/2020 proposed new MRL 0.05)	0.3	0.1	0.1		-	Indonesia - Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Famoxadone		1.0				2.0	2.0	2.5	2.0 Grapes		2.0	Canada (0.1)
Cypermethrin	Cyperin Cypermethrin 200 EC Polytrin 200 EC Ag-Cypermethrin 200 EC Kemprin 200 EC Farmag Cypermethrin Sipermetrien Cymet Cypermethrin EC	0.05	28	0.05	28	0.5	0.5	2.0	0.5 Grapes		0.2	Oman restricted use
Cyprodinil	As part of Switch Choir 500 WDG Chant 500 WDG As part of Cyprocide WG As part of Elite 625 WDG As part of Solana SC	0.5	28	0.5	28	3.0	3.0	3.0 Fruit, small, vine climbing, sub-group 13-07F	5.0 Grapes		3.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Deltamethrin	Delta-Thrin 25 EC Decis Forte 100 EC Ag-Deltamethrin 25 EC Celtis 25 EC Servus (EC) Delmet 250 EC	0.1	EC-28	0.1	EC formulation-28	0.2	0.2	- (0.05 - All food/feed items)	0.2 Grapes		0.2	Mauritius 0.05 Singapore 0.05
Dichlorvos	Divos 1000 EC Dichlorvos EC Desta 100 EC Devipan 100 EC DDVP Dichlorvos 1000 EC	0.1	7	≤ 0.01	14	0.01	0.01	0.5	0.05 Grapes		-	Oman prohibited use
Difenoconazole	Score Sharda Difenconazole 250 EC Divino 250 EC Pronto 250 EC D-ZOLE Defender 250 EC Sterin 250 EC Farmag Difenconazole 250 EC Navigator 250 EC	0.2	28	0.2	28	3.0	3.0	3.0 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.5 Grapes		3.0	Indonesia 0.1 Saudi Arabia 0.1
Dimethomorph	Sovrin Flo Manifesto 500 SC	5.0	56	3.0	56 Max. 3 applications no later than 5 mm berry diameter	3.0	3.0	3.0 Grape	3.0 Grape		3.0	Hong Kong 2.0 India 2.0 Indonesia 2.0 Israel 0.5 Saudi Arabia 2.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Dimethomorph +	Sphinx Extra	5.0	56 Do not use after pea berry size	3.0	56 Do not use after pea berry size	3.0	3.0	3.0	3.0		3.0	Hong Kong 2.0 India 2.0 Indonesia 2.0 Israel 0.5 Saudi Arabia 2.0
Folpet		15.0		6.0		6.0	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Oman prohibited use Taiwan prohibited - 0.00
Dimethomorph +	Acrobat WG Dimethozeb 690 WP Vimethozeb 690 WP	5.0	56	3.0	56 Max. 3 applications no later than 5 mm berry diameter	3.0	3.0	3.0 Grape	3.0 Grape	Not later than one week after flowering	3.0	Hong Kong 2.0 India 2.0 Indonesia 2.0 Israel 0.5 Saudi Arabia 2.0
Mancozeb		3.0				5.0 (as CS2)	5.0 (as CS2)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman prohibited use Thailand 2.0
Dithianon	Alaris WG Detect 400 SC Inspect 400 SC	3.0	21	3.0	21	3.0	3.0	3.0	3.0		2.0 (Table grapes)	Canada (0.1) China 2.0 [India 2.0] Israel 2.0 [Iran 2.0] [Japan 2.0] [Malaysia 2.0] [Mauritius 2.0] [Oman 2.0] [Singapore 2.0] Switzerland 0.01 Taiwan 0.2 [Thailand 2.0] Vietnam 2.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Emamectin benzoate	Warlock 19.2 EC	0.05	7	0.05	14	0.05 (Unpublished Sante 12558/2019, proposed new MRL 0.04)	0.05	-	0.05		0.03	China 0.03 Hong Kong - [India 0.03] Indonesia 0.03 [Iran 0.03] [Malaysia 0.03] [Mauritius 0.03] [Oman 0.03] Saudi Arabia 0.03 [Singapore 0.03] Taiwan 0.03 Thailand 0.005 Vietnam 0.03
Esfenvalerate	Sumi-alpha	0.05	28	0.05	28	0.3	0.3	-	0.1 Grapes		-	India - Indonesia - Malaysia (0.01) Mauritius - Saudi Arabia - Thailand - Vietnam -
Ethephon	Ethapon Ethephon 480 SL	5.0	Not later than 5% berry colouring	1.0	Not later than 5% berry colouring	1.0	1.0	2.0	1.0		0.8	[India 0.8] [Iran 0.8] [Malaysia 0.8] [Mauritius 0.8] [Oman 0.8] [Singapore 0.8] Switzerland 0.5
False codling moth granulovirus	Cryptex GraTham Cryptogran	-	0	-	0	-	-	-	-		-	
Fenamidone * also refer to mancozeb	No-Blite (Mancozeb note)	1.0	49	≤ 0.01	Do not apply after full bloom	0.01	0.6	1.0 (imported)	-		0.6	Oman Mancozeb - Prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenamiphos	Fenamiphos 400 EC Spitfire 400 EC Nemacur 10 GR Nemacur 100 EC Bonfire 400 EC Atador	0.05	100	0.03	100	0.03	0.03	0.1 (Import tolerance)	-		-	Hong Kong - India - Indonesia - Iran - Japan 0.06 Malaysia (0.01) Mauritius - Oman restricted use Thailand - Vietnam -
Fenazaquin	Pride 200 SC Vanity 200 SC Superior 200 SC	0.2	63	0.01	Contact relevant Ag-Chem company to confirm	0.2 EU MRL 0.01 from 27/01/2022 EU Commission Regulation 2021/1110	0.2	0.7 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.01 Grapes	Apply before onset of flowering	-	Canada (0.1) China - Hong Kong - India - Indonesia - Iran - Israel - Japan - Malaysia (0.01) Mauritius - Singapore - Taiwan 0.1 Thailand - Vietnam -
Fenhexamid	Teldor 500 SC Electron 500 SC Femida 500 EC Providor	5.0	3	5.0	3	15.0	15.0	4.0 Fruit, small, vine climbing, sub-group 13-07F	15.0		15.0	Canada 4.0 Israel 4.0 Taiwan 4.0
Fenpyroximate	Lesson 50 EC	0.1	40	0.1	40	0.3	0.3	1.0 Fruit, small, vine climbing, sub-group 13-07F	0.3		0.1	Israel 0.05
Fipronil +	Antset 200 SC Sunset 200 SC	0.01	28	0.005	Dormant and stem application only	0.005	0.005	-	-		-	Oman restricted use Taiwan 0.001
Lambda-cyhalothrin (Dormant - Trunk treatment)		0.2				0.08	0.08	0.01	0.15		0.2 (Cyhalothrin, Berries and other small fruit)	Oman restricted use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fludioxonil	As part of Switch As part of Cyprocide WG As part of Elite 625 WDG Target 200 WDG As part of Solana SC	0.5	28	0.5	28	5.0	5.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	
Fluopicolide + Fosetyl-Al	Profler	2.0	28	2.0	28	2.0	2.0	2.0	2.0 Grapes		2.0	Canada 1.4 Switzerland 1.0
		25.0		25.0		100.0	100.0	10.0	0.8		60.0	China 10.0 Hong Kong 10.0 Israel 5.0 India 10.0 Taiwan 20.0
Flusilazole	Flustar WG	0.05	21	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.01	-	0.2 Grapes		0.2	
Flutriafol + Tebuconazole	Topguard 300 SC	0.05	28	0.05	28	0.8	0.8	1.5	0.05		0.8	Hong Kong -
		0.5		0.5		0.5	0.5	6.0	2.0 Grapes		6.0	
Fluopyram	Luna Privilege	2.0	3	2.0	3	2.0	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0 Grapes	Contact relevant Ag-chem company to confirm	2.0	Israel 0.4
Fluopyram + Tebuconazole	Luna Experience	2.0	Do not apply after the berries have reached pea berry stage	2.0	Do not apply after the berries have reached pea berry stage	2.0	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0 Grapes	Not later than 5mm berry diameter	2.0	Israel 0.4
		0.5		0.5		0.5	0.5	6.0	2.0 Grapes		6.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Folpet	Folpan 500 SC Fortune 500 SC FOLPAN® 80 WDG	15.0	DP-3 WP-**	6.0	Do not use after 5mm berry diameter	6.0	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Oman prohibited use Taiwan prohibited use
	Figure 500 SC Farm-Ag Folpet 500 SC Valeo 500 SC		Not after the pre-blossom stage		Not after the pre-blossom stage							
Forchlorfenuron	Sitofex Berrymax Ambitious	0.05	Not required when used as directed	0.01	Not required when used as directed	0.01	0.01	0.03	-		-	
Formetanate	Dicarzol	0.05	80	0.05	80	0.1	0.1	-	-		-	China - Hong Kong - India - Indonesia - Iran - Israel - Japan - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Taiwan - Thailand - Vietnam -
Fosetyl-Al *also refer to fluopicolide	Aliette 800 WG Profler * Fostonic 80 WP	25.0	28	25.0	28 Do not apply after 5 mm berry diameter	100.0	100.0	10.0	0.8 Grapes as Aluminium Phosetyl	Do not apply after 5 mm berry diameter	60.0	Canada (0.1) China 10.0 Hong Kong 10.0 India 10.0 Israel 5.0 Taiwan 20.0
Furfural	Crop Guard	0.1	0	≤0.01	0	1.0	1.0	-	-		-	
Gamma-cyhalothrin	Vantex 60 CS	0.2	28	0.08	Contact relevant Agchem company to confirm	0.08 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F)	0.08 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F)	0.01	-	Contact relevant Agchem company to confirm	0.2 (cyhalothrin, Berries and other small fruit)	Oman restricted use India 0.05

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Gibberellins	Falgro Tablets Falgro 20 SP Falgro 4 SL Gibb Liquid 4 ProGibb 4% ProGibb 40%	0.2	Not later than 5mm berry diameter No later than 14mm berry diameter	0.2	Not later than 5mm berry diameter No later than 14mm berry diameter	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	China - Hong Kong - India - Indonesia - Iran - Japan 0.1 Israel - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Hexaconazole	Optan SC Richter	0.1	7	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.01	-	-		-	
Imidacloprid Note: EU authorisation amendment/ possible related MRL implications pending.	Warrant 350 SC Warrant 70 WG Imidacloprid 350 SC Confidor 70 WG Kohinor 350 SC Cast 700 WDG Emit 700 WDG Provado 350 SC Sharda Imidacloprid 350 SC Imidor 350 SC Apache Gold 350 SC Punto 350 SC Imidor 350 SC Imirod 350 SC	0.05	112	0.05	112	1.0 EU MRL 0.7 from 16/05/2022 EU Commission Regulation 2021/1881	1.0	1.0	1.0		1.0	Oman restricted use
Indoxacarb Note: EU authorisation amendment/ possible related MRL implications pending.	Steward Steward 150 EC Doxstar flo Addition 150 EC Advance 150 EC InCide 300 WG Margin 300 WDG Session 300 WDG	2.0	14	2.0	14 Maximum 2 applications	2.0	2.0	2.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Canada (0.1) Israel 1.0 Taiwan 0.01

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Iprodione	Taurus 500 SC Iprodione 500 SC	5.0	7	0.01	Do not use (if exporting to EU) Contact relevant Ag-Chem Company to confirm	0.01	0.01	60.0	10.0 Grapes		10.0	Iran -
	Rovral Aquaflo Prodione IproFlo Pickle 500 SC Iprone 500 SC		3									
	Iprodione 255 Rovral Flo*		Do not apply after pea berry stage									
Iprovalicarb	Argento	0.5	28 Do not apply after 5mm berry diameter	0.5	28 Do not apply after 5mm berry diameter	2.0	2.0	2.0 (import)	-	-	-	Canada (0.1) China - Hong Kong - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Kresoxim-methyl	Vista Flo Ardent 50 SC Collis (+ Boscalid)	0.5	14	0.5	14	1.5	1.5	1.0	1.0 Grape		1.5	
	Kreso WDG		28		28							
Lambda – cyhalothrin	Karate EC Karate Zeon Judo 50 EC Lambda 50 EC Ag-Lambda 50 EC Lambda EC Lambda Cyhalothrin 50 Attacke Lamdex 5 EC Karis 5 CS Lamdex 5 CS	0.2	28	0.08	Contact relevant Ag-Chem Company to confirm	0.08	0.08	0.01	0.15 Grapes	Contact relevant Ag-Chem Company to confirm	0.2 (cyhalothrin, Berries and other small fruit)	Oman restricted use India 0.05



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mancozeb Note: EU authorisation amendment/ possible related MRL implications pending. *also refer to metalaxy! * also refer to Fenamidone and Fosetyl-AI *also refer to benthiavalicarb *also refer to metalaxy!	Curzate Pro	3.0	Not after 5mm berry diameter	3.0	Not after 5mm berry diameter	5.0 (as CS ₂)	5.0 (as CS ₂)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)	Not later than one week after flowering	5.0 (Dithiocarb.)	Oman prohibited use Thailand 2.0
	Newzeb 800 WP											
	Unizeb WP											
	Tridex WP											
	Farmag Mancozeb 800 WP											
	Penncozeb WG											
	Pennfluid 420 SC											
	Crater MX 700 WP		56 days									
	Metastar 700 WP											
	Villa Unizeb 750 WDG		4-6 weeks									
	Tozeb Flo											
	Tozeb WP											
	Villa Unizeb 800 WP											
	Mancozeb 800 WP (L9169)											
	Dithane M-45 800 WP NT											
Dithane M-45 800 WP												
Dithane 750 WG Neotec												
Ventum 800 WP												
No-Blite												
Mancozeb 800 WP												
Vondozeb												
Tsumeb												
Newzeb 455 SC												
Valbon WG*												
MILOR MZ												
Milor700 WP												
Metazeb 700 WP												
* also refer to mandipropamid	Pergado MZ											
	Newzeb 750 WDG											
	Mancozeb (L7352)											
	Zenith 750 WP											
Mandipropamid *also refer to mancozeb	Pergado MZ	1.0	Not after 5mm berry diameter	1.0	Not after 5 mm berry diameter	2.0	2.0	1.4 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Oman Mancozeb - Prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mandipropamid +	Pergado F	1.0	4-6 Weeks before harvest (when berries are pea size)	1.0	4-6 Weeks before harvest (when berries are pea size)	2.0	2.0	1.4 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Oman Mancozeb - Prohibited use
Folpet		15.0		6.0		6.0	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Oman prohibited use Taiwan prohibited use
Maneb	Mangle SC Vandal	3.0	4-6 weeks	3.0	4-6 weeks	5.0 (as CS ₂)	5.0 (as CS ₂)	-	- 5.0 Grape, Dithiocarb.		5.0 (Dithiocarb.)	Oman prohibited use
Meptyldinocap	Karathane Star 350 EC	0.5	Use only before blossom	0.2	Contact relevant Ag-chem company to confirm	1.0 EU MRL 0.2 from 14/05/2022 EU Commission Regulation 2021/1864	1.0	0.2	-		0.2	Canada (0.1) China 0.2 Hong Kong 0.2 [India 0.2] Indonesia 0.2 [Iran 0.2] Israel 0.1 [Malaysia 0.2] [Mauritius 0.2] [Oman 0.2] Saudi Arabia 0.2 [Singapore 0.2] Switzerland - Taiwan - [Thailand 0.2] Vietnam 0.2 Israel -
Mercaptothion/ Malathion	Datathion Mercaptothion 500 EC Kickback 700 MZ Harrier 500 EC Insecto 500 EC	2.0	10	0.02	10 Bait application ONLY Never apply bait to bunches	0.02	0.02	8.0	5.0 Grapes		5.0	



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Metalaxyl-M (Mefenoxam) * also refer to Mancozeb	Ridomil Gold Pepite MILOR MZ	1.5	56 (Do not apply after flowering)	1.5	Not after pea berry stage	2.0	2.0	2.0	2.0 Grapes		1.0	Canada 1.0 Hong Kong 1.0 China 1.0 India 1.0 Indonesia 1.0 [Iran 1.0] Israel 1.0 Japan 1.0 [Malaysia 1.0] [Mauritius 1.0] Oman Mancozeb - Prohibited use [Oman Metalaxyl 1.0] Saudi Arabia 1.0 Singapore 1.0 Thailand 1.0 Vietnam 1.0
Metarhizium anisopliae ICIP 69	Real Metarhizium	-	0	-	0	-	-	Exp.	-		-	
Methidathion	Suprathion 420 EC Arythion 420 EC Methidathion 420 EC	0.2	EC-8	0.02	Up to flowering only	0.02	0.02	-	1.0 Grapes		1.0	Iran Banned pesticide Oman prohibited use
Metrafenone	Vivando	0.5	28	0.5	28	7.0	7.0	4.5	5.0 Grapes		5.0	Japan (0.01)
Mevinphos	Phosdrin 500 SL	0.2	7	0.01	Not later than 5mm berry diameter	0.01	0.01	-	-		-	Oman prohibited use
Myclobutanil	Master 125 EC	0.2	14	0.2	14	1.5	1.0	1.0	1.0		0.9	
Myrothecium verrucaria* strain AARC-0255 fermentation solids and solubles	DiTera	Exp.	-	Exp.	-	-	-	Exp.	-		-	
Oxamyl	Vydate SL Platoon 310 SL Stetson 310 SL	-	Dormant spray before bud burst	≤0.01	Dormant spray before bud burst	0.01	0.01	-	-		-	Oman restricted use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Penconazole	Topaz 200 EW Excalibur 200 EW Pencomax EW Captain Avert 200 EW Palette® 200 EW	0.2	14	0.2	14	0.5	0.5	-	0.3 Grapes		0.4	Canada (0.1)
Phosphorous acid	Rootex 400 SL Phosphite 400 SL Ag-Phos 400 SL Fighter Brilliant 300 SL Brilliant SL Hyperphos 400 SL Rootmaster 200 SL Rootmaster 400 SL Hygrophos 400 PhosMaxx PhosPlus Phosguard 200 SL Phosguard 400 SL Mariphos 400 SL Phostemic 400 SL Inteli-Phite	25.0	28	25.0	28	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp.	-		60.0 (Grapes, as Fosetyl-al)	China 10.0 (Temporary MRL, as Fosetyl-Al) Hong Kong 10.0 as Fosetyl-Al India 10.0 as Fosetyl-Al Israel 5.0 as Fosetyl-Al Taiwan 20.0
Potassium bicarbonate (also known as potassium hydrogen carbonate)	Agri-Cure SP	-	0	-	0	No MRL required	-	Exp.	-		-	
Potassium phosphite +	K-Phite Phitemaxx	25.0	28	25.0	28	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp.	-		60.0 (Grapes, as Fosetyl-al)	China 10.0 (Temporary MRL, as Fosetyl-Al) Hong Kong 10.0 as Fosetyl-Al Israel 5.0 as Fosetyl-Al Taiwan 20.0
Salicylic acid		-				No MRL required					-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Procymidone	Hit 500 SC	5.0	5	0.01	Do not apply after blossom	0.01	0.01	-	5.0 Grapes		-	
	Sumisclex SC		28									
Profenofos	Profenofos 500 Selefos Selecron	-	Early spring application only, prior to flowering	≤ 0.01	Early spring application only, prior to flowering	0.01	0.01	-	-		-	Oman prohibited use
Proquinazid	Talendo	0.5	28	0.5	28 Max. 3 applications	0.5	0.5	0.5 Import tolerance	0.5 Grape		-	China - Hong Kong - India - Japan - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Proquinazid +	Associate 240 EC	0.5	28	0.5	28	0.5	0.5	0.5 Import tolerance	0.5 Grape	Contact relevant Ag-chem company to confirm	-	China - Hong Kong - India - Japan - Indonesia - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Tetraconazole								0.2 Small fruit vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-			China - India - Indonesia - Iran - Israel 0.05 Japan 0.2 Malaysia (0.01) Mauritius - Saudi Arabia 0.2 Singapore - Thailand - Vietnam -
Prothiofos	Tokuthion® 960 EC	1.0	60	≤ 0.01	Use only during dormancy period before budswell	0.01	-	-	0.1 Grapes		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pydiflumetofen (Adepidyn)	Miravis	2.0	7	0.01	Contact relevant Ag-Chem company to confirm	0.01	-	1.5	-		1.5	Small fruit vine climbing
Pyraclostrobin	Cabrio Pyrax Constrictor 250 EC Pyrablin 250 EC Promoter 250 EC	0.5	28	0.3	Contact relevant Ag-Chem Company to confirm	0.3	1.0	2.0	2.0 Grape		2.0	
Pyrimethanil	Botrynil Scala 400 SC Pyrus 400 SC Support 400 SC Source 400 SC	5.0	35	5.0	35 Do not apply more than 2 sprays per season	5.0	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	4.0 Grapes		4.0	[China 4.0] Hong Kong 4.0 Indonesia 4.0 [India 4.0] [Iran 4.0] Israel 2.0 [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] Taiwan - Vietnam 4.0
	Protector 400 SC		7		7 Do not apply more than 2 sprays per season							
Pyrimethanil +	Tutor 500 SC	5.0	28	0.5	28	5.0	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	4.0 Grapes		4.0	[China 4.0] Hong Kong 4.0 Indonesia 4.0 [India 4.0] [Iran 4.0] Israel 2.0 [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] Taiwan - Vietnam 4.0
Fludioxonil		0.5						2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Quinoxifen	Legend 250 SC Proxima FABLE 250 SC LORE 250 SC	1.0	21	1.0	21	1.0	1.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grape		2.0	Israel 0.5
S-Abscisic Acid	ProTone Excelero Intensify Powder	Exp.	-	≤ 0.01	-	No MRL required		Exp.	-		-	Japan -
Spinetoram	Delegate 250 WG	0.5	3	0.4	14	0.5 EU MRL 0.4 from 27/01/2022 EU Commission Regulation 2021/1110	0.5	0.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		0.3	China 0.3 [Hong Kong 0.3] Israel 0.1 Indonesia 0.3 [Iran 0.3] [Malaysia 0.3] [Mauritius 0.3] [Oman 0.3] Saudi Arabia 0.3 [Singapore 0.3] [Thailand 0.3] Vietnam 0.3
Spinosad	Tracer 480 SC	0.1	28	0.1	28 Max. 4 applications	0.5	0.5	0.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.5 Grapes		0.5	
	Entrust Naturalyte 800 WP		42		0 Multiple bait applications							
	GF-120 NF		0									
Spinosad +	STATIC Spinosad ME	0.1	1	0.1	1	0.5	0.5	0.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.5 Grapes		0.5	
Methyl eugenol		-		-		No MRL required	-	-	-		-	
Spirotetramat	Movento 240 SC Harvest Spirotetramat 240 SC	1.0	Do not apply later than the pea-berry stage of the crop	1.0	Do not apply later than the pea-berry stage of the crop	2.0	2.0	1.3 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Israel 0.5

HORTGRO

Growing Fruit IQ



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS



TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Spiroxamine	Prosper 500 EC Potential 500 EC Flourish 500 EC Spirox 500 EC	1.0	Not after commencement of flowering	0.6	Not after commencement of flowering	0.6	0.6	1.0 (import)	2.0 Grape		-	China - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Mauritius - Singapore - Taiwan 0.5 Thailand - Vietnam -
	Spiral 500 EC		21									
Sulfoxaflor	Closer 240SC	1.0	28	1.0	28	2.0	2.0	2.0 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		2.0	Hong Kong - Israel 0.5
Sulphur	Thiovit Jet	50.0	DP-0 WP-**	50.0	DP-0 WP-** Not after small pea (5mm) berry size	No MRL required	No MRL Required	Exp.	RNR (Exp.)		-	China - India - Indonesia - Iran - Israel - Malaysia Exp. Mauritius No MRL required Taiwan Exp. Thailand - Vietnam - Singapore -
	Flowable Sulphur		4 - 6 weeks									
	Cosavet											
	Dusting Sulphur											
Sulfostar												
Sunflo 800 SC												
Sulfomaxx												
Striker												
Ciplapol S 320												
Striker SC												
Microthiol Special												
Sulphur 800 WDG												
Kumulus WG												
Tosul WG			Do not apply later than the pea-size stage		Do not apply later than the pea-size stage							
Copsol Dust			3		3							
Tea tree plant extract	Timorex Gold	-	-	-	-	No MRL required	No MRL required	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Tebuconazole <i>* also refer to Trifloxystrobin</i>	Flint Max	2.0	Do not apply after pea-berry stage (4 to 6 weeks prior to harvest)	0.5	Do not apply after 6 - 8 mm berry diameter. Do not apply more than 3 sprays per season	0.5	0.5	6.0	2.0 Grapes		6.0	
	Riza 250 EW TebuCure 250 EW		42		42							
	Corona Pro*		Do not apply after pea-berry stage		Do not apply after pea-berry stage							
Tetraconazole	Domark 100 EC Tetris EC Tetris EW	0.5	14	0.5	14	0.5	0.5	0.2 Small fruit vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		-	Canada 0.2 China - India - Indonesia - Iran - Japan 0.2 Malaysia (0.01) Mauritius - Saudi Arabia 0.2 (USA as lowest limit) Singapore - Vietnam -
Thiamethoxam <i>Note: EU authorisation amendment/ possible related MRL implications pending.</i>	Actara SC Thiatox 250 WDG Thiagam 250 WDG Thiamex 25 WG	-	Apply within one month after harvest	-	Apply within one month after harvest	0.4	0.4	0.2 Fruit small, vine	0.1		0.5 Berries and small fruit	
Thiram <i>Note: EU authorisation amendment/ possible related MRL implications pending.</i>	Thiram Granuflo 80%	5.0	48	0.1 (as thiram); 5.0 (as CS2)	Not after 5mm berry size	0.1 (as thiram); 5.0 (as CS2) (Unpublished Sante 10552/2021, proposed new MRL 0.05 - as Thiram)	0.1 (as thiram); 5.0 (as CS2)	-	- 5.0 (Dithiocarb.)	Not after flowering	5.0 (Dithiocarb.)	India 3.0 as Dithiocarb. Oman restricted use
	Thiram 80 WG		38		48 38							
Triadimenol	Shavit 250 EC	1.0	14	0.3	Before blossom only	0.3	0.3	-	2.0 Grapes		0.3	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Trichoderma atroviride	Eco-77	-	-	-	-	No MRL required	-	-	-		-	-
Trichoderma asperellum TRC900	Real Trichoderma	-	0	-	0	No MRL required	-	Exp.	-		-	
Trifloxystrobin *also refer to Tebuconazole	Consist 50 WG Flint Max Connect 500 WDG Unite 500 WDG Aztec 500 SC	0.5	4 to 6 weeks (to avoid visible residues)	0.5	Not later than pea berry (5mm) berry diameter	3.0	3.0	2.0	5.0 Grapes		3.0	
	Corona Pro*		Do not apply after pea-berry stage		Do not apply after pea-berry stage							
Valifenalate +	Valis M	1.2	42	0.2	42	0.2 (Unpublished Sante 10776/2021 proposed new MRL 1.0)	0.2	-	-	Not later than one week after flowering	-	China - Hong Kong - India - Indonesia - Israel - Iran - Japan - Malaysia (0.01) Mauritius - Oman - Saudi Arabia - Singapore - Taiwan - Thailand - Vietnam
		3.0				5.0 (as CS2)	5.0 (as CS2)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)	5.0 (Dithiocarb.)	Oman Mancozeb - Prohibited use	
Mancozeb												

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2021 (PPM)	GB/ UK MRL Status 2021	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Valifenalate +	Java F Valis F	1.2	42	0.2	42	0.2 (Unpublished Sante 10776/2021 proposed new MRL 1.0)	0.2	-	-		-	China - Hong Kong - India - Indonesia - Israel - Iran - Japan - Malaysia (0.01) Mauritius - Oman - Saudi Arabia - Singapore - Taiwan - Thailand - Vietnam -
Folpet		15.0				6.0	6.0	50.0 (import)	0.02 Grape		10.0	Iran Suspended pesticide Oman prohibited use Taiwan prohibited use
Zoxamide	Zoxium	2.0	28 Max. of 4 applications	2.0	28 Max. of 4 applications	5.0	5.0	5.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	5.0 Grapes		5.0	