

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
CHERRIES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM	-	-	0.01	-	0.01	-	Exp.	-		-	
(Z)-8-Dodecen-1-yl acetate + (E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-ol	Disrupt OFM	-	-	0.01	-	0.01	-	Exp.	-		-	
Abamectin	Agrimec Gold Abamec Plus	0.01	21	0.01	21	0.01	0.01	0.09 Stone fruit	-		0.07	
Acetamiprid	Maintain 200 SP	0.2	28	0.2	28	0.8	1.5	1.5 Fruit, stone, group 12-12	-		1.5	
Azadirachtin	Bioneem	0.01	24 hrs.	0.01	24 hrs	1.0	1.0	Exp.	-		-	
Azoxystrobin	Ortiva	2.0	1	2.0	1	2.0	2.0	2.0 Fruit, stone, group 12-12	2.0 Stone type fruit		2.0 (Stone fruit)	
Azoxystrobin +	CAPITA 300 SC	2.0	7	2.0	7	2.0	2.0	2.0 Fruit, stone, group 12-12	2.0 Stone type fruit		2.0 (Stone fruits)	Taiwan 1.0 Peach Taiwan 1.5 Nect.
Boscalid		3.0				5.0	5.0	3.5 Fruit, stone, group 12-12	3.0 Stone type fruit		5.0	Canada 1.7
Ascorbic Acid +	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
Bioflavonoids						0.01	-					
Bacillus methylotrophicus	Incite™ Counteract	-	-	-	-	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus Thuringiensis	Dipel DF	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus subtilis Strain BS01	Real Bacillus	-	0	-	0	-	-	-	-		-	
Beauveria bassiana	Broadband Eco-Bb Mycoveria WP MUTINY	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
CHERRIES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Bollworm Nucleopolyhedrovirus	Bolldex Graboll Helicovir	-	0	-	0	No MRL required	-	Exp.	-		-	
Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)	Kannar KangroShield 100 Kannar Pygar 932	0.05	2 1	0.01	2 1	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil - No MRL required	Pyrethrin 1.0 Garlic extract -MRL required Canola oil -	Applied to growing crops Exp./ Postharvest 1.0	-		-	
Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)	Kanguard 940	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - No MRL required	Plant acids - Citric acids - Lactic acids - No MRL required Asorbic acid - No MRL required	Plant acids - Citric acids - Lactic acids - Exp. Asorbic acid -	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator Amplify	-	0	0.01	0	1.0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	
Bupirimate	Nobel 250 EC Nimrod	- 0.01 SA default MRL	14 Contact supplier	0.01	Contact supplier	0.01	0.05	-	-		-	
Chlorantraniliprole	CORDIAL 350 WDG	1.0	14	1.0	14	1.0	1.0	2.5 Fruit, stone, group 12-2	1.0 Stone fruit		1.0 (Stone fruit)	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
CHERRIES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Chlorantraniliprole + Lambda-cyhalothrin	Ampligo	1.0	14	1.0	14	1.0	1.0	2.5 Fruit, stone, group 12-2	1.0 Stone fruit	Contact relevant Ag-Chem company to confirm	1.0 (Stone fruit)	
		0.5		0.3		0.3	0.3	0.5 Stone fruit	0.03* Stone fruit		0.3 (as cyhalothrin, including lambda- cyhalothrin)	Oman restricted use
Codling moth and Oriental fruit moth granulosus virus	Madex Twin Madex Dual GraTham	-	-	-	-	-	-	-	-		-	
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide = Total Copper	Copper Oxychloride WP Nordox 86%WG Coprox WP Coprox Super Farmag Copper Oxychloride Farmag Cu Super Copper Oxychloride Super	20	14	5.0	Not later than bud swell	10.0	5.0	Exp.	5.0 Stonefruit		-	China - Hong Kong - Malaysia Exp. Mauritius - Thailand -
Cyanamide	Dormex Bloomer Cymex Cyan Alert 520 SL	-	Dormant application only	≤ 0.01	Dormant application only	0.01	0.01	-	-		-	Oman prohibited use
Cyantraniliprole	Exirel 100 SE	1.0	7	1.0	7	6.0	6.0	6.0	-		6.0	Hong Kong -
Cyprodinil	Chorus Journey 500 WG	0.5	Contact relevant Ag-	0.5	Contact relevant Ag-Chem	2.0	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruit)	
Dichlorvos	Desta 100 EC Devipan 100 EC	0.1	2	0.01	21	0.01	0.01	-	0.05 Stonefruit		-	Oman prohibited use

 HORTGRO Growing Fruit IQ MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS												
CHERRIES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Didecyldimethylammonium chloride	Sporekill	0.1	82	0.05	82 Apply before budbreak or after harvest. Do not apply to fruit destined for export or processing. Spray drift could contaminate non-harvested fruit	0.05	0.1	-	-		-	China - Hong Kong - Iran - Malaysia 0.01 Mauritius - Saudi Arabia - Singapore - Thailand -
Dithianon	Detect 400 SC	2.0	21	2.0	21	2.0	2.0	-	5.0		2.0 Stone fruits	
Emamectin benzoate	Emperor 50 WG	0.03	7	0.03	7 Maximum 2 applications	0.04	0.04	0.09 Cherry subgroup 12-12A	-		-	GB/UK 0.01 Hong Kong - Iran - Malaysia - Mauritius - Singapore - Switzerland - Thailand -
Ethephon	Ethapon Ethephon 480 SL	3.0	Contact relevant Ag-Chem company to confirm	3.0	Contact relevant Ag-Chem company to confirm	5.0	5.0	10.0	10.0 Stone fruit	Contact relevant Ag-Chem company to confirm	5.0	Canada 2.0 (Tart Cherries)
False codling moth granulovirus	Cryptex	-	-	-	-	-	-	-	-		-	
Fenazaquin	Vanity 200 SC Superior 200 SC Abraxus 200 SC	0.5	42	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.3	2.0 Stone fruit group 12-12	-		2.0	Hong Kong -
Fenpyroximate	Lesson 50 EC	0.3	21	0.3	21	2.0	2.0	2.0 Stone fruit	-		2.0	Hong Kong -

 HORTGRO Growing Fruit IQ MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS												
CHERRIES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fludioxonil	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0	5.0 Stone fruit	5.0 Stone type fruit		5.0 (Stone fruit)	
Furfural	Crop Guard	0.01	0	≤0.01	0	1.0	1.0	-	-		-	
Lambda-cyhalothrin	Lamdex 5 EC	0.5	14	0.3	Contact relevant Ag-Chem Company to confirm	0.3	0.3	0.5 Stone fruit	0.03 Stonefruit	Contact relevant Ag-Chem Company to confirm	0.3 (as cyhalothrin, including lambda-cyhalothrin)	Oman restricted use
Mancozeb	Villa Unizeb 750 WDG	2.0	10	2.0	10	2.0	2.0	-	0.2	Do not use on fruit exported to Russia	0.2	Canada (0.1) China 0.2 [Iran 0.2] [Malaysia 0.2] [Mauritius 0.2] [Oman 0.2] [Saudi Arabia 0.2] [Singapore 1.0] [Thailand 0.2]
Mefenoxam (Metalaxyl)	Ridomil Gold 280 SL	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	0.01	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag-Chem Company to confirm	-	
Metarhizium anisopliae ICIP 69	Real Metarhizium 69	-	0	-	0	-	-	Exp.	-		-	
Metarhizium anisopliae ICIP 78	Real Metarhizium 78	-	0	-	0	-	-	Exp.	-		-	
Methidathion	Arythion 420 EC	0.2	EC- Dormant application only	0.01	28 Dormant application only	0.02	0.01	-	0.2 Fruit stone type		-	Iran Banned Malaysia - Oman prohibited use Thailand -

 HORTGRO Growing Fruit IQ MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS												
CHERRIES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes
Myclobutanil	Mycide 200EW	3.0	1	3.0	7	3.0 Unpublished Sante PLAN/2023/194 D087773/02 proposed MRL 3.0 is maintained based on Codex - CXLs)	3.0	5.0	2.0 stone type fruits		3.0	Canada 1.0 Hong Kong 2.0 Saudi Arabia 2.0
Natural pyrethrin	Laflexa	-	0	0.01	0	1.0	1.0	Applied to growing crops Exp/ Postharvest 1.0	-		-	
Penconazole	Avert 200 EW	0.15	14	0.15	14	0.15 Cherries (sweet)	0.15 Cherries (sweet)	-	0.3 Fruits (stone type), except peaches and nectarines.		3.0	Canada (0.1) Hong Kong -
Pirimicarb	Aphox	5.0	21	5.0	21	5.0	5.0	-	5.0 Stone fruit type		3.0 (Stone fruit)	China 3.0 Canada (0.1) Hong Kong 3.0 Iran 3.0 [Malaysia 3.0] [Mauritius 3.0] [Oman 3.0] Saudi Arabia 3.0 [Singapore 3.0] [Thailand 3.0]
Potassium Bicarbonate	Agri-Cure SP Carbonate 850 WP	-	0	-	0	No MRL required	No MRL required	Exp.	Exp.		-	
Potassium salts of fatty acids	Neudosan	-	0	-	0	No MRL required	No MRL required	Exp.	Exp.		-	
Prochloraz	Chronos 450 SC	0.1	Do not apply after blossom	0.03	Contact relevant Ag-Chem Company to confirm	0.03	0.03	-	-	Contact relevant Ag-Chem Company to confirm	-	China - Hong Kong - Iran - Malaysia (0.01) Mauritius - Saudi Arabia - Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
CHERRIES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Propiconazole	Bumper 250 EC (Application only during blossom)	0.2	14	0.01	Not later than 7 days after petal fall	0.01	0.01	4.0 Stone fruit	-		3.0	Iran Banned
Pymetrozine	Chess Trivia 500 WDG ENCOUNTER 500 WG	0.02	28	0.02	28	0.02	0.02	-	-		-	China - Hong Kong - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Thailand -
Soybean oil	MProve Oil EVAPOGUARD EC	-	Dormant application only	-	Dormant application only	0.01	-	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7 (Note: For 12gr/100L only)	2.0	2.0	0.3 Fruit, stone 12-12	-		0.09	China 0.09 Hong Kong - [Iran 0.09] [Malaysia 0.09] [Mauritius 0.09] [Oman 0.09] [Saudi Arabia 0.09] [Singapore 0.09] [Thailand 0.09]
Spinosad	GF 120 NF	0.01 (Provisional)	0	0.01 (Provisional)	0	0.2	0.2	0.2 Fruit, stone 12-12	0.2 (Stone fruit)		0.2 (Stone fruit)	
	Tracer 480 SC SpinoCide 480 SC LUSTRE	0.3	14	0.2	14							
	Cura Fly Fruit Fly Bait NEX FLY FRUIT FLY BAIT	0.01	1	0.01	1							
Spirotetramat	Luton 240 SC Tivoli 240 SC	3.0	14	3.0	14	3.0	3.0	4.5 Stone fruit	3.0 Fruit stone type		3.0 Stone fruit	China 2.0
Trichoderma asperellum strain TRC900	Real Trichoderma	-	0	-	0	No MRL required	No MRL required	Exp.	Exp.		-	