

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM CIDETRAK FCM PP CIDETRAK FCM MESO	-	-	0.01	-	-	0.01	Exp.	-		-	
Abamectin	Biomectin 18 EC Unimectin 18 EC	0.01	14	0.01	14	0.01	0.01	0.05 Berry, low growing, subgroup 13-07G	0.01		0.03	
Acetamiprid	Tamprid 200 SP Mosprid 20 SP Maintain 200 SP Mospilan 20 SG Dominate 20 SP MULAN @ 20 SP Sharda Acetamiprid 200 SP	1.0	45	0.08	To be applied before the onset of flowering	0.08	0.5	0.35 Fruit, small, vine climbing, sub-group 13-07F	-		0.5	Hong Kong - Israel 0.05 Canada 0.35 Switzerland 0.2
	Devalan 20 SP				Contact relevant Ag- Chem company to confirm							
Acetamiprid +	Trivor	1.0	45	0.08	To be applied before the onset of flowering	0.08	0.5	0.35 Fruit, small, vine climbing, sub-group 13-07F	-		0.5	Hong Kong - Israel 0.05 Canada 0.35 Switzerland 0.2
Pyriproxyfen		0.05	42	0.01		0.01	0.05	2.5			-	China - India - Israel - Iran - Malaysia 0.01 Mauritius - Singapore - Thailand 0.01 Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Alpha-cypermethrin	Alpha-Thrin 100 SC Avalanche Ag-Alpha Cyper 100SC Sentry EC Fastac SC Polytrin Super 100 SC	0.05	28	0.05	28	0.5 Unpublished Sante PLAN/2023/1863 Draft v5 D108181/02 proposed new MRL 0.03) Alpha-cypermethrin (F)	0.5	-	-		0.2 (as cypermethrin including alpha-and zeta-cypermeth)	Oman restricted use
Ametoctradin +	Orvego®	5.0	21	5.0	21	6.0	6.0	4.0	5.0		6.0	China 2.0 Hong Kong - Canada 4.0 Switzerland -
Dimethomorph				3.0		3.0	3.0	3.0	3.0		3.0	Hong Kong 2.0 India 2.0 Indonesia 2.0 Israel 0.5 Korea 2.0 Saudi Arabia 2.0
Amisulbrom	Leimay 200SC	0.5	28	0.5	28	0.5	0.5	0.4	-		-	China - Hong Kong - India - Iran - Indonesia - Malaysia (0.01) Mauritius - Singapore - Taiwan - Thailand - Vietnam -
Ascorbic Acid +	Bestcure	-	-	-	-	No MRL required (as L-Ascorbic acid)	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
Bioflavonoids						0.01	-					
Azadirachtin	Bioneem	0.01	24 hrs.	0.01	24 hrs	1.0	1.0	Exp.	-		-	
Azoxystrobin	Quadris 50 WG Mirador 250 SC Essence 500 WDG Obstructo 250 SC Aroxy 250SC Farmag Azoxystrobin 250 SC	1.0	14	1.0	14	3.0	3.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grape		2.0	Israel 0.6



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Bacillus amyloliquefaciens	Amylo-X DoubleNickel55 Alchemy	-	-	-	-	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus methylotrophicus	Incite™ Counteract	-	-	-	-	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus subtilis	SERENADE® ASO	-	-	-	-	0.01	No MRL required	Exp.	RNR (Exp.)		-	
Bacillus subtilis Strain BS01	Real Bacillus	-	0	-	0	-	-	-	-		-	
Bacillus Thuringiensis	DiPel DF	-	-	-	-	0.01	-	-	RNR (Exp.)		-	
Beauveria bassiana	Eco-Bb MUTINY	-	-	-	-	-	No MRL required	Exp.	RNR (Exp.)		-	
Beta-cypermethrin	Akito	-	28	0.05	28	0.5 Unpublished Sante PLAN/2023/1863 Draft v5 D108181/02 proposed new MRL 0.15) Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (F)	0.5	-	0.5 Grapes		0.2 (as cypermethrin including alpha-and zeta- cypermeth)	Oman restricted use
Boilworm Nucleopolyhedrovirus	Bolidex Graboll Helicovir	-	0	-	0	No MRL required	No MRL required	Exp.	-		-	
Boscalid	Cantus Revolver 500 WG ICABOS 500 WG BOTRYVENT 500 WG Basis 500 SC THE BOSS	5.0	28	5.0	28	5.0	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Boscalid +	Collis	5.0	28	5.0	28	5.0	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0
Kresoxim-methyl		0.5	28	0.5	28	1.5	1.5	1.0	1.0 Grape		1.5	
Botanical Extract/ Plant Acid (Ascorbic acid; Citrus extract)	Bestcure	0.01	0	0.01	0	0.01	No MRL required (as L-Ascorbic acid)	Exp.	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	China- India - Indonesia - Iran - Israel - Malaysia (0.01) Mauritius - Taiwan 0.3 Thailand - Vietnam -
Bromopropylate	Flair FarmAg Bromopropylate 500 EC	1.0	21	0.01	Not later than 80% flowering	0.01	0.01	-	2.0 Grape		2.0	
Bupirimate	Nimrod	1.5	28	1.5	Not later than 28 cm shoot length	1.5	1.5	-	-		-	Indonesia -
	Nobel 250 EC		14									
Cadusafos	Rugby 10 ME Rugby 10 G	≤ 0.01	0	≤ 0.01	0	0.01	0.01	-	-		-	Oman restricted use
Captab/Captan	Thor 500 WP Sharda Captan 800 WG	15.0	6 Weeks, 4-6 mm berry size	0.03	Not after flowering	0.03	0.03	25.0	25.0 Grapes		25.0	Oman prohibited use Vietnam 25.0 (In accordance with Codex Standards)
	MERPAN® 80 WDG Captan 800 WG Raze 800 WDG Captab WP		4-6 weeks									

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Carbaryl	Carbaryl 850 WP Carbadust 50 DP Sevin XLR Plus Avi Carbo DP Karba 850 WP	2.5	DP-14 WP**	0.01	Do not apply after full bloom	0.01	0.01	10.0	-		-	Oman prohibited use
Chlorantraniliprole	Altacor Cordial 350 WDG CHLO-PRO 200 SC	1.0	3	1.0	3	1.0	1.0	2.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	1.0 Grapes		1.0 Berries and other small fruits	Israel 0.4
Chlorfenapyr	Saber 360 SC Savage 360 SC Sergeant Hunter 24 SC Throttle	0.5	80	0.01	96 Before flowering	0.01	0.01	0.01	-		-	
Clothianidin Note: EU authorisation amendment/ possible related MRL implications pending.	Samurai 20SC	0.01	90 Apply not later than 80% bud burst	0.01	90 Apply not later than 80% bud burst	0.01	0.7	0.6	0.07 Berries and other small fruits		0.7	
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	CungFu Fungi Flow Nordox 86% WG Cuproxif Disperss Demildex Cuproxif 30 Disperss Cuproxif Ultra Liquicop Kocide 2000 Copsul Dust Copper Count-N Coppasulfa Coprox WP Coprox Super Nanogreen SC Copper-Flow-Plus Farmag Cu Super Farmag Copper Oxychloride	20.0	DP-3 WP** 28-42 days 4-6 weeks	20.0	DP-3 WP- Not after pea berry size	100.0	50.0	Exp.	5.0 Grapes	DP - 14 WP - 5mm berry diameter	-	China - Hong Kong - Indonesia - Israel - Malaysia Exp Switzerland 15.0 Taiwan Exp. Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
	Copro Flow S Roval Blue Copflo Super Copstar 120 SC Farmag Hydroxy Copper Oxychloride Super Tozeb Flo Tozeb WP Cupra Super CopperKill SC FUNGURAN OH CUPROZIN 35WP Copperman Copper Oxychloride 850 WP Copper Soap		3		3					14		
Cyanamide	Dormex Deurbraak Bloomer Dorcy Cymex Cyan Alert 520 SL Cymet Liberate	0.05	Dormant application only	0.01	Dormant application only	0.01	0.01	-	-		-	Oman prohibited use
Cyraniliprole	Exirel 100 SE	1.0	10 Fruit fly bait application only	1.0	10 Fruit fly bait application only	1.5	1.5	2.0	-		2.0	Hong Kong - India 0.01 Indonesia - Oman 0.01 Taiwan -
Cymoxanil	Curzate 600 WG CYCLOPS 300 SC Cymox Vidac Flo 300 SC CYBORG	0.1	28 Do not apply after pea size 4 – 6 weeks (Do not apply after pea size) 21	0.05	28 Do not apply after pea size 4 – 6 weeks (Do not apply after pea size) 21	0.05	0.3	0.1	0.1		-	Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cymoxanil +	Cymoxazeb WP (L7694) Cymostar 760 WP (L11332) Controller	0.1	4 – 6 weeks (Do not apply after pea size)	0.05	4 – 6 weeks (Do not apply after pea size) Consult your crop protection advisor.	0.05	0.3	0.1	0.1	Not later than one week after flowering	-	Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Mancozeb		3.0		3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED		5.0 (as CS2) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS2)	5.0	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman Mancozeb prohibited use
Cymoxanil +	Equation Pro	0.1	28	0.01	Do not apply after flowering	0.05	0.3	0.1	0.1		-	Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Famoxadone		1.0				0.01	2.0	2.5	2.0 Grapes		2.0	Canada (0.1)
Cymoxanil +	SIANA 374 WG TANGOFOL 374 WG	0.1	4-6 weeks Not later than pea-berry stage	0.05	42 Not later than pea-berry stage	0.05	0.3	0.1	0.1		-	Israel - Iran - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Folpet		15.0				0.6	0.6	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Korea 5.0 Oman prohibited use Taiwan prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cypermethrin	Cyperin ADAMA CYPERMETHRIN Polytrin 200 EC Ag-Cypermethrin 200 EC Farmag Cypermethrin Sipermetrien Cymet Cypermethrin 200 EC Sniper 200	0.05	28	0.05	28	0.5 Unpublished Sante PLAN/2023/1863 Draft v5 D108181/02 proposed new MRL 0.15)	0.5	-	0.5 Grapes		0.2	Oman restricted use
Cyprodinil	As part of Switch Choir 500 WDG As part of Cyprocode 625 WG As part of Elite 625 WDG As part of Solana SC As part of Vitazen	0.5	28	0.5	28	3.0	3.0	3.0 Fruit, small, vine climbing, sub-group 13-07F	5.0 Grapes		3.0	
Deltamethrin	Delta-Thrin 25 EC Decis Forte 100 EC Ag-Deltamethrin 25 EC Celtis 25 EC Servus (EC) Delmet 250 EC	0.1	EC-28	0.1	EC formulation-28	0.2	0.2	- (0.05 - All food/feed items)	0.2 Grapes		0.2	Mauritius 0.05 Philippines 0.05 Singapore 0.06
Dichlorvos	Divos 1000 EC Desta 100 EC Devipan 100 EC DDVP	0.1	7	≤ 0.01	14	0.01	0.01	0.5	0.05 Grapes		-	Oman prohibited use
Difenoconazole	Score Sharda Difenoconazole 250 EC Divino 250 EC D-ZOLE Defender 250 EC Sterin 250 EC Farmag Difenoconazole 250 EC Harvest Difenoconazole 250 EC Score 250 EC	0.2	28	0.2	28	3.0	3.0	3.0 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.5 Grapes		3.0	Saudi Arabia 0.1

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Dimethomorph +	Acrobat WG	5.0	56	3.0	56 Max. 3 applications no later than 5 mm berry diameter Consult your crop protection advisor.	3.0	3.0	3.0 Grape	3.0 Grape	Not later than one week after flowering	3.0	Hong Kong 2.0 India 2.0 Israel 0.5 Korea 2.0 Saudi Arabia 2.0
Mancozeb		3.0		3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED		5.0 (as CS2) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS2)	5.0 (as CS2)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman prohibited use Thailand 2.0
Dithianon	Alaris WG Detect 400 SC D-Fence 700 WG	3.0	21	3.0	21	3.0	3.0	3.0	3.0		2.0 (Table grapes)	Canada (0.1) China 2.0 [India 2.0] Indonesia 2.0 Israel 2.0 [Iran 2.0] [Japan 2.0] [Malaysia 2.0] [Mauritius 2.0] [Oman 2.0] [Philippines 2.0] [Singapore 2.0] Taiwan 0.2 [Thailand 2.0] Vietnam 2.0
Emamectin benzoate	Emperor 50 WG	0.05	7	0.04	14	0.04	0.05	-	0.05		0.03	China 0.03 Hong Kong - [India 0.03] Indonesia 0.03 [Iran 0.03] [Malaysia 0.03] [Mauritius 0.03] [Oman 0.03] [Philippines 0.03] Saudi Arabia 0.03 [Singapore 0.03] Taiwan 0.03 Thailand 0.03 Vietnam 0.03

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Esfenvalerate	Sumi-alpha	0.05	28	0.05	28	0.3	0.3	-	0.1 Grapes		-	India - Indonesia - Korea - Malaysia (0.01) Mauritius - Saudi Arabia - Thailand - Vietnam -
Ethephon	Ethapon FarmAg Ethephon Ripen-It Ethephon 480 SL	5.0	Not later than 5% berry colouring	1.0	Not later than 5% berry colouring	1.0	1.0	2.0	1.0		0.8	[India 0.8] Indonesia 0.8 [Iran 0.8] [Malaysia 0.8] [Mauritius 0.8] [Oman 0.8] [Singapore 0.8] Thailand 0.8
False codling moth granulovirus	Cryptex GraTham Cryptogran	-	0	-	0	-	-	-	-		-	
Fenamiphos	Atador FarmAg Fenamiphos 400 EC Fenamiphos EC Nemacur 240 CS	0.05	100	0.01	100	0.01	0.03 Proposed new MRL 0.01 applicable from 14/05/2026	0.1 (Import tolerance)	-		-	Hong Kong - India - Indonesia - Iran - Japan 0.06 Malaysia (0.01) Mauritius - Oman restricted use Thailand - Vietnam -
	Fenamiphos 400 EC Nemacur 100 GR Nemacur 400 EC				Contact relevant Ag- Chem company to confirm							
Fenazaquin	Pride 200 SC Vanity 200 SC Superior 200 SC Abraxus 200 SC	0.2	63	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.2	0.7 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.01 Grapes	Apply before onset of flowering	0.7 (Small fruits vine climbing)	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenhexamid	Teldor 500 SC Electron 500 SC Femida 500 EC Providor 500 SC Harvest Fenhexamid 500 SC	5.0	3	5.0	3	15.0	15.0	4.0 Fruit, small, vine climbing, sub-group 13-07F	15.0		15.0	Canada 4.0 Israel 4.0 Korea 3.0 Taiwan 4.0
Fenpyroximate	Lesson 50 EC	0.1	40	0.1	40	0.3	0.3	1.0 Fruit, small, vine climbing, sub-group 13-07F	0.3		0.1	Israel 0.05
Fipronil +	Antset 200 SC	0.01	28	0.005	Dormant and stem application only	0.005	0.005	-	-		-	Oman restricted use Taiwan 0.001
Lambda-cyhalothrin (Dormant - Trunk treatment)		0.2				0.08	0.08	0.01	0.15		0.2 (Cyhalothrin, Berries and other small fruit)	Oman restricted use
Fludioxonil	As part of Switch As part of Cyprocide 625 WG As part of Elite 625 WDG Target 200 WDG As part of Solana SC As part of Vitazen	0.5	28	0.5	28	5.0	5.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	
Fluopicolide +	Profler	2.0	28	2.0	28	2.0	2.0	2.0	2.0 Grapes		2.0	Canada 1.4 Switzerland 1.0
Fosetyl-Al		25.0		25.0		100.0 The MRL for its metabolite phosphonic acid applies (EU Commission Regulation 2024/2619)	100.0	10.0	0.8		60.0	China 10.0 Hong Kong 10.0 Israel 5.0 India 10.0 Korea 1.5 Taiwan 20.0
Flutriafol +	Topguard 300 SC	0.05	28	0.05	28	0.8	0.8	1.5	0.05		0.8	Hong Kong -
Tebuconazole		2.0		0.5		0.5	0.5	6.0	2.0 Grapes		6.0	Thailand 3.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fluopyram	Luna Privilege NAVIOS PRO	2.0	3	1.5	Single application during the flowering period	2.0	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0 Grapes	Contact relevant Ag-chem company to confirm	2.0	Israel 0.4
Fluopyram +	Luna Experience	2.0	Do not apply after the berries have reached pea berry stage	1.5	Do not apply after the berries have reached pea berry stage	2.0	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0 Grapes	Not later than 5mm berry diameter	2.0	Israel 0.4
Tebuconazole				0.5		0.5	0.5	6.0	2.0 Grapes		6.0	
Folpet	FOLPAN® 80 WDG	15.0	DP-3 WP-**	6.0	Do not use after 5mm berry diameter	6.0	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Korea 5.0 Oman prohibited use Taiwan prohibited use Thailand 2.0
	Farm-Ag Folpet 500 SC Valeo 500 SC Folpan 500 SC Foltac Flo Fortune 500 SC		Do not use after 5mm berry diameter		Do not use after 5mm berry diameter							
			Not after the pre-blossom stage		Not after the pre-blossom stage							
Forchlorfenuron	Sitofex BerrymaxMAX Ambitious Berryboost 10 SL Viveo 10 SL	0.05	Not required when used as directed	0.01	Not required when used as directed	0.01	0.01	0.03	-		-	
Formetanate	Dicarzol	0.05	80	0.05	80	0.1	0.1	-	-		-	China - Hong Kong - India - Indonesia - Iran - Israel - Japan - Korea - Malaysia (0.01) Mauritius - Saudi Arabia - Singapore - Taiwan - Thailand - Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fosetyl-Al *also refer to fluopicolide	Aliette 800 WG Profler * Fostonic 80 WP Alyfos 800 WDG	25.0	28	25.0	28 Do not apply after 5 mm berry diameter	100.0 The MRL for its metabolite phosphonic acid applies (EU Commission Regulation 2024/2619)	100.0	10.0	0.8 Grapes as Aluminium Phosetyl	Do not apply after 5 mm berry diameter	60.0	Canada (0.1) China 10.0 Hong Kong 10.0 India 10.0 Israel 5.0 Taiwan 20.0
Furfural	Crop Guard	0.1	0	≤0.01	0	1.0	1.0	-	-		-	
Gamma-cyhalothrin	Vantex 60 CS	0.2	28	0.08	Contact relevant Agchem company to confirm	0.08 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (E)	0.08 Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (E)	0.01	-	Contact relevant Agchem company to confirm	0.2 (cyhalothrin, Berries and other small fruit)	Oman restricted use India 0.05
Gibberellins	Gibb Liquid 4	0.2	Not later than 5mm berry diameter	0.2	Not later than 5mm berry diameter	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	China - Hong Kong - India - Indonesia - Iran - Japan 0.1 Israel - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
	Falgro 20 SP Falgro 4 SL		8-9 mm berry diameter, depending on cultivar and application time. Consult labels.		8-9 mm berry diameter, depending on cultivar and application time. Consult labels.							
	ProGibb 4% ProGibb 40%		No later than 14mm berry diameter		No later than 14mm berry diameter							
Hexaconazole	Optan 50 SC Richter	0.1	7	0.01	Contact relevant Ag Chem company to confirm	0.01	0.01	-	-		-	
Imidacloprid Note: EU authorisation amendment/ possible related MRL implications pending.	Warrant 350 SC Imidacloprid 350 SC Confidor 70 WG Kohinor 350 SC Emit 700 WDG Provado 350 SC Sharda Imidacloprid 350 SC Imidor 350 SC Apache Gold 350 SC Punto 350 SC Imidor 350 SC	0.05	112	0.05	112	0.7	1.0	1.0	1.0		1.0	Oman restricted use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Indoxacarb	Doxstar Flo 300 SC Addition 150 EC Advance 150 EC Margin 300 WDG Session 300 WDG InCide 300 WG BUTLER 300 WG	2.0	14	0.01	Single application no later than the onset of flowering	0.01	2.0 (Proposed withdrawal)	2.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Canada (0.1) Israel 1.0 Taiwan 0.01
	Steward 150 EC				Not to be used on export fruit as per instruction by the registration holder/s							
Iprodione	Taurus 500 SC	5.0	7	0.01	Do not use (if exporting to EU) Contact relevant Ag- Chem Company to confirm	0.01	0.01	60.0	10.0 Grapes		-	Iran -
	IproFlo		3									
	Iprone 500 SC Iprodione 255		Do not apply after pea berry stage									
Kresoxim-methyl	Vista Flo 500 SC Ardent 50 SC	0.5	14	0.5	14	1.5	1.5	1.0	1.0 Grape		1.5	
	Kreso WDG Collis (+ Boscalid)		28		28							
L-Phenylalanine (Amino Acid)	Naturafend® 550 SP	-	0	-	0	-	-	-	-		-	-
Lambda-cyhalothrin	Karate EC Karate Zeon Judo 50 EC Lambda 50 EC Ag-Lambda 50 EC Lambda EC Lambda Cyhalothrin 50 Attacke Lamdex 5 EC Lamdex 5 CS	0.2	28	0.08	Contact relevant Ag- Chem Company to confirm	0.08	0.08	0.01	0.15 Grapes	Contact relevant Ag-Chem Company to confirm	0.2 (cyhalothrin, Berries and other small fruit)	Oman restricted use India 0.05

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes
Mancozeb Note: EU authorisation amendment/ possible related MRL implications pending.	Tridex WP (L5323) Pennfluid 420 SC (L7733) Penncozeb WG (L4655) Farm-Ag Mancozeb 800 WP (L4754)	3.0	Not after 5mm berry diameter	3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED	Not after 5mm berry diameter Consult your crop protection advisor.	5.0 (as CS ₂) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS ₂)	5.0 (as CS ₂)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)	Not later than one week after flowering	5.0 (Dithiocarb.)	Oman prohibited use Thailand 2.0
	Crater MX 700 WP (L8427) Metazeb 700 WP (L7463) Metastar 700 WP (L10846) Dithane M-45 800 WP NT (L7484) Dithane M-45 800 WP (L2914) Dithane 750 WG Neotec (L4213) Vondozeb (L2177) Zenith 750 WG (L10895) Mancozeb 800 WP (L7352) Villa Unizeb 750 WDG (L8812) Villa Unizeb 800 WP (L8056) Newzeb 750 WDG (L8811) Ventum 800 WP (L8691) Cuprofix 30 Disperss Tozeb Flo (L8527) Tozeb WP (L8526)		56 days									
Mandipropamid + Folpet	Pergado F	1.0	4-6 Weeks before harvest (when berries are pea size)	1.0	4-6 Weeks before harvest (when berries are pea size)	2.0	2.0	1.4 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Oman Mancozeb - Prohibited use
		15.0		6.0		6.0	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended pesticide Korea 5.0 Oman prohibited use Taiwan prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Maneb	Mangle SC Vandal MANAGER ® 435 SC	3.0	4-6 weeks	3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED	4-6 weeks Consult your crop protection advisor.	5.0 (as CS ₂) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS ₂)	5.0 (as CS ₂)	-	- 5.0 Grape, Dithiocarb.		5.0 (Dithiocarb.)	Oman prohibited use
Meptyldinocap	Karathane Star 350 EC	0.5	Use only before blossom	0.2	Contact relevant Ag- chem company to confirm	0.2	1.0	0.2	-		0.2	Israel 0.1 Japan 0.01 Korea 0.15 Taiwan -
Mercaptothion/ Malathion	Kickback 700 MZ Harrier 500 EC Insecto 500 EC AviGard	2.0	10	0.02	10 Bait application ONLY Never apply bait to bunches	0.02	0.02	8.0	5.0 Grapes		5.0	Israel -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Metalaxyl-M (Mefenoxam) +	Metazeb 700 WP (L7463) Metastar 700 WP (L10846)	1.5	56 (Do not apply after flowering)	1.5	Not after pea berry stage Consult your crop protection advisor.	1.5	2.0	2.0	2.0 Grapes	Not later than one week after flowering	1.5	China 1.0 Hong Kong 1.0 India 1.0 Israel 1.0 Japan 1.0 Korea 1.0 Oman 1.0 Philippines 1.0 Saudi Arabia 1.0 Singapore 1.0 Vietnam 1.0
Mancozeb		3.0		3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED		5.0 (as CS2) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS2)	5.0 (as CS2)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman Mancozeb - Prohibited use
Metarhizium anisopliae ICIPE 69	Real Metarhizium 69	-	0	-	0	-	-	Exp.	-		-	
Metarhizium anisopliae ICIPE 78	Real Metarhizium 78	-	0	-	0	-	-	Exp.	-		-	
Metrafenone	Vivando	0.5	28	0.5	28	7.0	7.0	4.5	5.0 Grapes		5.0	Japan (0.01)
Mevinphos	Phosdrin 500 SL	0.2	7	0.01	Not later than 5mm berry diameter	0.01	0.01	-	-		-	Oman prohibited use
Myclobutanil	Master 125 EC	0.2	14	0.2	14	1.5 Unpublished PLAN/2023/194 D087773/02 proposed new MRL 0.9 is maintained based on Codex - CXI(s)	1.0	1.0	1.0		0.9	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Myrothecium verrucaria* strain AARC-0255 fermentation solids and solubles	DiTera	Exp.	-	Exp.	-	-	-	Exp.	-		-	
Natural pyrethrin	Laflexa	1.0	0	1.0	0	1.0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	China-India - Indonesia - Iran - Israel - Malaysia (0.01) Mauritius - Taiwan 0.3 Thailand - Vietnam -
Oligosaccharide complex (COS-OGA)	fyto-11	-	0	-	0	No MRL required	No MRL required	Exp.	-		-	
Oxamyl	Platoon 310 SL Stetson 310 SL Foxamyl 310 SL Oxamyl 310 SL	-	Dormant spray before bud burst	0.001	Dormant spray before bud burst	0.001	0.01	-	-		-	Oman restricted use
Penconazole	Topaz 200 EW Excalibur 200 EW Pencomax 200 EW Captain Avert 200 EW Palette® 200 EW	0.2	14	0.2	14	0.4	0.5	-	0.3 Grapes		0.4	Canada (0.1)
Peracetic Acid + Hydrogen Peroxide	Hypercide	-	0	0.01	0	0.01	0.01	-	-		-	
Phosphorous acid	Rootex 400 SL Phosphite 400 SL Ag-Phos 400 SL Fighter Brilliant 300 SL Brilliant SL Hyperphos 400 SL Rootmaster 200 SL Rootmaster 400 SL Hygrophos 400 PhosPlus Phosguard 200 SL Phosguard 400 SL	25.0	28	25.0	28	100.0 Phosphonic acid and its salts expressed as phosphonic acid (R)	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp. Exp.	-		60.0 (Grapes, as Fosetyl-al)	China 10.0 (Temporary MRL, as Fosetyl-Al) Hong Kong 10.0 as Fosetyl-Al India 10.0 as Fosetyl-Al Israel 5.0 as Fosetyl-Al Taiwan 20.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
	Intelli-Phite Safe-PHITE™ SC											
Potassium bicarbonate (also known as potassium hydrogen carbonate)	Agri-Cure SP Carbonate 850 WP	-	0	-	0	No MRL required	-	Exp.	-		-	
Potassium salts of fatty acids	Neudosan	-	0	-	0	No MRL required	No MRL required	Exp.	Exp.		-	
Potassium phosphite	Empower 400 SL Phosphite 400 SL	25.0	28	25.0	28	100.0 Phosphonic acid and its salts expressed as phosphonic acid (R)	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp.	-		-	
Potassium phosphite + Phosphorous acid	SBF	25.0	28	25.0	28	100.0 Phosphonic acid and its salts expressed as phosphonic acid (R)	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp.	-		60.0 (Grapes, as Fosetyl-al)	China 10.0 (Temporary MRL, as Fosetyl-Al) Hong Kong 10.0 as Fosetyl-Al Israel 5.0 as Fosetyl-Al Taiwan 20.0
Procymidone	Hit 500 SC	5.0	5	0.01	Do not apply after blossom	0.01	0.01	-	5.0 Grapes		-	
	Sumisclex SC		28									
Profenofos	Selefos	-	Early spring application only, prior to flowering	≤ 0.01	Early spring application only, prior to flowering	0.01 (Berries and small fruits)	0.01	-	-		-	Oman prohibited use
Proquinazid	Talendo	0.5	28	0.5	28 Max. 3 applications	0.5	0.5	0.5 Import tolerance	0.5 Grape		-	China - Hong Kong - India - Japan - Indonesia - Iran - Korea - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Proquinazid +	Associate 240 EC	0.5	28	0.07	28	0.5	0.5	0.5 Import tolerance	0.5 Grape	Contact relevant Ag-chem company to confirm	-	China - Hong Kong - India - Japan - Indonesia - Iran - Korea - Malaysia (0.01) Mauritius - Singapore - Thailand - Vietnam -
Tetraconazole						0.07		0.2 Small fruit vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-			China - India - Indonesia - Iran - Israel 0.05 Japan 0.2 Malaysia (0.01) Mauritius - Saudi Arabia 0.2 Singapore - Thailand - Vietnam -
Prothiofos	Tokuthion® 960 EC	1.0	60	≤ 0.01	Use only during dormancy period before bud swell	0.01	-	-	0.1 Grapes		-	
Pydiflumetofen (Adepidyn)	Miravis	2.0	7	0.01	Contact relevant Ag-Chem company to confirm	0.01	0.01	1.5 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		1.5 Small fruit vine climbing	
Pyraclostrobin	Cabrio Pyrax Pyrafin 250 EC Promoter 250 EC BIOBRONIC 250 EC	0.5	28	0.3	Contact relevant Ag-Chem Company to confirm	0.3	1.0	2.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grape		2.0	
	Constrictor 250 EC				Up to 5mm berry diameter							

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pyrimethanil	Scala 400 SC Pyrus 400 SC Support 400 SC Source 400 SC	5.0	35	5.0	35 Do not apply more than 2 sprays per season	6.0	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	4.0 Grapes		4.0	[China 4.0] Hong Kong 4.0 Indonesia 4.0 [India 4.0] [Iran 4.0] Israel 2.0 [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] [Philippines 4.0] Saudi Arabia 4.0 [Singapore 4.0] Taiwan - Vietnam 4.0
	Protector 400 SC		7		7 Do not apply more than 2 sprays per season							
Pyrimethanil +	Tutor 500 SC	5.0	28	0.5	28	6.0	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	4.0 Grapes		4.0	[China 4.0] Hong Kong 4.0 Indonesia 4.0 [India 4.0] [Iran 4.0] Israel 2.0 [Malaysia 4.0] [Mauritius 4.0] [Oman 4.0] Saudi Arabia 4.0 [Singapore 4.0] Taiwan - Vietnam 4.0
Fludioxonil		0.5						2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	
Quinoxifen	FABLE 250 SC LORE 250 SC	1.0	21	1.0	21	1.0	1.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grape		2.0	Israel 0.5
Reynoutria sachalensis (plant extract)	Regalia Maxx	-	Apply as instructed on the label	0.01	Apply as instructed on the label	0.01	0.01	Exp.	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
S-Absciscic Acid	ProTone Excelero Intensify Powder	Exp.	-	≤ 0.01	-	No MRL required	No MRL Required	Exp.	-		-	Japan -
Spinetoram	Delegate 250 WG	0.5	3	0.4	7	0.4	0.5	0.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		0.3	China 0.3 [Hong Kong 0.3] Israel 0.1 Indonesia 0.3 [Iran 0.3] [Malaysia 0.3] [Mauritius 0.3] [Oman 0.3] [Philippines 0.3] Saudi Arabia 0.3 [Singapore 0.3] Thailand 0.3 Vietnam 0.3
Spinosad	Tracer 480 SC	0.1	28	0.1	28	0.5	0.5	0.5 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.5 Grapes		0.5	
	SPINOSIN 480 SC				Max. 4 applications							
	SpinoCide 480 SC											
	LUSTRE											
	Entrust Naturalyte 800 WP		42									
	GF-120 NF		0		0							
	NEX FLY FRUIT FLY BAIT		0		0							
Spirotetramat	Movento 240 SC Harvest Spirotetramat 240 SC Spiromat 240 SC Supreme Spiritus 240 SC Tivoli 240 SC	1.0	Do not apply later than the pea-berry stage of the crop	1.0	Do not apply later than the pea-berry stage of the crop	2.0	2.0	1.3 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0 Grapes		2.0	Israel 0.5

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
		Local SA Reg. MRL	Local Withholding Period	Export Default MRL	Export Default Withholding Period	EU MRL Status 2026	GB/ UK MRL Status 2026	USA MRL	Russian Default MRL	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL	MRL Notes
Chemical	Trade Names	(PPM)	(Days)	(PPM)	(Days)	(PPM)		(PPM)	(PPM)		(PPM)	(PPM)
Spiroxamine	Prosper 500 EC Potential 500 EC Spirox 500 EC MILNATE Spiral 500 EC	1.0	Not after commencement of flowering	0.6	Not after commencement of flowering	0.6	0.6	1.0 (import)	2.0 Grape		-	China - India - Indonesia - Iran - Israel 0.05 Korea - Malaysia (0.01) Mauritius - Singapore - Taiwan 0.5 Thailand - Vietnam -
Sulfoxafior	Closer 240SC	1.0	28	1.0	28	2.0	2.0	2.0 Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		2.0	Hong Kong - Israel 0.5
Sulphur	Thiovit Jet	50.0	DP-0 WP-**	50.0	DP-0 WP-** Not after small pea (5mm) berry size	No MRL required	No MRL Required	Exp.	RNR (Exp.)		-	China - India - Indonesia - Iran - Israel - Malaysia Exp. Mauritius No MRL required Taiwan Exp. Thailand - Vietnam - Singapore -
	Flowable Sulphur		4 - 6 weeks									
	Cosavet											
	Dusting Sulphur											
	Sulfostar											
	Sunflo 800 SC											
	Sulfomaxx											
	Striker											
	Ciplapol S 320											
	Striker SC											
Microthiol Special												
Sulphur 800 WDG		2 weeks										
Kumulus WG		Do not apply later than the pea-size stage		Do not apply later than the pea-size stage								
Tosul WG												
Ensign												
Sulphur 800 WDG												
ALPHASUL™												
Copsol Dust			3		3							
Sulfoman			6 Weeks									
Saffron												
Sulphur + Dithianon	SulfoDfence 815 C	50.0	6 Weeks	3.0	6 Weeks	No MRL required	No MRL required	Exp.	RNR (Exp.)		-	
		3.0				3.0	3.0	3.0	2.0 (Table grapes)		[Philippines 2.0]	

HORTGRO

Growing Fruit IQ



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS



TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Sulphur + Tebuconazole	SulfoPrime 810 SC	50.0 2.0	6 Weeks	0.5	6 Weeks	No MRL required 0.5	No MRL Required 0.5	Exp. 6.0	RNR (Exp.) 2.0 Grapes		- 6.0	
Tea tree plant extract	Timorex Gold	-	-	-	-	No MRL required	No MRL required	-	-		-	
Tebuconazole * also refer to Trifloxystrobin	TebuCure 250 EW Corona Pro 300 SC*	2.0	42 Do not apply after pea-berry stage	0.5	42 Do not apply after pea-berry stage	0.5	0.5	6.0	2.0 Grapes		6.0	
Tetraconazole	Domark 100 EC Tetris EC Tetris 100 EW Tetramin 100 EC	0.5	14	0.07	Contact relevant Ag-Chem company to confirm	0.07	0.5	0.2 Small fruit vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		-	Canada 0.2 China - India - Iran - Japan 0.2 Malaysia (0.01) Mauritius - Saudi Arabia 0.2 (USA as lowest limit) Singapore - Vietnam -
Thiamethoxam Note: EU authorisation amendment/ possible related MRL implications pending.	Actara SC Thiatox 250 WDG Thiamex 25 WG Pinnacle 240 SC Thiatox Direct 250	-	Apply within one month after harvest	-	Apply within one month after harvest	0.01	0.4	0.2 Fruit, small, vine climbing, subgroup 13-07F, except fuzzy kiwifruit	0.1		0.5 Berries and small fruit	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Thiram <i>Note: EU authorisation amendment/ possible related MRL implications pending.</i>	Taminco Thiram Granuflo 80%	5.0	48	0.05 (as thiram)	Not after flowering	0.05 (as thiram);	0.05 (as thiram); 5.0 (as CS2)	-	- 5.0 (Dithiocarb.)	Not after flowering	5.0 (Dithiocarb.)	India 3.0 as Dithiocarb. Oman restricted use
Trichoderma atroviride	Eco-77 Vintec	-	-	-	-	No MRL required	-	-	-		-	-
Trichoderma asperellum TRC900	Real Trichoderma	-	0	-	0	No MRL required	-	Exp.	-		-	
Trifloxystrobin *also refer to Tebuconazole	Consist 50 WG Connect 500 WDG Unite 500 WDG Aztec 500 SC	0.5	4 to 6 weeks (to avoid visible residues)	0.5	Not later than pea berry (5mm) berry diameter	3.0	3.0	2.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	5.0 Grapes		3.0	
	Corona Pro 300 SC*		Do not apply after pea-berry stage		Do not apply after pea-berry stage							
Valifenalate +	Valis M JAVA M	1.2	42	0.3	42 Consult your crop protection advisor	1.0	0.3	5.0	-	Not later than one week after flowering	0.3	Taiwan - [Philippines 0.3]
Mancozeb		3.0		3.0 Lowering of MRL imminent. Available information to be included in the next version. *VOTE POSTPONED		5.0 (as CS2) Unpublished Sante PLAN/2023/2019 (Rev. 6) D095919/05 proposed MRL 2.0 as Dithiocarbamates (dithiocarbamates determined and expressed as CS2)	5.0 (as CS2)	1.5	0.1 (Grapes, as Mancozeb) 5.0 (Grapes, as Dithiocarb.)		5.0 (Dithiocarb.)	Oman Mancozeb Prohibited use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES												
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2026 (PPM)	GB/ UK MRL Status 2026	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Valifenalate +	Java F Valis F EMENDO F	1.2	42	0.3	42	1.0	0.3	5.0	-		0.3	Taiwan - [Philippines 0.3]
Folpet		15.0				6.0	6.0	50.0 (import)	0.02 Grape		10.0	Iran Suspended pesticide Korea 5.0 Oman prohibited use Taiwan prohibited use
Zoxamide	Zoxium	2.0	28 Max. of 4 applications	2.0	28 Max. of 4 applications	5.0	5.0	5.0 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	5.0 Grapes		5.0	