

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
(1-naphthyl) acetamide (NAD)	-	-	-	-	-	-	-	-	-	-	0.15	-	-	-	-	0.15	-	-	-
1-Aminocyclopropane-1-Carboxylic acid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-Methylcyclopropane	-	Not established	0.01	-	-	-	-	-	-	-	-	-	-	-	-	0.01 Schedule Regulation (EC) No. 149/2008	0.01	-	-
1-naphthylacetic acid	-	-	-	0.10	0.15 Pome fruit	-	-	-	-	-	0.15	-	-	-	-	0.15	-	-	-
3,5,6-TPA = Triclopyr	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	-	-
(E, E)-8, 10-Deodecadien-1-ol	-	-	-	Exp.	-	-	-	-	-	-	Exp.	-	-	-	-	0.01	-	-	-
6-benzyl adenine (BA)	-	-	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	0.01	-	-	-
Abamectin	0.01 Pome fruit	0.01	0.02 Pear and apple	0.02	0.02	-	0.01	0.02	-	-	0.02	-	-	0.02	-	0.03	0.02	-	0.02
Acequinocyl	-	-	0.3	-	0.4 Pome fruit	-	-	-	-	-	0.4	-	-	-	-	0.10	0.50	-	-
Acetamiprid	0.8	0.8	1.0 Pear and apple	0.8	1.0 Pome fruit	-	0.8	1.00	-	-	1.0 Pome	-	-	0.8 Pome fruits	-	0.8 Fruit, Annex to Regulation (EU) No 87/2014	1.0 Pome	-	0.8 fruit Pome
Alpha-Cypermethrin	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)	0.06	1.0 Pome as cypermethrin	2.0 as cypermethrin	2.0 (pome, as Cypermethrin)	-	0.7 (pome, as cypermethrin including alpha- and zeta- cypermethrin)	1.0 as cypermethrin	-	-	2.0 Pome as cypermethrin	Restricted use	-	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)	2.0 Pome as cypermethrin/ isomers	1.0 (Fruit as cypermethrin) Annex to Regulation (EU) No 520/2011	2.0 Pome as cypermethrin	-	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)
Aviglycine HCL (Aminoethoxyvinylglycine Hydrochloride)	-	0.05	0.08	-	0.08	-	-	-	-	-	0.08	-	-	-	-	-	0.08	-	-
Azadirachtin	-	-	-	-	-	-	-	-	Exp. Fruit	-	Exp.	-	-	-	-	1.0 Annex to Regulation (EC) No 149/2008	Exp.	-	-
Bacillus methylotrophicus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillus subtilis Strain BS01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillus Thuringiensis	-	-	-	Exp.	Exp.	-	-	-	Exp. Fruit	-	Exp.	-	-	-	-	No MRL required	Exp.	-	-
Beauveria bassiana	-	-	-	Exp.	Exp.	-	-	-	-	-	-	-	-	-	-	No MRL required	-	-	-
Beta-Cypermethrin	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)	-	- (1.0 as cypermethrin)	2.0 as cypermethrin	2.0 Pome fruit, as Cypermethrin (sum of isomers)	-	0.7 (pome, as cypermethrin including alpha- and zeta- cypermethrin)	1.0 as cypermethrin	-	-	2.0 (pome, cypermethrin)	Restricted use	-	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)	2.00 Pome as Cypermethrin/ isomers	- 1.00 (Fruit as cypermethrin) Annex to Regulation (EU) No 520/2011	- 2.0 as cypermethrin	-	0.7 (pome, as cypermethrin including alpha-and zeta- cypermethrin)
Bifenazate	0.7	-	-	0.7	-	-	0.7	-	-	-	0.7	-	-	-	-	0.01	1.0	-	0.7 Pome fruit
Bifenthrin	-	0.4	-	0.5	0.5 Pome fruit	0.5	-	-	-	-	0.90	Prohibited use	-	-	-	0.01	0.5 Pome	-	-
Bollworm Nucleopolyhedrovirus	-	-	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	No MRL required	-	-	-
Boscalid	2.0 Pome fruit	-	3.0	2.0	3.0	0.03 Proposed	2.0	-	-	-	3.0	Draft MRL 2.0 Pome fruits (group)	-	Draft MRL 2.0 Pome fruits (group)	-	2.0	2.0	-	2.0

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Botanical extracts (Natural pyrethrin)	-	-	1.0 pyrethrin	-	1.0	-	-	-	-	-	1.0	-	-	-	1.0 Fruits	1.0 Fruits	0.3 Other cereals and crops	-	-
Bupirimate	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	0.30	2.0 Pome	-	-
Cadusafos	-	-	-	0.02 Deciduous fruits	-	-	-	-	-	-	-	Restricted use	-	-	-	0.01	-	-	-
Calcium Phosphite	50.0 (Pome, as Fosetyl-Al)	0.05 as Fosetyl-Al	1.0 as Fosetyl-Al	30.0 as Fosetyl-Al	10.0 as Fosetyl-Al	-	50.0 (Pome, as Fosetyl-Al) Sum of Fosetyl, Phosphonic acid and the salts is expressed as Phosponic acid	-	-	-	10.0 as Fosetyl-Al	-	-	-	-	70.0 as Fosetyl-Al	10.0 as Fosetyl-Al	-	-
Captan	15.0 Pome fruit	25.0	5.0 apple and pear	15.0	15.0 Pome fruit	25.00	15.0	25.0	-	25.0	25.0	Prohibited use	25.0	15.0 Pome fruit	25.0	10.00	25.0	7.00	15.0 (In accordance with Codex Standards)
Carbaryl	-	2.0	5.0 apple and pear	-	12.0 Pome fruit	-	-	[0.05 MRL eliminated from September 2010]	-	5.0	12.0 Pome	Prohibited use	5.0	-	5.00	0.01 Fruit Annex to Regulation (EU) No 899/2012	0.5 Pome	-	-
Chlorantranilprole	0.4 Pome fruit	0.15	0.4 apple and pear	2.0	1.2	-	0.4 Pome fruit	-	-	-	1.20	-	-	0.4 Pome fruit	-	0.40	0.50	-	0.4 Pome
Chlorfenapyr	-	-	-	1.0	-	-	0.01	-	-	-	0.01	-	-	-	0.5	0.01 Annex to Regulation (EU) No 899/2012	1.0	-	-
Codling Moth Granulosis Virus	-	-	-	-	Exp.	-	-	-	-	-	Exp.	-	-	-	-	-	-	-	-
Codling moth and Oriental fruit moth granolosis virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Copper Oxychloride	-	-	50.0 food crops All	-	-	30.0 Foods not specified	5.0	5.0	Exp. Fruit	30.0 Fruit product	Exp.	-	-	-	30.0 (Fresh Fruit and Vegetables) (Tenth schedule, regulation 31)	15.0 Pome	Omitted (Exp.)	-	-
Cyanamide	-	Not Established	-	-	-	-	-	-	-	-	-	Prohibited use	-	-	-	0.01	-	-	-
Cyantranilprole	0.8 Pome fruit	0.3	1.5	0.8 Deciduous fruits	-	-	0.8	-	-	-	1.5	-	-	-	-	0.8	0.5	-	0.80
Cyhexatin	0.20	-	-	-	0.20	-	0.2	Banned pesticide	-	2.0	-	Prohibited use	-	0.2	2.0	0.2 as Azocyclotin, Annex to Regulation (EU) No 899/2012	Prohibited use	-	0.20
Cypermethrin	0.7 Pome fruit	-	1.0	2.0	2.0	-	0.7	1.0	-	-	2.0 Pome fruit	Restricted use	-	0.7 Pome fruit	2.00 Pome Cypermethrin/ isomers	1.0 Fruit Annex to Regulation (EU) No 520/2011	2.0 Pome fruit	-	0.7 Pome fruit

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Cyprodinil	2.0	1.0	1.7	2.0	1.7 Pome fruit	-	2.0	-	-	-	1.7 Pome	-	-	0.05	-	2.00	1.0 Other pome (except plums, apricots, nectarines and cherry)	-	2.0 Pome fruit
Deltamethrin	0.2	0.2	0.4	0.1	0.2 Pome fruit	-	0.2	0.2	-	0.1 Assorted fruits edible peel	0.2 Pome fruit	-	0.2	0.2	0.1 Pome	0.2	0.2 Other pome (except peach)	0.2	0.2
Dichlorvos	-	-	-	0.1	0.2 Pome fruit	0.1 Fruits	-	0.50	-	0.10	-	Prohibited use	-	-	0.1 Fruit	0.01 Annex of the regulation (EC) No 149/2008 (modification of Annex II) and Annex Regulation (EC) No. 839/2008 (amendment of the annex IIIB)	-	-	-
Didecyldimethylammonium chloride	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	-	-
Difenoconazole	4.0 Pome fruit	0.6	5.0 Pome fruit	0.50	1.0 Pome fruit	0.01	4.0	-	-	-	5.0	-	-	0.5 Pome fruit	-	0.80	1.0	-	0.8 Pome fruit
Diphenylamine	10.0	-	5.0	5.0	10.0	-	10.0	-	-	5.0	10.0	-	-	10.0	5.0	0.05	10.0	-	10.0
Dithianon	1.0 Pome fruit	2.0	5.0	5.0	5.0 Pome fruit	0.10	1.0	-	-	-	5.0 Pome fruit	-	-	5.0 Pome fruit	-	3.00	3.0	-	1.0 Pome fruit
Dodine	5.0 Pome fruit	5.0	5.0 apple and pear	5.0 Deciduous fruits	5.0 Pome fruit	5.00	5.0 Pome fruit	5.00	-	5.0	5.0	-	-	5.0 Pome fruit	5.0	0.9 Pome fruit	2.0 Pome	-	5.0 Pome fruit
Emamectin benzoate	0.02 Pome fruit	0.05	-	0.02	0.025 Pome fruit	-	0.02	-	-	-	0.02	-	-	0.02 Pome fruit	-	0.02 Fruit, Annex to Regulation (EU) No 293/2013	0.03	-	0.02 Emamectin
Entomopathogenic nematodes for weevil and codling moth control	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Esfenvalerate	-	-	-	1.0	1.0	-	-	2.0 as fenvalerate	-	-	1.00	-	-	-	2.0 as fenvalerate	0.1 as Fenvalerate, Annex to Regulation (EU) No 491/2014	1.0 Pome, as Fenvalerate	-	-
Ethephon	0.8	0.15	-	5.0	5.0	-	0.8	-	0.8	-	5.0	5.0	-	0.8	0.8	0.8	2.0	1.0	5.0
Ethyl(2E,4Z)-2,4-decadienoate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Etoxazole	0.07 Pome fruit	0.1	0.2	0.1	0.2 Pome fruit	-	0.07	0.20	-	-	0.2 Pome	-	-	0.07 Pome fruit	-	0.07 Annex to Regulation (EU) No 293/2013	0.20	-	0.07
Fenazaquin	0.3	-	0.6 Pome Fruits	0.3	-	0.2	0.3	0.50	-	-	0.6 Pome fruit	-	-	-	-	0.2 Pome fruit	0.5 Pome	-	-
Fenbuconazole	0.5 Pome fruit	-	0.4	0.1 Deciduous fruits	0.1 Pome fruit	-	0.5	-	-	-	0.40	-	-	0.5 Pome fruit	-	0.5 Annex to Regulation (EU) No 491/2014	0.5	-	0.5 Pome fruit
Fenbutatn-Oxide	5.0 Pome fruit	-	3.0	5.0	15.0	-	5.0	-	-	-	15.0	-	-	-	5.0	0.01	2.0	-	5.0
Fenpyroximate	0.2	0.5	0.3	0.3	0.3 Pome fruit	-	0.2	0.3	-	-	0.3	-	-	0.3 Pome fruit	-	0.3	0.4	-	0.3 Pome fruit
Fludioxonil	5.0 Pome fruit	6.0	5.0	5.0 Deciduous fruits	5.0 Pome fruit	-	5.0	-	-	-	5.0	-	-	5.0 Pome fruit	-	5.0 Annex to Regulation (EU) No 79/2014	5.0	-	5.0 (pome)

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Flufenoxuron	-	1.0	1.0	1.0	1.0	-	-	-	-	-	-	-	-	-	-	0.01	1.0	-	-
Fluopyram	0.5 Pome fruit	1.0	0.8	0.5 Deciduous fruits	-	-	0.5	-	-	-	0.8	-	-	0.5 Pome fruit	-	0.80	0.5 Other pome	-	0.5 Pome fruit
Fluxapyroxad	0.9 Pome fruit	0.5	0.8	0.9 Deciduous fruits	-	0.9	0.9	-	-	-	0.8	-	-	0.9 Pome fruit	-	0.9 Pome, Annex to Regulation (EU) No 491/2014	0.9 Other pome	-	0.9 Pome fruit
Fluazinam	-	5.0	2.0	2.00	2.00	-	-	-	-	-	-	-	-	-	-	0.30	0.50	-	-
Formetanate	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.01 Annex to Regulation (EU) No 61/2014	0.5	-	-
Fosetyl-Al	50.0	0.05	1.0	30.0	10.0	-	50.0	-	-	-	10.0	-	-	-	-	70.0	10.0	-	-
Furfural	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gamma-Cyhalothrin	0.2 Pome, as lambda-cyhalothrin	-	0.01 as Lambda-cyhalothrin	0.2 as Lambda-cyhalothrin	0.2 Pome as cyhalothrin (Sum of all isomers)	-	0.2 Pome, as lambda-cyhalothrin	-	-	-	0.30	Restricted use	-	0.2 Pome, as lambda-cyhalothrin	-	0.08	- (0.4 as Cyhalothrin)	0.2 Pome, as lambda-cyhalothrin	0.2 Pome, as cyhalothrin
Hydrogen Peroxide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gibberellins	-	Not established	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	No MRL required	5.0 Pome	-	-
Imidacloprid	0.5	-	0.6	0.5	0.5	-	0.5	0.5	-	-	0.5	Restricted use	-	0.5	-	0.5 Annex to Regulation (EU) No 491/2014	0.5	-	0.50
Indoxacarb	0.50	0.3	-	0.5	1.0 Pome fruit	-	0.5	0.5	-	-	1.00	-	-	0.5	-	0.5	0.5	0.5	0.5
Iprodione	-	5.0	0.07 All food crops	5.00	5.0 Pome fruit	-	5.0	-	-	10.0	-	-	-	5.0 Pome fruit	10.0	0.01	5.00 Pome	-	5.0 Pome
Kresoxim-Methyl	0.15 Pome fruit	0.2	0.5 pear and apple	0.20	0.2 Pome fruit	-	0.15	2.00	-	-	0.5 Pome	Draft MRL 0.15 Pome fruit (group)	-	0.2 Draft MRL 0.15 Pome fruit	-	0.2 Pome Annex to Regulation (EU) No 251/2013 (Amendment Annex II) Annex to Regulation (EU) No 364/2014 (Amendment Annex IIIB)	1.00 Pome	-	0.2 Pome
L-Phenylalanine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambda-Cyhalothrin	0.2 Pome fruit	-	0.01	0.20	0.2 Pome as cyhalothrin (Sum of all isomers)	-	0.2 Pome fruit	-	-	-	0.3 Pome	Restricted use	-	0.2 Pome fruit	-	0.08	0.4 Pome as cyhalothrin	0.2 Pome fruit	0.2 Pome, as cyhalothrin
Litchi moth nucleopolyhedrovirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Mancozeb	5.0 Pome as Dithiocarb	3.0	7.0 apple and pear (Dithiocarbs.) (Draft proposed MRL 5.0 Carbamodithioic acid, N,N'-1,2- ethanedithylbis-, manganese(2+) zinc salt (2:1:1), including the metabolites containing the carbon disulfide moiety (CS2), measured and expressed as CS2)	5.00	7.0 Dithiocarb.	3.0 Other fruit (Dithiocarbs./CS2)	5.0 Pome as Dithiocarb	2.0 as Dithiocarbs	-	-	0.6	Prohibited use	-	5.0 Pome as Dithiocarb	3.0 (Dithiocarbs.)	5.0 Pome, Dithiocarbs	2.5 Pome Dithiocarbs.	-	5.0 Pome as Dithiocarb
Maneb	5.0 Pome as Dithiocarb	-	7.0 pear and apple (Dithiocarbs.) Ethylenebis- dithiocarbamate fungicides (EBDC) Draft proposed, registrations cancelled in Canada (thus no use/ residues expected), requires residues not exceed 0.1 ppm	-	7.0 Dithiocarb.	3.0 Other fruit (Dithiocarbs./CS2)	5.0 Pome as Dithiocarb	2.0 as Dithiocarbs	-	-	-	Prohibited use	-	5.0 Pome as Dithiocarb	3.0 (Dithiocarbs.)	5.0 Pome, Dithiocarbs	2.5 Pome Dithiocarbs.	-	5.0 Pome as Dithiocarb
Mercaptothion (Malathion)	0.5	2.0	2.0 pear and apple	2.0	8.0	4.0 Fruits	0.5	0.5	-	2.0	8.0	-	-	0.5	2.0	0.02 Annex to Regulation (EU) No 270/2012	0.5	0.5	0.50
Metamitron	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	-	-
Metarhizium anisopliae ICIPE 69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metarhizium anisopliae ICIPE 78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methidathion	0.50	-	0.5 pear and apple	0.05 Deciduous fruits	0.50	-	0.03	Banned pesticide	-	0.5	-	Prohibited use	0.5	0.5	0.20	0.03 Annex to Regulation (EU) No 310/2011	-	0.10	0.50
Methoxyfenozide	2.0 Pome fruit	0.5	1.5 apple and pear	3.00	3.00	-	2.0	-	-	-	2.0	-	-	2.0 Pome fruit	-	2.00 Pome, Annex to Regulation (EU) No 491/2014	1.5	-	2.0 Pome fruit
Methyl eugenol	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methylated ester from vegetable oils	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No MRL required	-	-	-
Methyl-Parathion (Parathion-methyl)	0.20	-	-	0.01 Deciduous fruits	0.20	-	0.20	Banned pesticide (Maximum limit 0.05)	-	0.2 Fruit	Tolerance withdrawn in USA	Prohibited use	-	0.2	Parathion 0.5	0.01 Annex to Regulation (EU) No 899/2012	0.2	-	0.2 (In accordance with Codex Standards)
Milbemectin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02 Annex to Regulation (EU) No 1317/2013	0.2 Pome	-	-
Mineral Oil	-	Not established	-	-	Exp.	-	-	-	Exp. Fruit	-	-	-	-	-	-	-	-	-	-
Myclobutanil	0.6 Pome fruit	0.1	0.5	0.5	0.5 Pome fruit	0.01	0.6	-	-	-	0.5	-	-	0.5 Pome fruit	-	0.6 Pome, Annex of the regulation (EU) 2016/567	0.5 Pome	-	0.6 Pome fruit
Non-ionic surfactant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orange oil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No MRL required	-	-	-
Penconazole	0.1	-	-	0.2 Deciduous fruits	0.2	0.1	0.1	-	-	-	-	-	-	0.2 Pome fruit	-	0.2 Pome Regulation (EC) No. 149/2008	0.2 Pome	-	0.2 Pome fruit
Peracetic Acid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pirimicarb	1.0 Pome fruit	-	-	1.0 Deciduous fruits	1.0 Pome fruit	-	1.0 Pome fruit	1.00	-	-	-	-	-	1.0 Pome fruit	Primicarb 1.00 Pome	1.20	1.0 Other pome	-	1.0 Pome

Apples - MRL Notes Datasheet



Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Prohexadione-Calcium	-	0.08	3.0	-	3.0 Pome fruit	0.01	-	-	-	-	3.0 Pome	-	-	-	-	0.1 Annex to Regulation (EU) No 241/2013 (modification of Annex II) Annex to Regulation (EU) No 750/2010 (modification of Annex IIIB) prohexadione and its salts expressed as prohexadione	3.0	-	-
Potassium bicarbonate	-	Not established	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	No MRL required	MRLs Omitted (Exp.)	-	-
Propargite	3.0	1.0	3.0	5.00	5.0 Pome fruit	3.0	3.00	-	-	5.00	-	Prohibited use	-	3.00	3.00	0.01	3.0	-	3.00
Prothiofos	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05 All commodities	-	-	-	-
Pydiflumetofen (Adepidyn)	0.2 Pome fruit	0.4	0.2	-	-	-	0.2	-	-	-	0.2	Draft MRL 0.2 Pome fruit	-	Draft MRL 0.2 Pome fruit	-	-	0.2	-	-
Pyraclostrobin	0.7 Pome fruit	2.0	1.5	0.5	0.5	0.5	0.7	-	-	-	1.5 Pome	-	-	0.5	-	0.50	1.0	0.7 Pome fruit	0.5
Pyrimethanil	15.0 Pome fruit	15.0	15.0	7.0 Deciduous fruits	14.0 Pome fruit	-	15.0	-	-	-	15.00	-	-	-	-	15.0 Fruit, Annex to Regulation (EU) No 87/2014	7.0	-	15.0 Pome fruit
Soybean oil	-	-	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	-	-	-	-
Spinetoram	0.05 Pome	0.04	0.2	0.05 Deciduous fruits	0.05 Pome fruit	-	0.05	-	-	-	0.2 Pome	-	-	0.05 Pome fruit	-	0.2 Fruit, Annex to Regulation (EU) No 491/2014	0.2	-	0.05 Pome
Spinosad	0.10	0.2	0.2 pear and apple	0.10	0.2 Pome fruit	-	0.10	-	-	-	0.2 Pome	-	-	0.10	-	1.00	0.2	-	0.10
Spirotetramat	0.7	-	0.7	-	0.7 Pome fruit	-	0.7	-	-	-	0.7	-	-	-	-	0.7	0.7	-	-
Steinernema carpocapsea (Beneficial nematodes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulfoxaflor	0.3 Pome fruit	-	0.5	0.5	-	-	0.3	-	-	-	0.5	-	-	-	-	0.40	0.5	-	0.3 Pome fruit
Sulphur	-	Not established	-	-	Exp.	-	-	-	Exp. Fruit	-	Exp.	-	-	-	-	No MRL required	Omitted (Exp.)	-	-
Tau-Fluvalinate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.30	-	-	-
Tebuconazole	1.0	0.5	-	2.0	0.5	1.0	1.0	-	-	-	1.00	-	-	1.0	-	0.30	1.00	-	1.00
Thiabendazole	3.0 Pome fruit	-	10.0	3.0 Deciduous fruits	3.0 Pome fruit	-	3.0	-	-	10.0	5.0 (Pome fruit, Post harvest)	-	-	3.0 Pome fruit	10.0	4.0	5.0 Pome fruit	-	3.0 Pome fruit
Thiamethoxam	0.3 Pome fruit	0.2	0.2	0.30	0.3 Pome fruit	-	0.3 Pome fruit	-	-	-	0.2 Pome	-	-	0.3 Pome fruit	-	0.30	0.2	-	0.3 Pome fruit
Thidiazuron	-	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thiram	5.0 Pome as Dithiocarb	-	7.0 (Dithiocarbs.) Ethylenebis-dithiocarbamate fungicides Proposal to revoke existing MRLs. Following the revocation of the MRLs, residues must not exceed 0.1 ppm (PMRL2019-08).	5.0	7.0 Dithiocarb.	3.0 Other fruit (Dithiocarbs./CS2)	5.0 Pome as Dithiocarb	2.0	-	-	5.0	Restricted use	-	5.0 Pome as Dithiocarb	3.0 (as Dithiocarbs.) 7.0 Thiram	5.0 (as Dithiocarbs.)	2.5 Pome as Dithiocarbs.	-	5.0 Pome as Dithiocarb
Trichoderma asperellum TRC900	Exp.	-	-	-	-	-	-	-	-	-	Exp.	-	-	-	-	-	-	-	-

Apples - MRL Notes Datasheet

Active Ingredient	Maximum Residue Levels (ppm)																		
	Codex	Brazil	Canada	China	Hong Kong	India	Indonesia	Iran	Malaysia	Mauritius	Mexico	Oman	Philippines	Saudi Arabia	Singapore	Switzerland	Taiwan	Thailand	Vietnam
Trifloxystrobin	0.7 Pome fruit	0.2	0.5 pear and apple	0.7	0.7 Pome fruit	0.7	0.7	2.00	-	-	0.7 Pome	-	-	0.7 Pome fruit	-	0.70	0.70	-	0.7 Pome fruit
Triflumuron	-	-	-	0.10	-	-	-	-	-	-	-	-	-	-	-	0.5 Annex to Regulation (EC) No. 839/2008	-	-	-