



Seasonal Snapshot | Updates and Insights

June 2026



Seasonal Snapshot | Updates and Insights

June 2026

Temperature

Mean, Minimum and Maximum

Rainfall

Monthly Rainfall

Chill Models

Richardson Cold Units

Infruited Cold Units

Chill Portions





Temperature

TEMPERATURE & RAINFALL FOR 1 JUNE – 30 JUNE: 2025/26

** Different station than 2025's report



Area	Average Temperature				Maximum Temperature				Minimum Temperature				Avg Daily Maximum Temp				Avg Daily Minimum Temp				Total Rainfall			
	2025	2026	26 vs 25		2025	2026	26 vs 25		2025	2026	26 vs 25		2025	2026	26 vs 25		2025	2026	26 vs 25		2025	2026	26 vs 25	
Avontuur (Langkloof)	8,9	10,5	1,6	▲	21,4	23,5	2,1	▲	-2,1	0	2,1	▲	15,9	15,7	-0,2	▼	2,5	5,4	2,9	▲	57	152	95	▲
Elgin	10,9	10,9	0	─	24,9	26,8	1,9	▲	0	0,1	0,1	▲	16,1	17,6	1,5	▲	5,6	5,8	0,2	▲	170	102	-68	▼
Ermelo	7,9	10,8	2,9	▲	21,1	22,5	1,4	▲	-4,1	0,7	4,8	▲	18,2	17,4	-0,8	▼	0,3	5,9	5,6	▲	2	4	2	▲
Franschhoek	12,7	14,2	1,5	▲	27,2	28	0,8	▲	5,7	6,1	0,4	▲	17,4	19,3	1,9	▲	8,8	10	1,2	▲	164	88	-76	▼
Greyton	12,3	12,6	0,3	▲	28,8	24,4	-4,4	▼	0	1,1	1,1	▲	19,1	18,2	-0,9	▼	6,6	8,2	1,6	▲	50	8	-42	▼
Joubertina (Langkloof)	11,4	12,3	0,9	▲	24,5	27,3	2,8	▲	0,8	1,5	0,7	▲	18,9	18,6	-0,3	▼	4,9	7,5	2,6	▲	40	96	56	▼
Koue Bokkeveld	7,5	9,5	2	▲	21,5	22,1	0,6	▲	-1,9	-1,9	0	─	14,4	15,8	1,4	▲	1,1	3,8	2,7	▲	120	53	-67	▼
Ladismith	12,1	12,4	0,3	▲	23,1	26,4	3,3	▲	3	3	0	─	16,9	16,4	-0,5	▼	7,9	8,8	0,9	▲	18	69	51	▲
Misgund (Langkloof)	9,1	10,6	1,5	▲	22,3	24,3	2	▲	-3	-1,7	1,3	▲	17,1	16,8	-0,3	▼	2	4,7	2,7	▲	55	121	66	▲
Montagu	10,7	11,9	1,2	▲	26	26	0	─	-0,9	-0,2	0,7	▲	19	19	0	─	4	6,2	2,2	▲	43	38	-5	▼
Nuy**	10,7	12	1,3	▲	26,4	25,6	-0,8	▼	-0,5	1,7	2,2	▲	18	18,6	0,6	▲	4,1	7,4	3,3	▲	63	43	-20	▼
Piketberg	9,5	11,8	2,3	▲	24,5	25,4	0,9	▲	0,4	0,3	-0,1	▼	16,1	18,2	2,1	▲	4,2	6,4	2,2	▲	176	95	-81	▼
Robertson**	12,4	12,9	0,5	▲	26,1	28	1,9	▲	0,2	0,4	0,2	▲	19,4	19,1	-0,3	▼	5,4	7,8	2,4	▲	17	62	45	▲
Simondium	12,3	13,8	1,5	▲	26,2	26,7	0,5	▲	4,7	5,5	0,8	▲	17	18,6	1,6	▲	8,7	10,1	1,4	▲	159	62	-97	▼
Stellenbosch	12,8	13,7	0,9	▲	25,9	27,5	1,6	▲	5,5	4,4	-1,1	▼	17,1	19,2	2,1	▲	8,9	8,9	0	─	136	66	-70	▼
Tulbagh	11,2	12,5	1,3	▲	27	25	-2	▼	1	2,3	1,3	▲	17,9	18,8	0,9	▲	6	7,7	1,7	▲	89	2	-87	▼
Villiersdorp	12,5	13	0,5	▲	25,8	23,5	-2,3	▼	3	3	0	─	17,2	17,4	0,2	▲	7,8	8,9	1,1	▲	101	77	-24	▼
Vrystaat**	8,4	8,4	0	─	20,6	20	-0,6	▼	-4	-3,8	0,2	▲	16,5	17,4	0,9	▲	2,2	1,4	-0,8	▼	24	15	-9	▼
Vyeboom**	12,5	11,4	-1,1	▼	26,1	26,4	0,3	▲	1,7	2,3	0,6	▲	16,7	17,7	1	▲	8,5	6,6	-1,9	▼	244	94	-150	▼
Waterberg	12,6	13,8	1,2	▲	23,9	27,5	3,6	▲	2	2,5	0,5	▲	20,4	20,9	0,5	▲	5,6	7,5	1,9	▲	0	3	3	▲
WBV - Noord	9,9	11,6	1,7	▲	23,6	23,8	0,2	▲	0,1	0,9	0,8	▲	16,6	19,4	2,8	▲	3,4	5,9	2,5	▲	102	31	-71	▼
WBV - Suid	9,6	11,3	1,7	▲	25,3	24,8	-0,5	▼	-0,6	0,4	1	▲	16,8	18,6	1,8	▲	4,3	5,6	1,3	▲	101	61	-40	▼
Wellington	11,8	13,2	1,4	▲	26,9	27,4	0,5	▲	3,9	4,1	0,2	▲	18,6	20,2	1,6	▲	6,8	8,2	1,4	▲	98	59	-39	▼
Wolseley	11,2	12,9	1,7	▲	25,9	26,1	0,2	▲	2,1	3	0,9	▲	17,3	19	1,7	▲	5,9	7,7	1,8	▲	63	13	-50	▼



MEAN TEMPERATURE

The mean temperature for June 2026 ranged between 5°C to 18°C. Generally, the West Coast and coastal Langkloof regions exhibited higher mean temperatures compared to other areas.

A slight increase in monthly mean June temperatures was noted with the Langkloof averaging ~0.5°C warmer and the rest of the Cape, a more moderate ~0.1°C increase.



Rainfall



RAINFALL

The total rainfall for June 2026 ranged between 15 – 250 mm across the Cape. This was concentrated over the Langkloof which received an average of 185 mm for the month.

Compared to the long-term mean, less rainfall fell over the West Coast and Cape South Coast regions while the Langeberg and Langkloof areas received more rainfall (between 40 – 120 mm).




Current Level:

76% as of June 29th, 2026.


This data is sourced from the Department of Water and Sanitation.



State of Western Cape Dams



TerraClim | June Rainfall update from SAWS





CHILL MODELS





ACCUMULATED RICHARDSON COLD UNITS TO DATE: JUNE 2023 - 2026

** Different station than 2025's report



Area	Start Date* 2023	RICH (2023)	Start Date* 2024	RICH (2024)	Start Date* 2025	RICH (2025)	Start Date* 2026	RICH (2026)	RICH (26 vs. 25)	
Avontuur (Langkloof)	25-Mar-23	849	06-May-24	338	12-Apr-25	536	16-Apr-26	618	82	▲
Elgin	07-Apr-23	431	07-May-24	279	12-Apr-25	418	14-Apr-26	454	36	▲
Ermelo	07-May-23	434	26-Apr-24	363	16-Apr-25	504	22-Apr-26	488	-16	▼
Franschhoek	15-May-23	176	30-Jun-24	0	19-May-25	152	27-Jun-26	21	-131	▼
Greyton	10-May-23	219	30-May-24	102	19-May-25	134	01-Jun-26	127	-7	▼
Joubertina (Langkloof)	11-May-23	376	30-May-24	143	29-Apr-25	324	19-Apr-26	276	-48	▼
Koue Bokkeveld	07-Apr-23	903	03-May-24	435	12-Apr-25	622	14-Apr-26	890	268	▲
Ladismith	11-May-23	467	30-May-24	116	19-May-25	163	26-Apr-26	285	122	▲
Misgund (Langkloof)	25-Mar-23	682	06-May-24	322	12-Apr-25	506	26-Apr-26	561	55	▲
Montagu	07-May-23	292	25-May-24	175	30-Apr-25	252	25-Apr-26	240	-12	▼
Nuy**	27-Apr-23	318	30-May-24	173	29-Apr-25	312	16-Apr-26	303	-9	▼
Piketberg	07-Apr-23	634	03-May-24	319	28-Apr-25	537	14-Apr-26	458	-79	▼
Robertson**	10-May-23	116	30-May-24	74	30-May-25	128	16-Apr-26	163	35	▲
Simondium	15-May-23	321	30-Jun-24	0	30-May-25	198	03-Jun-26	80	-118	▼
Stellenbosch	14-May-23	147	30-Jun-24	0	30-May-25	141	03-Jun-26	62	-79	▼
Tulbagh	28-Apr-23	301	25-May-24	143	30-Apr-25	308	26-Apr-26	219	-89	▼
Villiersdorp	10-May-23	259	29-May-24	70	30-May-25	163	15-Apr-26	166	3	▲
Vrystaat**	07-May-23	360	22-May-24	330	15-Apr-25	473	05-May-26	514	41	▲
Vyeboom**	10-May-23	226	30-May-24	180	01-May-25	146	15-Apr-26	294	-56	▼
Waterberg	10-Jun-23	26	03-Jun-24	57	21-May-25	151	04-Jun-26	35	-116	▼
WBV - Noord	19-Apr-23	517	04-May-24	275	01-May-25	452	15-Apr-26	432	-20	▼
WBV - Suid	07-Apr-23	573	04-May-24	322	01-May-25	469	15-Apr-26	510	41	▲
Wellington	15-May-23	210	30-May-24	59	01-May-25	270	02-Jun-26	117	-153	▼
Wolseley	30-Apr-23	298	29-May-24	78	18-May-25	363	15-Apr-26	144	-219	▼

*Chill units should be counted from the lowermost inflection point, i.e., the lowermost or most negative turning point, of the annual accumulated chill unit curve.

RICHARDSON COLD UNITS: JUNE 2026

The Richardson cold units (CU) for June 2026 ranged between -250 to 500 CU. The West Coast and coastal Langkloof accumulated less chill during this period.


This June was warmer than usual with less chill accumulated across the coastal Langkloof and Cape Wineland regions (~80 CU fewer) while the West Coast and Cape South Coast accumulated more (~50 CU more).



RICHARDSON COLD UNITS: ACCUMULATED TO DATE (JUNE 2026)

The accumulated Richardson cold units (CU) to date ranged between -1200 to 1300 CU. Generally, the West Coast and coastal Langkloof areas accumulated less chill during this period.

The majority of the Cape accumulated more chill with an average increase of ~70 CU. However, parts of the eastern Langkloof and Cape Town experienced deficits with up to ~200 CU fewer.





ACCUMULATED INFRUITEC COLD UNITS TO DATE: JUNE 2023 - 2026

** Different station than 2025's report


Area	Start Date* 2023	INF (2023)	Start Date* 2024	INF (2024)	Start Date* 2025	INF (2025)	Start Date* 2026	INF (2026)	INF (26 vs. 25)	
Avontuur (Langkloof)	25-Mar-23	918	06-May-24	387	12-Apr-25	606	16-Apr-26	680	74	▲
Elgin	07-Apr-23	494	07-May-24	309	12-Apr-25	469	14-Apr-26	543	74	▲
Ermelo	07-May-23	443	26-Apr-24	377	16-Apr-25	519	22-Apr-26	509	-10	▼
Franschhoek	15-May-23	209	30-Jun-24	0	19-May-25	208	27-Jun-26	27	-181	▼
Greyton	10-May-23	271	30-May-24	166	19-May-25	210	01-Jun-26	165	-45	▼
Joubertina (Langkloof)	11-May-23	385	30-May-24	180	29-Apr-25	361	19-Apr-26	363	2	▲
Koue Bokkeveld	07-Apr-23	930	03-May-24	463	12-Apr-25	660	14-Apr-26	900	240	▲
Ladismith	11-May-23	494	30-May-24	193	19-May-25	297	26-Apr-26	446	149	▲
Misgund (Langkloof)	25-Mar-23	767	06-May-24	356	12-Apr-25	555	26-Apr-26	594	39	▲
Montagu	07-May-23	326	25-May-24	196	30-Apr-25	315	25-Apr-26	313	-2	▼
Nuy**	27-Apr-23	356	30-May-24	195	29-Apr-25	365	16-Apr-26	400	35	▲
Piketberg	07-Apr-23	674	03-May-24	356	28-Apr-25	569	14-Apr-26	512	-57	▼
Robertson**	10-May-23	187	30-May-24	127	30-May-25	151	16-Apr-26	323	172	▲
Simondium	15-May-23	346	30-Jun-24	0	30-May-25	214	03-Jun-26	115	-99	▼
Stellenbosch	14-May-23	199	30-Jun-24	0	30-May-25	187	03-Jun-26	114	-73	▼
Tulbagh	28-Apr-23	316	25-May-24	188	30-Apr-25	363	26-Apr-26	293	-70	▼
Villiersdorp	10-May-23	300	29-May-24	138	30-May-25	213	15-Apr-26	353	140	▲
Vrystaat**	07-May-23	386	22-May-24	337	15-Apr-25	535	05-May-26	527	-8	▼
Vyeboom**	10-May-23	256	30-May-24	195	01-May-25	278	15-Apr-26	403	-34	▼
Waterberg	10-Jun-23	44	03-Jun-24	82	21-May-25	162	04-Jun-26	77	-85	▼
WBV - Noord	19-Apr-23	543	04-May-24	306	01-May-25	476	15-Apr-26	476	0	—
WBV - Suid	07-Apr-23	616	04-May-24	332	01-May-25	483	15-Apr-26	548	65	▲
Wellington	15-May-23	234	30-May-24	92	01-May-25	312	02-Jun-26	161	-151	▼
Wolseley	30-Apr-23	323	29-Apr-24	131	18-May-25	391	15-Apr-26	297	-94	▼

*Chill units should be counted from the lowermost inflection point, i.e., the lowermost or most negative turning point, of the annual accumulated chill unit curve.

INFRUITEC COLD UNITS: JUNE 2026

The Infruitec cold units (CU) for June 2026 ranged between 0 - 500 CU. The West Coast and coastal Langkloof accumulated less chill during this period.


This June was warmer than usual with less chill accumulated across the coastal Langkloof and Cape Wineland regions (~7 CU fewer) while the West Coast and Cape South Coast accumulated more (~20 CU more).



INFRUITEC COLD UNITS: ACCUMULATED TO DATE (JUNE 2026)

The accumulated Infruitec cold units (CU) to date ranged between 25 - 1300 CU. Generally, the West Coast, Overberg and coastal Langkloof accumulated less chill during this period.

Compared to the long-term mean, most of the Cape accumulated more chill, with an average increase of ~30 CU. Slight decreases (~10 CU) are noted for Matzikama and eastern Langkloof.






ACCUMULATED CHILL PORTIONS TO DATE: JUNE 2023 - 2026

** Different station than 2025's report

Area	Start Date* 2023	CP ¹ (2023)	Start Date* 2024	CP ¹ (2024)	Start Date* 2025	CP ¹ (2025)	Start Date* 2026	CP ¹ (2026)	CP ¹ (26 vs. 25)	
Avontuur (Langkloof)	26-Mar-23	48	14-Mar-24	24	27-Mar-25	33	08-Mar-26	40	7	▲
Elgin	08-Apr-23	33	09-May-24	15	14-Apr-25	28	02-Mar-26	31	3	▲
Ermelo	28-Mar-23	27	07-Apr-24	23	18-Apr-25	31	09-Mar-26	27	-4	▼
Franschhoek	12-May-23	17	02-Jun-24	4	02-May-25	15	18-Apr-26	15	0	—
Greyton	09-Apr-23	19	31-May-24	9	01-May-25	18	20-Apr-26	20	2	▲
Joubertina (Langkloof)	10-Apr-23	27	25-May-24	9	15-Apr-25	21	22-Apr-26	25	4	▲
Koue Bokkeveld	12-Mar-23	48	07-Apr-24	24	26-Mar-25	34	16-Apr-26	43	9	▲
Ladismith	27-Mar-23	35	07-Apr-24	19	15-Apr-25	22	20-Apr-26	30	8	▲
Misgund (Langkloof)	27-Mar-23	43	06-Mar-24	24	27-Mar-25	31	08-Mar-26	35	4	▲
Montagu	22-Apr-23	19	27-May-24	10	02-May-25	17	19-Apr-26	22	5	▲
Nuy**	21-Apr-23	23	12-May-24	9	04-May-25	19	18-Apr-26	23	4	▲
Piketberg	09-Apr-23	38	10-May-24	12	03-May-25	25	16-Apr-26	29	4	▲
Robertson**	09-Apr-23	26	24-Mar-24	27	11-May-25	9	19-Apr-26	22	13	▲
Simondium	12-May-23	52	11-May-24	43	01-May-25	16	17-Apr-26	16	0	—
Stellenbosch	18-May-23	16	11-May-24	8	02-May-25	16	18-Apr-26	17	1	▲
Tulbagh	21-Apr-23	22	31-May-24	10	02-May-25	17	27-Apr-26	20	3	▲
Villiersdorp	31-Mar-23	25	09-May-24	10	12-Apr-25	21	18-Apr-26	24	3	▲
Vrystaat**	11-Apr-23	31	07-Apr-24	22	16-Apr-25	32	09-Mar-26	33	1	▲
Vyeboom**	08-Apr-23	23	09-May-24	12	01-May-25	19	17-Apr-26	27	2	▲
Waterberg	17-May-23	2	04-Jun-24	4	25-May-25	7	07-May-26	3	-4	▼
WBV – Noord	21-Apr-23	32	11-May-24	13	01-May-25	24	18-Apr-26	26	2	▲
WBV – Suid	10-Apr-23	32	09-May-24	14	01-May-25	24	17-Apr-26	30	6	▲
Wellington	19-May-23	15	11-May-24	8	01-May-25	20	18-Apr-26	18	-2	▼
Wolseley	22-Apr-23	21	12-May-24	8	22-Apr-25	27	18-Apr-26	19	-8	▼


CP¹ = Chill portions according to the dynamic model (Fishman *et al.*, 1987)



CHILL PORTIONS: JUNE 2026

The Chill Portions (CP) for June 2026 ranged between 0 - 25 CP. Generally, the West Coast, Overberg and coastal Langkloof accumulated less chill during this period.

Deficits in chill portions occurred this June for the Langkloof as well as parts of the Overberg and Cape Town regions. The rest of the Cape all accumulated more chill portions than usual with an average increase of ~3 CP.



CHILL PORTIONS: ACCUMULATED TO DATE (JUNE 2026)

The accumulated Chill Portions (CP) to date ranged between 1 - 60 CP. This was largely concentrated over the interior Langkloof and Witzenberg area.

Generally, the Cape received less chill (~5 CP fewer) during this period when compared to the long-term mean, while the Langkloof accumulated more chill with an average increase of ~2 CP, mostly over the interior.

Stations used in this report (1 - 30 June): 2025/26


** Different stations than 2025's report



Area	Station (2026)
Avontuur (Langkloof)	Avontuur
Elgin	Beaulieu
Ermelo	The Big Apple
Franschhoek	La Motte
Greyton	Greyton
Joubertina (Langkloof)	Joubertina
Koue Bokkeveld	Weltevrede
Ladismith	R2C Ladismith
Misgund (Langkloof)	JG Stewart
Montagu	Derdeheuwel /Baden
Nuy**	Leipzig
Piketberg	Moutonsvalley
Robertson**	Zevenbergen
Simondium	Simonsvlei Landgoed
Stellenbosch	Kanonkop1
Tulbagh	Waveren Berries
Villiersdorp	Villiersdorp
Vrystaat**	Voorsorg
Vyeboom**	Riviera
Waterberg	Waterberg berries
WBV - Noord	Lushof Kantoor
WBV - Suid	Edenville cirrus50
Wellington	Olyvenboom
Wolseley	Platvlei

Seasonal Spatialised Maps created by TerraClim

A network for a changing climate: These weather stations provide crucial data for sustainable agriculture.



Seasonal Snapshot presented by iLeaf, a division of Mérieux NutriSciences | Hortec & TerraClim

