

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	Exp.	-		-	
Abamectin	Agrimec Gold	0.02	21	0.02	21	0.02	0.09 (stone)	-		0.03 (Peaches - Including Nectarines and Apricots)	Iran 0.01 Taiwan 0.01
Acetamiprid +	Cormoran 180 EC	0.2	28	0.2	28	0.8	1.2	-		-	India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
Novaluron		0.5				2.0	1.9 Stone fruit; Subgroup 12-12C	-		7.0 (Stone)	
Azinphos-methyl	Azinfos Methyl 350 WP Azinphos 350 WP Azinphos 200 SC	2.0	28	0.05	56 Max. 4 applications	0.05	-	2.0 Stone type fruit		1.0 (Fruit)	Oman prohibited use Taiwan -
Azoxystrobin	Ortiva Obstructo 250 SC	2.0	1	2.0	1	2.0	2.0 (stone)	2.0 Stone type fruit		2.0 (Stone)	Canada 0.1 Taiwan 1.0
Bacillus Thuringiensis	Betapro DiPel DF	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
Benomyl	Benomyl 500 WP Benomyl Farmag Benomyl 500 WP	3.0	Do not use after flowering	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as Carbendazim)	Oman prohibited use Taiwan 0.01
Bollworm Nucleopolyhedrovirus	Bolldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Botanical extracts (Garlic extract; Canola oil)</b>	Kannar Kangar 931	Exp.	0	0.01	0	Garlic extract - No MRL required (Annex IV) Canola oil 0.01	-	-		-	
<b>Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)</b>	Kannar KangroShield 100	0.05	2	0.01	2	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil 0.01	Pyrethrin Exp. Garlic extract - Canola oil -	-		-	
	Kannar Pygar 932		1		1						
<b>Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)</b>	Kannar KanShield 941	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - 0.01	Plant acids - Citric acids - Lactic acids Exp. Asorbic acid -	-		-	
<b>Botanical extracts (Natural pyrethrin)</b>	Xterminator	1.0	0	1.0	0	1.0	Exp.	-		-	Hong Kong - Indonesia - Iran - Malaysia 0.01 Taiwan 0.3 Thailand -
<b>Cadusafos</b>	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤0.01	0	0.01	-	-		-	Oman restricted use
<b>Captab/Captan</b>	Captab WP Thor 500 WP	15.0	14	6.0	35	6.0	10.0	25.0 Stone type fruit		-	Indonesia - Malaysia (0.01) Oman prohibited use
<b>Chlorantraniliprole + Lambda-cyhalothrin</b>	Ampligo	1.0	14	1.0	Contact relevant Ag-Chem Company to confirm	1.0	2.5 (stone)	1.0 Stone fruit	Contact relevant Ag-Chem Company to confirm	1.0 (Stone)	Oman restricted use Taiwan -
		0.5		0.15		0.2 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (stone)	0.03* Stonefruit		0.5	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Chlorpyrifos</b>	Lirifos 480 EC Dursban 480 EC Dursban 750 WG Chlorban EC Pyrinex 250 CS Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos Chlorpyrifos 480 EC	0.05	Dormant application only	0.01	Dormant application only	0.05 EU MRL 0.01 from 05/12/2018 EU Commission Regulation 2018/686	-	0.5 Fruits (stone type)		-	Indonesia - Malaysia (0.01) Singapore - Oman restricted use Taiwan 0.01 Thailand -
<b>Codling moth and Oriental fruit moth granulosis virus</b>	Madex Twin Madex Dual	-	-	-	-	-	-	-		-	
<b>Copper (Cu) Oxychloride and other Cu salts</b>	Copper Oxychloride WP Cuprofix Disperss Coprox WP Coprox Super Copro Flow S Demildex Farmag Copper Oxychloride Farmag Cu Super Copflo Super	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Taiwan Exp.
<b>Cyanamide</b>	Dormex Deurbraak Bloomer Dorcy Cymex Cyan Alert 520 SL	0.05	Dormant application only	0.01	Dormant application only	0.01	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Oman prohibited use Singapore - Taiwan -
<b>Cyprodinil</b>	Chorus	2.0	2	2.0	2	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 Stone fruit	
<b>Didecyldimethylammonium chloride</b>	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan - Thailand -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Emamectin benzoate</b>	Warlock 19.2 EC	0.03	14	0.02	21	0.02	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -
<b>False Codling moth granulosis virus</b>	Cryptex	-	-	-	-	-	-	-		-	
<b>Fenbuconazole</b>	Indar 50 EW	1.0	1	1.0	5 Max. 4 applications	1.0	1.0 (stone)	0.5 Apricots	10 Max. 2 applications	0.5	Canada 0.3 Hong Kong 0.5 [India 0.5] [Indonesia 0.5] [Iran 0.5] [Malaysia 0.5] [Oman 0.5] [Singapore 0.5]
<b>Fludioxonil</b>	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0 (stone)	5.0 Stone type fruit		5.0 (Stone)	Taiwan -
<b>Furfural</b>	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
<b>Gamma-cyhalothrin</b>	Vantex 60 CS	0.5	14	0.01	Contact relevant Agchem company to confirm	0.01 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (stone)	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag-Chem Company to confirm	0.5 as Cyhalothrin	Oman restricted use

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Iprodione</b> <b>Note:</b> <b>EU authorisation/ MRL withdrawal pending, may affect late season fruit types</b>	Rovral Aquaflor (Only) Roflo	5.0	3	5.0	5 Day Pre-harvest foliar spray OR 0 - PHT (Do not apply as both foliar and PHT)	6.0 <b>(Unpublished Sante 11836/2017, proposed new MRL 0.01)</b>	20.0	10.0 Stone type fruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore -
	Pickle 500 SC				5 Day Pre-harvest foliar spray						
	IproFlo Roflo				3 days before harvest						
	Prodione		5 Day Pre-harvest foliar spray								
<b>Lambda-cyhalothrin</b>	Karate EC Karate Zeon Cylam 50 EC Judo 50 EC Lamdex 5 EC Lambda 50 EC Lambda EC Karate Zeon 10 SC Karis 5 CS	0.5	14	0.15	Contact relevant Ag-Chem Company to confirm	0.2 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (Stone)	0.03* Stonefruit	<b>Not after flowering</b>	0.5	Oman restricted use



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mancozeb</b>	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Newzeb 800 WP Villa Unizeb WP Mancozeb 800 WP Tridex Penncozeb WG Mancozeb 800 WP (L9169) Vondozeb Pennfluid 420 SC Ventum 800 WP Crater 455 SC Mancozeb (L7352) Mancozeb (L3517)) Tsumeb Farmag Mancozeb 800 WP Cozeb 800 WP	3.0	28	2.0	42	2.0	-	- 7.0 Dithiocarb.		7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2 Oman prohibited use
<b>Maneb</b>	Mangle® SC Vandal®	3.0	14	2.0	42	2.0	-	- 7.0 Dithiocarb.		7.0 (stone) (Dithiocarb.)	Canada (0.1) Oman prohibited use Iran 0.2
<b>Mefenoxam (Metalaxyl)</b>	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag-Chem Company to confirm	-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mercaptothion/Malathion</b>	Datathion EC Mercaptothion 500 EC Avi-Merkaptotoks WP Mercaptothion DP Avi Guard Fyfanon 440 EW Harrier 500 EC	4.0	10	0.02	28 Bait application ONLY  <b>A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare</b>	0.02	8.0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
<b>Methidathion</b>	Suprathion 420 EC Methidathion 420 EC	0.2	EC- Dormant application only WP-42	0.02	EC- Dormant application only WP- up to 90% petal drop	0.02	0.05 (stone) (Expiration 31/12/2016)	0.2 Fruit stone type		-	India - Indonesia - Iran Banned Malaysia (0.01) Oman prohibited use Taiwan -
<b>Methoxyfenocide</b>	Marksman 240 SC	2.0	7	2.0	7	2.0	3.0	-		2.0	Canada 0.7
<b>Metiram</b>		3.0	14	2.0	42	2.0	-	- 7.0 Dithiocarb.	Contact relevant Ag-Chem Company to confirm	7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
<b>Mineral Oil</b>	Budbreak Ampron CROPCHEM 86% Winter oil	-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
<b>Pirimicarb</b>	Aphox	3.0	21	3.0	21	3.0	-	5.0 Fruit stone type	Contact relevant Ag-Chem Company to confirm	3.0 (Stone)	Canada (0.1) Switzerland 1.0 Taiwan -
<b>Prochloraz</b>	Octave WP Chronos 450 SC	-	FST	≤ 0.01	Blossom application only	0.05	-	-		-	Indonesia - Iran -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Propiconazole</b> Application only during blossom	Tilt Propiconazole 250 EC Pripazole 250 EC Propimax Propicon 250 EC	0.05	Do not use after flowering	0.05	Not to be used after blossom	0.15	4.0 (stone)	-		-	India - Indonesia - Iran Banned Malaysia (0.01) Singapore -
<b>Prothiofos</b>	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Only dormant application	0.01	-	-		-	
<b>Pymetrozine</b>	Chess Trivia 500 WDG	0.05	28	0.03	28	0.03	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
<b>Pyrimethanil</b>	Pyrimet 400 SC Source 400 SC Support 400 SC Botrynil	5.0	3	5.0	3	10.0	10.0 (stone)	3.0 Apricot		3.0	[Oman 3.0]
	Protector 400 SC		1		1						
<b>Pyrimethanil +</b>	Tutor 500 SC	5.0	1	5.0	1	10.0	10.0 (stone)	3.0 Apricot	Only one application	3.0	[Oman 3.0]
<b>Fludioxonil</b>											
<b>Soybean oil</b>	MProve oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	
<b>Spinetoram</b>	Delegate 250 WG	0.1	7	0.1	7	0.2	0.3 (stone)	-		-	Hong Kong - India - Indonesia - Iran - Malaysia - Singapore - Switzerland - Thailand -
<b>Spinosad</b>	GF 120 NF	0.01	0	0.01	0 Multiple bait applications	0.6	0.2 (stone)	0.2 Fruit stone type		0.2 (stone)	



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Spinosad + Methyl eugenol	STATIC Spinosad ME	0.01	1	0.01	1	0.6	0.2 (stone)	0.2 Fruit stone type		0.2 (stone)	
		-		-		No MRL required	Exp.	-		-	
Sulphur	Kumulus WG Thiovit Jet Flowable Sulphur Lime Sulphur Liquid Concentrate Cosavet Striker Ciplapol S 320 Striker SC Sulfostar Dusting sulphur Microthiol Special Sulgran 800 WDG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Taiwan Exp.
Thiram	Thiram 750 WP Thiram 75 WP	3.0	35	2.0	Not later than flowering	2.0 (as CS <sub>2</sub> ) and 3.0 (as thiram)	-	3.0 Fruit stone type	Not after 90% petal fall	7.0  (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
	Ag-Thiram 800 WP		14		14						Oman restricted use
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	Indonesia - Iran - Taiwan -