

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	Exp.	-		-	
Abamectin	Agrimec Gold Zoro 36 EC	0.01	21	0.01	21	0.02	0.09 (Stone)	-		0.03 (Peaches - Including Nectarines and Apricots)	
	Epicure		5		5						
Acetamiprid	Doublestar 25 SL	0.2	28	0.2	28	0.8 (Unpublished Sante/10617/ 2018, proposed new MRL 0.2)	1.2 (Stone)	-		0.7	Canada 1.2
Acetamiprid + Novaluron	Cormoran 180 EC	0.2	28	0.2	28	0.8 (Unpublished Sante/10617/ 2018, proposed new MRL 0.2)	1.2	-		0.7	
		0.5									
Alpha-cypermethrin	Concord Avalanche Sentry EC (Peaches only) Alpha-thrin 100 SC Fastac SC Polytrin Super	0.2	14 (Fresh peaches)	0.2	14 (Fresh peaches)	2.0 (cypermethrin/ isomers)	-	0.1 Stone type fruits	Contact relevant Ag Chem Company to confirm	2.0 (stone, as cypermethrin)	Iran - Oman restricted use Taiwan - Indonesia -
	Fastac SC Alpha-thrin 100 SC		3 (Canning peaches)		3 (Canning peaches)						
Aviglycine HCL (Aminoethoxyvinylglycine Hydrochloride)	ReTain	0.2	7	≤ 0.01	14	0.01	0.17 (stone)	-		-	
Azinphos-methyl		2.0	28	0.05	56 Max. 4 applications	0.05	-	2.0 Stone type fruits		2.0	Oman prohibited use
Azoxystrobin	Ortiva Obstructo 250 SC	2.0	1	2.0	1	2.0	2.0 (Stone)	2.0 Stone type fruits		2.0 (Stone)	Canada 0.8 Taiwan 1.0 peach
Bacillus Thuringiensis	Betapro DiPel DF	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	0.01	Exp.	RNR (Exp.)		-	
Benomyl	Benomyl 500 WP Benomyl Demeter (peaches only) Farmag Benomyl 500 WP (Peaches only)	3.0	7	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as carbendazim)	Oman prohibited use Taiwan 0.01
Beta-cypermethrin	Akito (Peaches only)	0.2	14	0.2	14	2.0 (cypermethrin/ isomers)	- 1.0 (stone, Cypermethrin)	0.1* Stonefruit	28	2.0 (stone, as cypermethrin)	Indonesia - Oman restricted use
Bollworm Nucleopolyhedrovirus	Boldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	
Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)	Kannar KangroShield 100 Kannar Pygar 932	0.05	2 1	0.01	2 1	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil 0.01	Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp. Garlic ex tract - Canola oil -	-		-	
Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)	Kannar KanShield 941	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - 0.01	Plant acids - Citric acids - Lactic acids Exp. Asorbic acid -	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	Peach Pyrethrin - Applied to growing crops Exp./ Postharvest 1.0 Nectarines Exp.	-		-	Hong Kong Nectarine - Indonesia - Iran - Malaysia 0.01 Taiwan 0.3 Thailand -
Bupirimate	Nimrod 250 EC Veto EW	0.5	14	0.3	28	0.3	-	-	Contact relevant Ag Chem Company to confirm	-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -
Cadusafos	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤ 0.01	0	0.01	-	-		-	Oman restricted use

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Captab/ Captan	Captab WP (Peaches only) Thor 500 WP (peaches only) Captan 800 WG Sharda Captan 800 WG (peaches only) MERPAN® 80 WDG	15.0	14	6.0	35	6.0	15.0 (Peach) 25.0 (Nectarine)	20.0 (Peach) 3.0 (Nectarine)	Regarding nectarines - Contact relevant Ag Chem Company to confirm	20.0 (Peach) 3.0 (Nectarine)	Hong Kong Nect. 3.0 Indonesia Nect. 3.0 Oman prohibited use
Chlorantraniliprole	Altacor Coragen	1.0	14	1.0	14	1.0	2.5 (stone)	1.0 Stonefruit		1.0 (Stone fruit)	
Chlorantraniliprole + Lambda-cyhalothrin	Ampigo	1.0	14	1.0	Contact relevant Ag-Chem Company to confirm	1.0	2.5 (stone)	1.0 Stonefruit	Contact relevant Ag Chem Company to confirm	1.0 (Stone fruit)	
		0.5		0.15		0.2 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (stone)	0.03* Stonefruit		0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	Oman restricted use
Chlorfenapyr (Nectarines only)	Hunter 24 SC Savage SC Saber 360 SC Savage 360 SC Plumett Sergeant	0.5	30	0.01	Before flowering only	0.01	-	-		-	
Chlorpyrifos	Lirifos 480 EC Dursban 480 EC Dursban 750 WG Chlorpyrifos 480 EC Chlorban EC Agropyrifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos Pyrinex 250 CS	0.05	Dormant application only	0.01	Dormant application only	0.01 EU MRL 0.08 from 05/12/2018 EU Commission Regulation 2018/686	0.05	0.2 Peaches & Nectarines		0.5 (Peach) - (Nectarine)	Oman restricted use
Codling moth and Oriental fruit moth granulosis virus	Madex Twin Madex Dual	-	-	-	-	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	CungFu Kocide 2000 Fungi Flow Copper Oxychloride WP Cuprofix Disperss Nordox 86 WG Coprox WP (peaches only) Coprox Super (peaches only) Copper-Flow-Plus (peaches only) Demildex Copro Flow S (peaches only) Copper Count-N Liquicop Farmag Cu Super Farmag Copper Oxychloride (Peaches only) Copflo Super (peaches only) Copstar 120 SC	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Malaysia Exp. Thailand - Taiwan Exp.
Cyantraniliprole	Exirel 100 SE	1.0	7	1.0	7	1.5	1.5	-		1.5 Peaches - Nectarine	
Cyhexatin	Acarstin Flo	2.0	7	0.01	Before flowering only	0.01	-	-		-	Iran Banned Oman prohibited use Taiwan Prohibited use
Cypermethrin	Cyperin Avi-Sipermetrin EC Kemprin 200 EC (peaches only) Knox-Worm (peaches only) Cypermethrin 200 EC Polythrin 200 EC Farmag Cypermethrin (Peaches only)	0.2	14	0.2	14	2.0	- 1.0 (stone)	0.1* Stonefruit	28	2.0 (Stone fruit)	Oman restricted use
Cyprodinil	Chorus	2.0	2	2.0	2	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruit)	Taiwan Peach -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Deltamethrin	Decis Forte Delta-Thrin 25 EC Ag-Deltamethrin 25 EC Servus 25 EC	0.1	21	0.1	21	0.15	-	0.2 Stone type fruits		0.05	Hong Kong 0.05 [India 0.05] Indonesia 0.05 [Malaysia 0.05] [Oman 0.05] Singapore 0.05 [Thailand 0.05]
Didecyldimethylammonium chloride	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan -
Emamectin benzoate	Warlock 19.2 EC	0.03	14	0.03	21	0.03	-	-		0.03	
False codling moth granulovirus	Cryptogran Cryptex	-	-	-	-	-	-	-		-	
Fenamiphos	Nemacur 400 EC Fenamiphos 400 EC Bonfire 400 EC Atador	0.05	100	0.02	100	0.02	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Oman restricted use Singapore - Switzerland - Thailand - Taiwan 0.01
Fenbuconazole	Indar 50 EW	1.0	1	0.5	5 Max. 4 applications	0.5	1.0 (stone)	0.5 (Peach) - (Nectarine)		0.5 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect. - Iran Nect. - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -
Fenbutatin Oxide	Fenbutatin Oxide 550 Mitrus (peaches only) Crystal 550 SC (Peaches only) Roper 550 SC (Peaches only) Mitador	2.0	21	0.05	Not to be used after blossom	0.05 (Unpublished Sante 10154/2018, proposed new MRL 0.01)	10.0 (peach) Nectarine -	7.0 (Peach) - (Nectarine)		7.0 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect. - Iran Nect. - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenazaquin	Vanity 200 SC Superior 200 SC	0.5	42	0.5	42	0.5	-	-		-	Canada 0.1 Hong Kong - India - Indonesia - Iran- Oman - Malaysia - Singapore -
Fludioxonil	Scholar Teacher 230 SC	7.0	1	7.0	1	10.0	5.0 (stone)	5.0 Stone type fruit	Contact relevant Ag-chem company to confirm	5.0 (Stone fruit)	Canada 5.0 Hong Kong Nectarine - [India 5.0] [Indonesia 5.0] [Iran 5.0] [Malaysia 5.0] [Oman 5.0] [Singapore 5.0] Taiwan 5.0
Formetanate (nectarines only)	Dicarzol	0.02	100	0.01	Before flowering only	0.01	0.4 (Revocation 31/12/16)	-		-	
Furfural	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
Gamma-cyhalothrin	Vantex 60 CS	0.5	14	0.01	Contact relevant Agchem company to confirm	0.01 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (stone)	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag-chem company to confirm	0.5 as Cyhalothrin	Oman restricted use
Indoxacarb	Steward Steward 150 EC Doxstar flo Addition 150 SC Advance 150 SC Margin 300 WDG (Nectarines only) Session 300 WDG (Nectarines only) Indo 300 WDG (Nectarines only)	0.2	28	0.2	28 (Max. 2 applications)	1.0	0.9 (stone)	-		1.0 (Stone fruit)	Canada (0.1)

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Iprodione Note: EU authorisation/ MRL withdrawal pending, may affect late season fruit types	Rovral Flo (Nectarines and canning peaches only) Iprone 500 SC Iprodione 255	5.0	3	5.0	5 Days Pre-harvest foliar spray (Nectarines/ Canning peaches only)	10.0 (Unpublished Sante 11836/2017, proposed new MRL 0.01)	20.0	10.0		10.0 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect. - Indonesia Nect. - Iran Nect. - Malaysia Nect. (0.01) Singapore Nect. - Switzerland 3.0 Thailand Nect. -
	Iproflo Roflo				3 days before harvest						
	Rovral AquaFlo (Nectarines only)				0 - PHT (Nectarines only)						
	Pickle 500 SC Taurus 500 SC (Nectarines & fresh peaches only) Iprodione 500 SC (Nectarines & fresh peaches only)					5 Days Pre-harvest foliar spray					
	Prodione	12.0	5		5						

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Lambda-cyhalothrin	Karate EC Karate Zeon Cylam Judo 50 EC Lambda 50 EC Lamdex 5 EC Lambda EC Karate Zeon 10 CS Karis 5 CS	0.5	14	0.15	Contact relevant Ag-Chem Company to confirm	0.2 EU MRL 0.15 from 26/01/2019 EU Commission Regulation 2018/960	0.5 (stone)	0.03* Stone fruit	Not after flowering	0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	Oman restricted use
Mancozeb	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Newzeb 800 WP Unizeb WP Mancozeb 800 WP (peaches only) Tridex Penncozeb Mancozeb 800 WP (L9169) (peaches only) Vondozeb Pennfluid 420 SC Ventum 800 WP Villa Unizeb WP Tsumeb Farmag Mancozeb 800 WP (Peaches only)	3.0	28	2.0	Peach - 63 Nectarines - 42	2.0	-	- 7.0 Stone type fruits (Dithiocarb.)		7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Oman prohibited use
Maneb	Mangle SC (peaches only) Vandal (peaches only)	3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	- 7.0 Stone type fruits (Dithiocarb.)		7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1) Oman prohibited use
Mefenoxam (Metalaxyl)	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.01 (Stone fruit, as Metalaxyl)	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag Chem Company to confirm	-	India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan - Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mercaptothion/Malathion	Datathion Mercaptothion 500 EC Avi-Merkaptotoks WP Avi Guard Fyfanon 440 EW	4.0	10	0.02	28 Bait application ONLY A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare	0.02	8.0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Singapore Nect. - Taiwan 0.01 Thailand -
Methamidophos	Metamidofos SL Metfos Methamidophos 585 SL Bitrad Methamidophos	1.00	28	0.01	Before 30% blossom and the release of bees	0.01	-	-		-	Iran Banned Oman prohibited use
Methidathion	Methidathion 420 EC Suprathion 420 EC	0.2	EC- Dormant application only WP- 28	0.02	EC - Dormant application only WP - Up to 90% petal fall	0.02	0.05 (stone) (Expiration 31/12/2016)	0.2 Stone type fruits		0.2 (Nectarine) - (Peach)	India peach - Iran Banned Oman prohibited use Taiwan -
Methomyl	Kuik 900 SP Methomate 200 SL Methomyl 200 SL Methomyl 90 SP Masta 900 SP (Peaches only) Methomex 90 SP Masta 200 SL Methomyl 900 SP KUIK 900 SP Farmag Methomyl 90 SP (Peaches only) Methomex 200 SL Spitfire 900 SP Kuik 900 SP	0.2	16	0.01	28	0.01	5.0	0.2 Stone type fruits		0.2	Oman restricted use
Methoxyfenocide	Marksman 240 SC	2.0	7	2.0	7	2.0	3.0	-		2.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Metiram		3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	- 7.0 Stone type fruits (Dithiocarb.)	Contact relevant Ag chem company to confirm	7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1)
Mineral oil		-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
Oxamyl	Vydate SL	0.01	Early fruit set stage	≤ 0.01	Early fruit set stage	0.01	-	-		-	Oman restricted use
Paclobutrazol	Avocet Cultar	0.05	Post harvest, pre leaf drop	0.05	Post harvest, pre leaf drop	0.5 (Unpublished Sante 11715/2017, proposed new MRL 0.15)	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan 0.01
Pirimicarb	Aphox Apex 500 WDG (Peaches only)	3.0	21	1.5	21	1.5	-	5.0 Stone type fruits		3.0 (Stone fruit)	Singapore 0.5 Switzerland 1.3
Prochloraz	Octave Chronos 450 SC	-	FST	≤ 0.01	Do not apply after blossom	0.05	-	-		-	Indonesia -
Propargite (Yellow cling peaches only)*	Omite 30 WSB*	2.0	21	0.01	Do not apply after 100% petal drop	0.01	Peach - Nectarine 4.0	4.0 Stone type fruits	Not after 90% petal fall	4.0 (Stone fruit)	Oman prohibited use Switzerland 1.5
Propiconazole	Tilt Propizole 250 EC Propiconazole 250 EC Bumper 250 EC Propimax Admiral 250 EC (Peaches only) Propicon 250 EC	0.5	10	0.5	10	5.0	4.0	-		5.0 (Peach) - (Nectarine)	Iran Banned India Nect - Indonesia Nect. - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Prothiofos	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Dormant application only	0.01	-	-		-	
Pyrimethanil	Pyrimet 400 SC Source 400 SC Support 400 SC Botrynil	5.0	3	5.0	3	10.0	10.0 (stone)	4.0 Stone type fruits		4.0	Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Oman 4.0] [Singapore 4.0] [Thailand 4.0] Taiwan 4.0
	Protector 400 SC		1		1						
Pyrimethanil +	Tutor 500 SC	5.0	1	5.0	1	10.0	10.0 (stone)	4.0 Stone type fruits		4.0	Hong Kong 4.0 [India 4.0] Indonesia 4.0 [Iran 4.0] [Malaysia 4.0] [Oman 4.0] [Singapore 4.0] [Thailand 4.0] Taiwan 4.0
		7.0		7.0		10.0	5.0 (stone)	5.0 Stone type fruits		5.0 (Stone fruit)	Canada 5.0 [India 5.0] Indonesia 5.0 [Iran 5.0] [Malaysia 5.0] [Oman 5.0] Taiwan Peach 5.0 [Thailand 5.0]
Pymetrozine	Chess Trivia 500 WDG	0.05	28	0.03	28	0.03	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Singapore - Thailand - Taiwan 0.01
Soyabean oil	MProve Oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7	0.3	0.3 (stone)	-		0.3	Hong Kong -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Spinosad	Tracer 480 SC Entrust Naturalyte 800 WP	0.5 (Nectarines) 0.05 (Peach)	7 (Nectarines) 21 (Peaches)	0.5 (Nectarines) 0.05 (Peaches)	7 (Nectarines) 21 (Peaches) Max. 4 applications	0.6	0.2 (stone)	0.2 Stone type fruits	21	0.2 (Stone fruit)	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect . 0.2] [Malaysia Nect.0.2] [Oman Nect. 0.2] [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. -
	GF - 120 NF		0		0 Multiple bait applications						
Spinosad +	STATIC Spinosad ME	0.5 (Nectarines) 0.05 (Peach)	1	0.5 (Nectarines) 0.05 (Peaches)	1	0.6	0.2 (stone)	0.2 Stone type fruits		0.2 (stone)	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect . 0.2] [Malaysia Nect.0.2] [Oman Nect. 0.2] [Singapore Nect.0.2] [Thailand Nect.0.2]
Methyl eugenol		-		-		No MRL required	Exp.	-		-	[Singapore Nect.0.2] [Thailand Nect.0.2]
Steinernema Carpopapsae (Beneficial nematodes)	Nemasys C	-	0	-	0	-	-	-		-	
Sulfoxaflor	Closer 240 SC	0.04	14	0.04	14	0.5	3.0 (Stone)	-		0.4 (Peaches - Including Nectarines and Apricots)	Taiwan -
Sulphur	Kumulus 800 WG Thiovit Jet Flowable Sulphur Dusting Sulphur Cosavet Striker Striker SC Ciplapol S 320 (peaches only) Sulfostar (peaches only) Microthiol Special Sulgran 800 WDG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Singapore - Thailand - Taiwan Exp.

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Taufluvalinate	Klartan 240 EW	0.02	60	0.02	60	0.3	-	0.01 Stonefruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan -
Thiacloprid	Calypso 480 SC Consult 480 SC Compare 480 SC Topstar	0.1	60	0.1	60 (Max. 3 sprays)	0.5	Peach 0.5 Nectarine -	0.5 Fruit stone type		0.5 (Stone fruit)	
Thiram	Thiram 750 WP Ag-Thiram 800 WP (peaches only) Thiram 75 WP (Peaches only)	3.0	14	2.0	Not later than flowering	2.0 (as CS ₂) and 3.0 (as thiram)	Peach 7.0 Nectarine -	3.0 Fruit stone type		7.0 (Stone fruit) (Dithiocarb.)	Oman restricted use
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	
Zeta-cypermethrin (peaches only)	Fury 10 EW Fury	0.2	14	0.2	14	2.0 (Cypermethrin/ isomers)	1.0 (stone)	0.1* Stonefruit	28	2.0 (Stone fruit, as cypermethrin, including Zeta- cypermethrin)	Indonesia - Oman restricted use Thailand -