

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
1- Methylcyclopropene	SmartFresh	≤ 0.01	PHT	≤ 0.01	PHT	0.01	Exp.	-		-	
6-benzyl adenine (BA)	MaxCel	-	-	≤0.01	-	0.01	Exp.	-		-	
Abamectin	Mecti Sanamectin 18 EC Biomectin Unimectin 18 EC Abamec Plus Agromectin Abalone 18 EC Agrimec Gold Makhromectin Zoro 36 EC Farmag Abamectin 18 EC	0.01	7	0.01	14	0.03	0.02	0.02 Seed type fruit	14	0.01 (Pome fruit)	
	As part of Voliam Targo (also see chlorantraniliprole)		14								
Acetamiprid	Mospilan 20 SG Magnitude 200 SP Maintain 200 SP Sharda Acetamiprid 200 SP Tampriid Devaxam 20 SP	0.5	50	0.5	50 Or no later than 15 December Max. 2 applications	0.8 (Unpublished Sante/10617/ 2018, proposed new MRL 0.4)	1.0 (Pome fruit)	0.8 Seed type fruit		0.8 (Pome fruit)	
Acetamiprid +	Cormoran 180 EC	0.5	28 Maximum 3 applications per season	0.5	28 Maximum 3 applications per season	0.8 (Unpublished Sante/10617/ 2018, proposed new MRL 0.4)	1.0	0.8 Seed type fruit		0.8 (Pome fruit)	
Novaluron											



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Alpha-cypermethrin</b>	Sentry EC Alpha-Thrin 100 SC Polytrin Super Avalanche Fastac SC Alphathrin Farmag Cypermethrin	0.5	14	0.5	14	1.0 (Cypermethrin/ isomers)	2.0 (Pome fruit, cypermethrin)	0.7 Seed type fruit		0.7 (Pome fruit, as cypermethrin including alpha- and zeta- cypermethrin)	Oman restricted use
<b>Azadirachtin</b>	NeemAzal	0.01	24 hrs.	0.01	24 hrs No more than 5 applications per season. To be used under conditions where Codling moth is under commercial control	1.0	Exp.	-		-	
<b>Azinphos-methyl</b>	Azinphos 200 SC Azinphos 350 WP	0.4	14	0.05	56	0.05	-	2.0 Seed type fruit		2.0	Oman prohibited use
<b>Benomyl</b>	Benomyl Benomyl 500 WP Farmag Benomyl 500 WP	3.0	14	0.2	Do not use later than one week after full bloom	0.2	-	0.075 Pomefruit	Do not use later than one week after full bloom	3.0 (Pome fruit, as carbendazim)	Iran - Oman restricted use
<b>Beta-cyfluthrin</b>		0.1	14	0.1	14	0.2 (Cyfluthrin/ isomers, Pome)	0.5 (Pome fruit)	0.2 Pomefruit		0.1 (as cyfluthrin/ beta-cyfluthrin)	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Beta-cypermethrin	Akito	0.5	14	0.5	14	1.0 (Cypermethrin/ isomers)	2.0 (Pome fruit, cypermethrin)	0.7 Seed type fruit	Not later than 3 weeks after full bloom	0.7 (pome, as cypermethrin including alpha- and zeta- cypermethrin)	Oman restricted use
Bifenthrin	Talstar Seizer 80 SC	0.1	60	0.01	Before blossom only	0.01	0.5	0.5 Pear	Before blossom only	-	Indonesia - Oman prohibited use
Bollworm Nucleopolyhedrovirus	Bolldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	Applied to growing crops Exp./ Postharvest 1.0	-		-	Indonesia - Iran - Malaysia 0.01 Thailand -
Cadusafos	Rugby 10 ME Rugby 10 G Rugby Hockey 100 EW Soccer 100 EW	≤0.01	0	≤0.01	0	0.01	-	-		-	Oman restricted use
Captab/ Captan	Captab WP Thor 500 WP Captan Flo Merpan 50 SC Sharda Captan 800 WG Captan 800 WG MERPAN® 80 WDG Farmag Captan 500 SC	15.0	14	10.0	35	10.0	25.0	3.0 Pomefruit		15.0 (Pome fruit)	Oman prohibited use Vietnam - (Banned chemical)

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Carbaryl</b>	Sevin XLR Carbaryl 850 WP Karbaspay 850 WP Karba 850 WP	2.5	7	0.01	2 Applications no later than 28 days after full bloom	0.01	12.0 (Pome fruit)	0.05 Pomefruit		-	India - Oman prohibited use
<b>Chlorfenapyr</b>	Hunter 24 SC Saber 360 SC Savage 360 SC Sergeant	0.5	30	0.01	Single application not later than the beginning of flowering	0.01	0.01	-		-	
<b>Chlorantraniliprole</b>	Altacor	0.5	14 Max. 3 applications	0.5	14 Max. 3 applications	0.5	1.2 (Pome fruit)	0.5 Pomefruit		0.4 (Pome fruit)	Canada 0.4 India - [Indonesia 0.4] [Iran 0.4] [Malaysia 0.4] [Oman 0.4] [Singapore 0.4] [Thailand 0.4] Vietnam -
	As part of Voliam Targo (also see abamectin)		14								
<b>Chlorpyrifos</b>	Lirifos Dursban 480 EC Dursban 750 WG Pyrinex 480 EC Pyrinex 250 CS Chlorban 480 EC Klub M5 Chlorpyrifos Agropyrifos 480 EC Chlorifos Chlorpyrifos 480 EC	0.05	Dormant application only	0.01	Dormant application only	0.01	0.05	0.5 Pomefruit		1.0 (Pome fruit)	[Indonesia 1.0] Oman restricted use
<b>Codling moth granulosis virus</b>	MADEX Carpovirusine GraCyd	-	5	-	5	Exp.	Exp.	-		-	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Codling moth and Oriental fruit moth granulosus virus</b>	Madex Twin Madex Dual	-	-	-	-	-	-	-		-	
<b>Copper (Cu) Oxychloride and other Cu salts</b>	Copper Oxychloride WP Coprox 850 WP Coprox Super Coprox WP Farmag Cu Super Farmag Copper Oxychloride Demildex	20.0	14	5.0	Not later than Greentip	5.0	Exp.	5.0 Pomefruit		-	Hong Kong - Malaysia Exp.
<b>Cyanamide</b>	Dormex Deurbraak Bloomer Dorcy Cymex Cyan Alert 520 SL	0.05	Dormant application only	0.01	Dormant application only	0.01	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mexico - Oman prohibited use Singapore - Vietnam - Iran Banned
<b>Cyhexatin</b>	Acarstin Flo	2.0	3	0.01	Use only prior to fruitset	0.01	-	0.01 Pomefruit	Use only prior to fruitset or post harvest	0.2	Oman prohibited use

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Cypermethrin</b>	Cyperin Cypermethrin 200 EC Polythrin 200 EC Avi-Sipermetrin EC Kemprin 200 EC Cymet Farmag Cypermethrin Bitrad Cypermethrin	0.5	14	0.5	14	1.0	2.0 (Pome fruit)	0.7 Seed type fruit	Not later than 3 weeks after full bloom	0.7 (Pome fruit)	Oman restricted use
<b>Cyprodinil</b>	Mirano 50 WG	0.1	74	0.1	74	2.0	1.7 (Pome fruit)	1.0 Pomefruit		2.0 Pome fruit	
<b>Deltamethrin</b>	Decis Forte Delta-Thrin 25 EC Celtis 25 EC Servus 25 EC	0.1	EC-7 SC-14	0.1	EC-7 SC-14	0.1	0.2 (Pome fruit)	0.2 Seed type fruit		-	India - Indonesia - Malaysia (0.01) Mexico -
<b>Didecyldimethylammonium chloride</b>	Sporekill Quattro-Kill Terminator Spore-Attack	20.0	0	0.1	<b>Do not use on export fruit</b> Contact relevant Ag-Chem company to confirm	0.1	-	-		-	
<b>Difenoconazole</b>	Score D-zole 250 EC Scope 250 EC Defender Quantum 275 EC Venture 275 EC Sharda Difenoconazole 250 EC Divino 250 EC Sterin 250 EC Farmag Difenoconazole 250 EC	0.2	14	0.2	28 Max. 4 applications	0.8	5.0 (Pome fruit)	1.0 Seed type fruit		0.8 (Pome fruit)	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Diphenylamine	Shield Liquid DPA No scald DPA	10.0	PHT	0.1	<b>Not for use on fruit for EU</b>	0.1 EU MRL 0.05 from 01/05/2019 EU Commission Regulation 2018/1515	5.0	5.0 Pear		5.0	
Dithianon	Delan Alaris WG Detect 400 SC Inspect 400 SC Sense 660 WDG Nugget 660 WDG Maccani	2.0	21	2.0	21	3.0	5.0	5.0 Seed type fruit		1.0 (Pome fruit)	Canada (0.1) [India 1.0] [Indonesia 1.0] [Iran 1.0] [Malaysia 1.0] [Oman 1.0] [Singapore 1.0] [Switzerland 0.3] [Thailand 1.0]
Dithianon +	Combine 160 WDG	2.0	21	2.0	21	3.0	5.0	5.0 Seed type fruit		1.0 (Pome fruit)	Canada (0.1) [India 1.0] [Indonesia 1.0] [Iran 1.0] [Malaysia 1.0] [Oman 1.0] [Singapore 1.0] [Switzerland 0.3]
Trifloxystrobin		0.1		0.1		0.7	0.5 (pome)	0.5 Seed type fruit		0.7 (Pome fruit)	
Dodine	Syllit Antagon	1.0	14	0.9	14 Max. 4 applications	0.9	5.0	5.0 Seed type fruit		5.0 (Pome fruit)	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Emamectin benzoate</b>	Vitex 50 (In combination with Clarity) Promec 20 EW (in combination with Clarity)	0.01	28	0.01	28	0.02	0.025 Pome fruit	0.05 Seed type fruit		0.02 (Pome fruit)	
	Warlock 19.2 EC		14		14						
<b>Esfenvalerate</b>	Sumi-alpha	0.5	14	0.05	42	0.1	1.0	0.1 Pomefruit		-	India - Indonesia - Malaysia (0.01) Singapore - Thailand -
<b>Etozazole</b>	Smite	0.2	42 Single application only	0.07	65 Single application only	0.07	0.2 (Pome fruit)	-		0.07 (Pome fruit)	
<b>Fenazaquin</b>	Pride 200 SC Vanity 200 SC Superior 200 SC	0.05	30	0.05	30 Single application only	0.1	0.2 Import tolerance	0.2 Pomefruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mexico - Singapore - Vietnam -
<b>Fenbuconazole</b>	Indar 50 EW	0.1	14	0.1	14 Max. 4 applications	0.5	-	0.1 Seed type fruit		0.5 (Pome fruit)	
<b>Fenbutatin oxide</b>	Mitrus	2.0	14	2.0	14	2.0 (Unpublished Sante 10154/2018, proposed new MRL 0.01)	15.0	5.0 Seed type fruit		5.0 (Pome fruit)	



## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Fenoxycarb</b>	Insegar	1.0	21	1.0	21 1st or 2nd generation Max. 4 applications	1.0	-	1.0 Seed type fruit	Not later than 75% petal fall	-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mexico - Singapore - Vietnam -
<b>Fludioxonil</b>	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0 (Pome fruit)	0.7 Pear	Contact relevent Ag- chem company to confirm	5.0 (Pome fruit)	Hong Kong 0.7
<b>Flufenoxuron</b>	Pitch 100 DC Torrent 100 DC	0.05	75	0.05	75 Max. 3 sprays	0.5	0.5	-		-	India - Indonesia - Iran - Malaysia (0.01) Mexico - Singapore - Vietnam -
<b>Fluopyram</b> +	Luna Experience	0.5	21	0.5	21 Max. 3 applications	0.5	0.8 (Pome fruit)	0.5 Seed type fruit		0.5 (Pome fruit)	Hong Kong -
<b>Tebuconazole</b>		0.3		0.3		0.3	0.05			1.0	Canada (0.1) Mexico 0.05

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Flusilazole</b>	Flusilazole 100 EC Intensive 100 EW Manage 100 EW Galactica Flustar WG	0.1	14	0.01	42 Max. 4 applications	0.01	-	0.3 Seed type fruit		0.3 (Pome fruit)	
<b>Fluxapyroxad</b>	Sercadis	0.05	56	0.05	56	0.9	0.8	-		0.9 (Pome fruit)	Hong Kong -
<b>Furfural</b>	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
<b>Gamma-cyhalothrin</b>	Vantex 60 CS	0.2	14	0.01	Contact relevant Agchem company to confirm	0.01 EU MRL 0.08 from 26/01/2019 EU Commission Regulation 2018/960	0.3 (Pome fruit)	0.1 Pomefruit	Contact relevant Agchem company to confirm	0.2 (Pome fruit, as cyhalothrin)	Iran - Oman restricted use
<b>Gibberellins</b>	Falgro 20 SP Falgro 4 SL ProGibb 4% ProGibb 40% Falgro tablets Gibb Liquid 4	-	Early bloom application only  Forelle pears apply at 30-40% blooming	≤0.01	Early bloom application only  Forelle pears apply at 30-40% blooming	No MRL required	Exp.	RNR (Exp.)		-	
<b>Hexaconazole</b>		0.1	14	0.01	Contact relevant Ag-Chem company to confirm	0.01	-	-	Contact relevant Ag-Chem company to confirm	-	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Imazalil</b> * also refer to Pyrimethanil	Philabuster 400 SC	2.0	Post harvest	2.0	Post harvest	2.0	-	5.0 seed type fruit		5.0 (Pome fruit)	Canada (0.1) Switzerland 0.02
<b>Indoxacarb</b>	Margin 300 WDG Doxstar flo	1.0	28	0.5	28 Max. 3 applications	0.5	0.2	0.2 Pear	Contact relevent Ag-chem company to confirm	0.2	Canada (0.1) [India 0.2] Indonesia 0.2 [Iran 0.2] [Malaysia 0.2] Mexico 0.2 [Oman 0.2] [Singapore 0.2] [Vietnam 0.2]
	Steward Steward 150 EC Margin 300 WDG Session 300 WDG Indo 300 WDG				28 Max. 4 applications						
<b>Indoxacarb</b> +	Plemax	1.0	28	0.5	28	0.5	0.2	0.2 Pear	28	0.2	Canada (0.1) [India 0.2] Indonesia 0.2 [Iran 0.2] [Malaysia 0.2] Mexico 0.2 [Oman 0.2] [Singapore 0.2]
<b>Novaluron</b>		0.5				3.0	3.0	3.0 Seed type fruit		3.0 (Pome fruit)	

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Iprodione</b> <b>Note:</b> <b>EU authorisation/ MRL withdrawal pending, may affect late season fruit types</b>	Prodione Rovral Aquaflo Iprodione 500 SC Taurus 500 SC Iproflo Pickle 500 SC Roflo	2.0	Up to 75% petal drop PHT	2.0	Up to 75% petal drop, (PHT for local market & export, EXCLUDING USA)	6.0 <b>(Unpublished Sante 11836/2017, proposed new MRL 0.01)</b>	-	5.0 seed type fruit		5.0 (Pome fruit)	Canada (0.1)
	Iprone 500 SC										
	Pickle 500 SC		PHT								
<b>Kresoxim-methyl</b>	Kreso WDG Kresoxim-methyl 500 WDG Vista Flo Kreso 50 WG Ardent 50 SC	0.1	45	0.1	45	0.2	0.5 (pome)	1.0 Seed type fruit		0.2 (Pome fruit)	
<b>Lambda-cyhalothrin</b>	Karate EC Karate Zeon Judo 50 EC Lambda 50 EC Lambda EC Lamdex 5 EC Lambada aquamul Karate Zeon 10 CS Karis 5 CS	0.2	14	0.08	Contact relevant Ag-Chem Company to confirm	0.1 EU MRL 0.08 from 26/01/2019 EU Commission Regulation 2018/960	0.3	0.1 Seed type fruit	Up to 3 weeks after full bloom	0.2 (Pome fruit, as cyhalothrin, including lambda-cyhalothrin)	Oman restricted use



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mancozeb</b>	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Newzeb 800 WP Ventum 800 WP Newzeb 750 WDG Cozeb 800 WP Mancozeb 800 WP (L3517) Mancozeb 800 WP (L9169) Vondozeb Tsumeb Villa Unizeb WP Tridex 800 WP Multizeb 455 SC Newzeb 455 SC Unizeb 480 SC Penncozeb WG Pennfluid 420 SC Farmag Mancozeb 800 WP Crater 455 SC	3.0	14	3.0	21	5.0 (as CS <sub>2</sub> )	0.6	5.0 Seed type fruit		5.0 (Pome fruit) (Dithiocarb.)	Mexico 0.6 Oman prohibited use
<b>Maneb</b>	Manager SC Vandal Mangle SC	3.0	14	3.0	28	5.0 (as CS <sub>2</sub> )	-	5.0 Seed type fruit		5.0 (Pome fruit) (Dithiocarb.)	Oman prohibited use

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mercaptothion/ Malathion</b>	Datathion EC Mercaptothion 500 EC Avi-Merkaptotoks WP Fyfanon 440 EW Harrier 500 EC	2.0	10	0.02	28 Bait application ONLY  <b>A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare</b>	0.02	8.0	0.5 Pomefruit		-	Indonesia - Malaysia (0.01) Singapore -  Thailand - Vietnam -
<b>Metamitron</b>	Nevis™50 SC	0.01	56	0.01	56	0.1	-	-		-	
<b>Methidathion</b>	Methidathion 420 EC Suprathion 420 EC Arythion	0.3	EC-dormant application only WP-21	0.03	EC - Dormant application only WP- Up to 90% petal fall	0.03	-	0.5 Seed type fruit		1.0	Iran Banned Mexico - Oman prohibited use
<b>Methoxyfenozide</b>	Runner 240 SC Marksman 240 SC Walker 240 SC	1.5	10	1.5	10	2.0	2.0 (Pome fruit)	-	10	2.0 (Pome fruit)	
	Clarity		28		28				28		

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Methyl-Parathion</b>	Droper 450 CS Pennacp-M	0.01	60	≤ 0.01	60 Apply during first codling moth generation only. Max 3 applications not later than 15 December	0.01	-	0.2 Seed type fruit		-	Iran Banned Oman prohibited use Vietnam - (Banned chemical)
<b>Mineral oil</b>	Ampron Citrole 100 Citrole 60 Budbreak Awakening oil CROPChem 86% Winter oil Opron	-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
<b>Myclobutanil</b>	Rally 200 EW Validus	0.2	14	0.2	14	0.6	-	0.5 Seed type fruit		0.6 (Pome fruit)	
<b>Novaluron</b>	Rimon 10 EC React 100 EC Rizon 100 EC	0.5	84 Single application, before 75% petal fall	0.5	84 Single application, before 75% petal fall	3.0	3.0 (Pome fruit)	3.0 Seed type fruit		3.0 (Pome fruit)	
<b>Penconazole</b>	Topaz 200 EW Excalibur 200 EW Penconazole 200 EW Pencomax 200 EW Captain	0.1	14	0.1	14	0.2 (Unpublished Sante 11715/2017, proposed new MRL 0.15)	-	0.2 Pomefruit		0.2 (Pome fruit)	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Penconazole</b> +	D-zole 250 EC	0.1	28	0.1	28	0.2	-	0.2	Not later than 75% petal fall  * (42 days for Ethos 275 EC, Ethos 275 EW, Venture 275 EC and Quantum 250 EC)	0.2	
<b>Difenoconazole</b>	Ethos 275 EC* Ethos 275 EW* Venture 275 EC* Quantum 257 EC*	0.2	Max. 4 applications	0.2	Max. 4 applications	(Unpublished Sante 11715/2017, proposed new MRL 0.15) 0.8	5.0 (Pome fruit)	1.0 Seed type fruit		0.8	Canada (0.1)
<b>Procymidone</b>	Hit 500 SC	0.05	Not after blossom	≤0.01	Not later than 75% petal drop	0.01	-	1.0 Seed type fruit		-	
<b>Propargite</b>	Omite 30 WSB	0.05	PHT <b>On trees</b>	0.01	PHT <b>On trees</b>	0.01	-	3.0 seed type fruit		-	India - Indonesia - Malaysia (0.01) Mexico - Oman prohibited use
<b>Prothiofos</b>	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Use before green tip	0.01	-	-		-	
<b>Pyraclostrobin</b> +	Maccani	0.02	28	0.02	28	0.5	1.5 (pome)	0.5 Seed type fruit		-	India - Indonesia - Iran - Malaysia (0.01) Singapore - Vietnam -
<b>Dithianon</b>		2.0		2.0		3.0	5.0	5.0 Seed type fruit		1.0 (Pome fruit)	Canada (0.1) [India 1.0] [Indonesia 1.0] [Iran 1.0] [Malaysia 1.0] [Oman 1.0] [Singapore 1.0] Switzerland 0.3



**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Pyrimethanil</b>	Philabuster 400 SC Protector 400 SC ecoFOG-160 (post harvest thermofogging) Pyrimet 400 SC	5.0	0	5.0	0	15.0	15.0	7.0 Seed type fruit		15.0 (Pome fruit)	
	Support 400 SC Source 400 SC Botrynil		35		35						
<b>Pyrimethanil + Dithianon</b>	Pyrinon 500 SC Dinil 500 SC	5.0  2.0	21	5.0	21	15.0	15.0	7.0 seed type fruit		15.0 (Pome fruit)	
						3.0	5.0	5.0 seed type fruit			
<b>Pyrimethanil + Trifloxystrobin</b>	Flint Star Filum 520 SC	5.0	35	5.0	35	15.0	15.0	7.0 Seed type fruit		15.0 (Pome fruit)	
		0.1				0.1	0.7	0.5 (Pome fruit)			
<b>Soybean oil</b>	Mprove Oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Spinetoram</b>	Delegate 250 WG	0.05	7	0.05	7	0.2	0.2 (Pome fruit)	0.05 Seed type fruit		0.05 (Pome fruit)	Switzerland -
<b>Spinosad</b>	Tracer 480 SC Entrust Naturalyte 800 WP  GF-120 NF	0.01	14  0	0.01	21 Max. 4 applications  0 Multiple bait applications	0.3	0.2 (Pome fruit)	0.1 Seed type fruit		-	
<b>Spinosad + Methyl eugenol</b>	STATIC Spinosad ME	0.01  -	1	0.01  -	1	0.3  No MRL required	0.2 (Pome fruit)  Exp.	0.1 Seed type fruit  -		-	
<b>Steinernema Carpocapsae (Beneficial nematodes)</b>	Nemasys C	-	0	-	0	-	-	-		-	
<b>Sulfoxaflor</b>	Closer 240 SC	0.3	7	0.3	7	0.4	0.5 (Pome fruit)	-		0.3 (Pome fruit)	Switzerland -

## MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

### PEARS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Sulphur</b>	Kumulus WG Thiovit Jet Flowable Sulphur Lime Sulphur Liquid Concentrate Cosavet Dusting sulphur Striker Ciplapol S 320 Striker SC Microthiol Special Sulgran 800 WDG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Indonesia - Iran - Malaysia Exp. Vietnam -
<b>Taufluvinate</b>	Kiartan 240 EW	0.05	60	0.05	60	0.3	-	0.2 Pomefruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mexico - Singapore - Vietnam -
<b>Thiabendazole</b>	ICA Thiabendazole 500 SC	6.0	PHT	4.0	PHT	4.0	5.0	-	Contact relevent Ag-chem company to confirm	3.0 (Pome fruit)	Hong Kong 3.0 [India 3.0] [Indonesia 3.0] [Iran 3.0] [Malaysia 3.0] [Oman 3.0] Thailand 0.1 Vietnam 3.0
	Thiazole 500 SC				Do not use on fruit, which is destined for export						

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEARS**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2018 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Thiacloprid</b>	Calypso Topstar Ag-Thiacloprid 480 SC Compare 480 SC Consult 480 SC Tallon 480 SC	1.0	14	0.3	28 (Max. 4 sprays)	0.3	0.3 (Pome fruit)	0.7 Seed type fruit		0.7 (Pome fruit)	
<b>Thidiazuron</b>		-	Dormant application only	-	Dormant application only	0.01	-	-		-	
<b>Trichlorfon</b>	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Pomefruit		-	
<b>Trifloxystrobin</b> *also refer to Pyrimethanil	Flint Star* Connect 500 WDG Unite 500 WDG	0.1	14	0.1	14 (Max. 3 sprays)	0.7	0.5 (Pome fruit)	0.5 Seed type fruit		0.7 (Pome fruit)	
<b>Triflumuron</b>	Triflumuron 480	2.0	21	0.5	70 Do not apply more than 3 sprays per season	0.5	-	-		-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Mexico - Singapore - Vietnam -
<b>Zeta-cypermethrin</b>	Fury 10 EW Fury	0.5	14	0.5	14	1.0 (Cypermethrin/ isomers)	2.0 (Pome fruit)	0.7 Seed type fruit		0.7 (Pome fruit, as cypermethrin including alpha- and zeta- cypermeth)	Oman restricted use